

80 80 U.S.

THE TRS-80 USERS JOURNAL

Vol V No 1 \$3.00 per copy January 1982

Microcomputers in business

Selecting a computer
for your business


A 12-column ledger
for your TRS-80

Season's Greetings



NEWDOS/80 Version 2.0

The Support Keeps Coming.



Apparat's newest disk operating system for the TRS-80®, NEWDOS/80 Version 2.0, has added many new enhancements and features to make your Model I or III computer more powerful. We've kept one thing the same. Our support. Version 2.0 is our second upgrade of our original NEWDOS for the TRS-80. Each version builds and improves on the capabilities of the preceding versions. Just as important, Apparat's commitment to supporting our products makes a good product even better. By providing our customers with zaps on an ongoing basis, we're continually making NEWDOS/80 Version 2.0 a more powerful tool.

Version 2.0...

High Performance DOS

NEWDOS/80 Version 2.0 builds even more performance into NEWDOS/80. The versatility and sophistication of Version 2.0 includes features like:

- Double density support on the Model I
- Enhanced compatibility between Model I and III
- Triples directory size
- Dynamically merge in basic (also allows merging of non ASC II format files)
- Selective variable clearing
- Can display basic listings page by page

- Automatic repeat function key
- Routing for peripheral handling
- Enhanced disassembler
- Command chaining
- Superzap to scan files
- Fast sort function in basic

These new features, added to the existing capabilities of NEWDOS/80, makes it one of the most powerful additions you can make to your system. And Apparat's commitment to support assures that you've purchased a superior product, both today and tomorrow. At just \$149.00 it could be the best investment you will make for your TRS-80.

If you're thinking about upgrading your system, call Apparat today. Dealer inquiries welcome.

303-741-1778

TRS-80 is a registered trademark of Tandy Corp.



Apparat, Inc.

4401 So. Tamarac Parkway, Denver, CO 80237 (303) 741-1778

"ON GOING SUPPORT FOR MICROCOMPUTERS"



Your Ticket to Expanded TRS-80 Capability

Now, Corvus delivers the most advanced combination of hardware and software to serious TRS-80* users. Corvus is the world's largest supplier of Winchester disk systems and local networks for microcomputers.

The Hardware. A compact 5-million byte 5¼-inch Winchester in an attractive package at a breakthrough price of \$3750. Combines hard disk speed with proven Winchester reliability. Expandable to 80 million bytes.


The Software. For TRS-80 Model I and Model III, Apparat's high performance NEWDOS/80-C, the most powerful TRS-80 operating system. For the Model II, TRSDOS* in a new Corvus version, as well as OASIS and CP/M. Now your existing programs will run faster and more reliably than ever before. And, you'll enjoy 5 to 80 million bytes of mass storage without changing floppies.



Networking. Using the Corvus OMNINET™ or CONSTELLATION network and your computer's unmodified single user operating system, you can connect up to 64 TRS-80's in a state-of-the-art multi-processor network. Corvus networks allow all computers to share a large data base and expensive printer or modem peripherals, and communicate interactively over distances of thousands of feet.

Contact Corvus today for the full story.

CORVUS SYSTEMS
2029 O'Toole Avenue
San Jose, California 95131
408/946-7700 TWX: 910-338-0226



Take this hundred ...if you can

This could be yours, but probably never will. This \$100 bill is the reward we offer for the discovery of a legitimate bug in a DOSPLUS DISK Operating System. To qualify you must be:

1. A registered DOSPLUS owner
2. Able to demonstrate and document a real bug, not simply a design shortcoming.

We're convinced that DOSPLUS is the fastest, most powerful, and easiest to operate system on the market. DOSPLUS works! And works right! For the businessman and hobbyists, the speed and simplicity cannot be beat. For the BASIC programmer, NO-ONE can offer you more than we do. And for software authors, compatible kernel systems are available for distribution.

NO-ONE ELSE can give you!

- The same high level of Model I/Model III diskette and program compatibility.
- True, complete BASIC program chaining with files open and variables saved.

We have it all. Features galore AND error-free operation. If we're wrong, and you can prove it, we've got a brand new \$100 bill for you.

We're not conceited, we're convinced!
Order yours today, and soon you will be too!!



**MICRO SYSTEMS
SOFTWARE**


5846 Funston Street, Hollywood, Florida 33023
Phone: (305) 983-3390



DOSPLUS

CALL TOLL FREE FOR FAST SERVICE (800) 824-7888,
OPERATOR 193 FOR VISA/MASTERCHARGE/C.O.D. ORDERS
California dial (800) 852-7777, Operator 193, Alaska and Hawaii dial
(800) 824-7919, Operator 193
TOLL FREE LINES WILL ACCEPT ORDERS ONLY!
For Applications and Technical information call (305) 983-3390 or
drop us a card.

Dealers inquiries invited



This is a picture
of all the printers in the world
that outsell the MX-80.

Epson.

The one thing you can't beat in the marketplace is value. And there simply isn't a better combination of reliability, print quality, features and price in an 80-column printer than the Epson MX-80. Anywhere on earth.

But while we're pleased to make the best-selling 80-column printer in the world, we're hardly surprised. Because we decided a long time ago that the way to succeed in this business is to build a good product, sell it at a fair price, and stand behind it.


So we built our MX-80 with features like a choice of 24 different type faces, graphics that rival plotters, logical seeking, bidirectional printing and the world's first disposable print head. We priced it at under \$650. And if it breaks, we'll be here to fix it.

That seems like a straightforward enough policy. But when we first introduced the MX-80, the competition

laughed. Now they're cutting prices, introducing "new" models, and running splashy color ads, all in an effort to catch up. And they're not laughing.

But you don't have to take our word for it. You've got a choice: you can buy the printer that's been embraced by

several hundred thousand computer fanatics all over the world. Or you can buy something else. And take your chances.



EPSON
EPSON AMERICA, INC.

Back in the good old days when I was still a farm boy, we had a pipsqueek of a tractor. It wheezed, puffed, grunted and snorted. It also died quickly when it encountered a tough piece of sod while pulling a plow. Then, one spring, I got to use a new diesel-powered monster with a 50-gallon gas tank. It was grossly overpowered, even when pulling a five-bottom plow, a packer and a seeder. It purred like a kitty, and there was nothing that would even begin to make it hesitate. It cut through the soil as though it was warm butter.

It was a thing of beauty and a joy forever, and there was plenty of time to make value judgements about overkill and underkill. It was nice to have several hundred horsepower at your disposal and use only small percentage of it. It made life easy because little things didn't hang you up and cause frustration. Taking wear and tear on both the machine and the operator into consideration, it was probably cheaper in the long run.

Computers do not pull plows, but there is an analogy here. How much computing horsepower do you need, and how much frustration do you encounter in trying to make a microcomputer act like a minicomputer? In the case of our big tractor, it made one effortless pass through a half-mile field. The operation was complete: One swath of dirt, about 80 inches wide, was plowed, packed and seeded. There was no need to come back to it until harvest time. The small pipsqueek, on the other hand, had to make three passes, and it cut a smaller swath to begin with.

Let's look at a real-life situation here at 80-U.S. We have a four drive Model II which handled a 10,000 plus subscriber file. It worked very well - until we hit that 10,000 limit. Now, all of a sudden, it was decision time again. It already took almost 6 hours to print labels for the magazine. The printer, a Centronics 703, seemed to be the pacing factor since it ran without hesitation. Obviously, a faster printer was indicated. One Saturday afternoon, we hauled in a real line printer. It actually printed an entire line in one fell swoop. It printed its line, and then waited! The computer was now the pacing factor. More specifically, it was disk access time which caused the delay. The net result was that throughput was not increased. We had had a very well matched system all along, and didn't know it.

Naturally, we scrapped the idea of buying a faster printer. It wouldn't help the situation at all. The capacity problem could easily have been solved by interfacing a hard disk system to the Model II. It was available and sitting

right there next to it. It was a 20-megabyte Corvus system, here for evaluation. It worked like a dream, and has a fantastic disk access time. With the hard disk, we could increase our capacity to at least 32,000 records. Running labels for the magazine would then take about 15 hours! It would take another 15 hours to run a checking list prior to the actual running of the labels.

We have no second shift, and to put one on would cost bucks. Aside from that, our experience shows that we rarely can run continuously for even six hours without getting an I/O error or power glitch somewhere during that time. It appeared we were trying to plow a half mile field with a quarter mile tractor. There are limits to microcomputers, and we seem to have hit it in this case. For all other applications though, the computer is overpowered, and loafs through without pain or strain.

This is my second start on an editorial for this issue. The first one was too sanctimonious and stiff. It had to do with about the same thing mentioned here, but I find they turn out better when they are simply "winged". There is just one observation from that first attempt that is worth passing along here. In trying to collect information for this issue, I found that in almost every case where a microcomputer was being used successfully in a business, there was at least one person in that business who was personally involved with computing. That person writes software and selects and modifies software for the needs of the business. I have not yet talked to or seen a place of business that has the fabled "turnkey" system in operation. I'm not sure what that says, but if I were writing software for a living, it would certainly be worth some serious thought. Perhaps the microcomputer world will spawn a new breed of person: the Micro EDP Manager.

What about our problem? We solved it rather neatly. Our entire subscription files have been converted to IBM format and transferred to a subscription service in Illinois. They have put it on an IBM 370/something or other. Soon, they will be running labels, reports and sending renewal notices. They currently service over 150 magazines. It's their only business and they are set up to handle it. It was cheaper than adding a second shift here, and now we can go ahead and promote at will. We no longer have to ask the question about where to put all those new subscribers.

It makes me sort of sad though, to find that the wonderful micro has practical limits. I always thought micros could do just about anything.

Mike

Publisher & Editor-in-Chief

I. Mike Schmidt

Sales & Promotion

Margaret G. Farrell

Editor

Thomas N. Huber

Assistant Editor

Donald Scarberry

Associate Editors

Terry R. Dettmann

Jim Klaproth

Cameron C. Brown

Contributing Editors

Spencer Hall

William Schroeder

Robert C. Bahn

Robert W. Liddil

Jim Perry

James Williams

Typography

Catherine Doud

Editorial Secretary

Eva R. Jones

Comptroller

Maggi Murray

Circulation

Robert P. Perez

DISTRIBUTORS

Hofacker Verlag
Tegernseer Strasse 18
D-8150 Holzkirchen/Obb
West Germany

Graymar Data Services
#4-258 East 1st Avenue
Vancouver, BC V5T 1A6
Canada

The Software House
146 Oxford Street
London, W1, England

MKSS
40-A High Street
Stony Stratford
Milton Keynes, England

Micro Processor Services
940-A Colombo Street
Christchurch, 1
New Zealand

Fugen Electronics Co., Ltd
Chino Building 3F
3-34-24, Nakano
Nakano-ku, Tokyo 164
Japan

Format-Admin, Analise, E Prog
AV NS Copacabana 1417
Lojas 303 E 304
Copacabana Rio de Janeiro
Brazil CEP 22.070

Computer Campus
11 Rundle Street
Kent Town
South Australia 5067

80-U.S.

THE TRS-80 USERS JOURNAL

*TRS-80 is a trademark of the Tandy Corporation

Volume V Number 1

January 1982

© 1982 80-Northwest Publishing Inc. All rights reserved. Reproduction for other than personal, non-commercial purposes, or further distribution in any other form, is prohibited. No patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this publication, the publisher assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of any information contained herein. Please address correspondence to: **80-U.S. Journal, 3838 South Warner Street, Tacoma, Washington 98409 Telephone: (206) 475-2219**

ADVERTISERS: 80-U.S. Journal will accept relevant commercial advertising which pertains to, or is for use on, the Tandy Corporation microcomputers. Write for a current rate schedule.

AUTHORS: We constantly seek material from contributors. Send your material (double spaced, upper/lower case please) and allow approximately 4 to 6 weeks for review. Programs must be supplied in machine readable form on diskette or tape. Text files may be on diskette. Media will be returned if return postage is provided. Cartoons and photographs are welcome. Generous compensation will be made for non-trivial works which are accepted for publication. 80-U.S. Journal pays upon acceptance rather than on publication.

The Cover

Our cover for this issue shows the summit of Mount Rainier. It is intended to be our season's greeting card to you, our faithful readers. Jeff Graham was the photographer.

SUBSCRIPTION PRICE in the United States is \$16 for one year, \$31 for two years and \$45 for three years.

Canada & Mexico: \$25 per year, no two or three year subscriptions are offered. **All other:** \$30 per year via surface mail, \$72 per year via airmail. Two and three year subscriptions are not offered.

ISSN Publication # 0199-1035

The 80-U.S. Journal is published monthly by 80-Northwest Publishing Inc., 3838 South Warner Street, Tacoma, Washington 98409-4698

PRINTED IN THE UNITED STATES OF AMERICA

POSTMASTER: Please send change of address form 3579 to 80-U.S. Journal, 3838 South Warner Street, Tacoma, Washington 98409-4698

Second Class Postage PAID at Tacoma, Washington and at additional entry point.

Features

A 12-column Ledger - Fred Blechman	13
Business Computers: A planning guide - Joel Makower	22
BASIC Compilers - Staff	33
Expand your Color computer memory - R Wayne Day	38
Shift for uppercase - William R Bell	43
Exatron's Floppy disk controller - Staff	46
To Capitalize or not to capitalize - Larry Krengel	50
Linked list subroutines - Richard M Straw	58
Happiness is a printer - Larry Krengel	64
Goldplug 80 evaluation - Jim Klaproth	65
Hog Jowl Mansion - Jon J Waples	66
Z-Subs, Revisited - Spencer Hall	79
How to find execution points - Glenn W Collura	88
Build it yourself, in BASIC - Dan Connors	91
Spacer - Lou Pa	94
The Corvus hard disk system - T R Dettmann	107
Inside the FOR...NEXT loop - R C Bahn	110

Reviews

Tuesday morning quarterback - game review	118
BASIC better and faster - book review	120
Space War - game review	120
BasicPro - utility review	122
Typing Tutor - self improvement review	122

Departments

Editorial	2
Letters to the Editor	4
Items at random	6
New products	8
Tandy topics - Ed Juge	10
Captain 80 - Bob Liddil	54
System/Command - James F Williams	103
Notes	124
Advertiser index	126
Back issue availability	126
Unclassified ads	127

Letters

As one who writes a number of retail installment contracts each week, and who used to calculate each with a calculator, I was happy to see the contract program in the Sep/Oct 81 issue.

After running the program, though, I became concerned that the interest formulas don't seem valid for this state (I'm in Washington).

Here are the changes I made in order to obtain correct rates for my location:

```
1080 RI = IR/ 1200
1090 PF = (1 - (1 + RI)^(-
  MP))/RI : PMT = (INT(BF/
  PF * 100 + .5))/100
1120 FC = (MP + PMT) - BF
1130 TP = PMT + MP : K1 =
  TP + DP!
```

In line 900, change "ADD-ON" to "ANNUAL". This way, you need not recalculate the annual rate - it's assumed to be correct. You may also want to delete lines 1790-1890, which calculate the Texas rate, and delete 750-790, to eliminate the Texas instructions. If so, change line 740 to:

```
740 GOSUB 910 : RETURN
```

By using this method, you assume all equal payments, and not bother with an odd last payment. CAUTION: If you charge the maximum legal rate, you may wish to add "-0.01" to the end of 1190. Otherwise, rounding errors could cause your interest to be a few cents over the legal rate. In lines 1190 and 1710 change "MP-1" to "MP".

My own contracts are figured with a minimum 2% down payment, so I added:

```
1005 PRINT@ 516, " (MINIM
  UM DOWN PAY'T"; : PRINT
  USING " $###.##"; (GT/5
  ); : PRINT "));
```

Finally, if you intend to use this program "for real", I strongly suggest you take a sample run to your banker or accountant and double check that it's correct.

Ron Manor
Olympia, WA

(Good idea. Ed)

Just recently I got a batch of your back numbers and just had to write to tell you what a great magazine you put out.

...there are so many good things in the last six issues it is difficult to pick one out but I think I'd opt for the Graphics Editor, by William Mason...

Ms. Sheena Scott
Edinburgh, Scotland
(Joe Fettig of J. F. Consulting was also fascinated by Bill Mason's article. As a result, he contacted Bill and had him expand on the original idea and produce the Graphics Editor and Programmer announced in this issue's new product section. Ed.)

I've read in articles that using the improper ink with a dot-matrix printer can cause damage to the printhead. I've seen an article for adding a re-inking attachment to a printer but it did not mention the ink to use if your printer was the dot-matrix type. I've tried to find the answer locally but have had absolutely no luck. My question is what brand and type ink can I use to keep my ribbon printing dark?

Arthur Plante, Jr
Acushnet, MA

(There are different kinds of ink, many of which are designed for mechanical devices (printers, numberers and cash registers, to name a few). These contain some kind of lubricant to prevent the ink from drying out and to act as a lubricant for the mechanism.

If you are looking at a commercial re-inker, then use the ink they recommend. If yours is home-built, then use an ink designed for a cash register or numbering machine. If you can't find one of these, then possibly a self-inking stamp ink would work. Stay away from the common fountain pen inks and stamp pad inks, as they contain little or no lubricants. Ed)

In the Jul/Aug 81 issue you have printed a list of printer results... The results of my test bear out what you have discovered in your test. However, there are discrepancies in the methodology you have chosen.

It is fine to set out parameters in order to compare, but there are some things I would like to point out. If you determine cps in any printer, the thing to do is to use the entire line of print at a set cpi.

It became apparent that using less characters in a given line, will give a slower cps, as in most printers the printhead must travel the full carriage (and return on non-bidirectional printers).

I have found by using the above parameter, the results show manufacturer's rated cps is more than was tested... Another program I wrote gave similar results. But as can be seen, the more characters in a line, the better the cps.

I believe that this is what the manufacturer is giving in his ratings.

Hazen R. Stump
Burnaby, BC Canada

(In talking to a number of manufacturers, the cps rating is consistently specified as "instantaneous" print speed. This means that no consideration is given for carriage return, starting or stopping, all of which affect throughput which is more meaningful in measuring printer speed than an "instantaneous" rating. As a result, many manufacturers are now rating their printers at lines per minute (usually at 80 characters per line) which does take into account time involved in carriage movement. Ed.)

I have a request. Do you know of any programs that deal with diet?

Last week... tests showed I am diabetic. Thus they put me on a 1200 calorie per day diet. Hell, that's starvation.

Anyway, I have to keep track of everything I eat and a lot of other stuff and the thought came to me of why not use the TRS-80 and the next thought was that there might be some software already written for diets.

I know how to do some of the things to write a program but some things like a three day average, always using the last three days, have me stumped.

So I have a two-fold request. First do you know of any diet programs and second, if not do you know anyone I could pay to help me write a program so I can constantly monitor my condition?

James C. McCord
Box 1672
Fairbanks, AK 99707

(I looked at one of those diets once and shuddered... take one from group A and two from group B, but not on Sunday or if you have eaten a slice of bread... Ugh! You have my sympathy, and I can't think of a better use for a TRS-80 in your case.

If anyone has information leading to the capture of such a diet program, please contact Mr. McCord directly. Ed)

I take issue with the editor that answered the complaint by Mr. Bentivegna of Cincinnati in the Sep/Oct 81 issue.

If the parties that place ads in your magazine do not know what the cost is going to be at the public release date they have no business taking an ad in your magazine and you should discourage this at all cost to your ad customers. If the computer business is so unstable that a firm price for at least a reasonable period of time after the magazine is delivered to the customer by you cannot be maintained then these firms should reconsider the price before issuing an offer to sell the product by mail through a magazine.

While I do not advise that you police each ad, the buying public would have more confidence in both you as a magazine and the firms that you provide ad space for if you would assert a less conciliatory attitude toward the firm that changes prices as they see fit.

W. B. McKinley
South Lyon, MI


(It was the implication that we didn't care which prompted my reply. That hurts, especially since we go out of our way to present correct information. I stand by my original reply to Mr. Bentivegna. -Mike.)

WHY

IS THE ALPHA JOYSTICK SUCH A SUCCESS ?

Because of games like these.

TALKING ROBOT ATTACK




Actual unretouched photos

TALKING ROBOT ATTACK


INCREDIBLE! This amazing game actually **TALKS** without a speech synthesizer, through the cassette AUX plug.

You are armed with just a hand held laser. In a remote section of the space station you encounter armed robots, some march towards you, some wait around corners. Watch out, the walls are electrified. Zap as many robots as you dare before escaping into a new section where more robots await you. The struggle continues. With Joystick action and **VOICE OUTPUT**, this game will amaze you.

ALL GAMES:
16K Level 2, Mod 1 + Mod 3 Cassette: \$15.95
32k Level 2, Mod 1 + Mod 3 Diskette: \$19.95
10% discount for 2 games, 15% for 3 or more
Games may be played with or without joystick.



SCARFMAN




SCARFMAN



THE LATEST ARCADE CRAZE now runs on your TRS-80.


It's eat or be eaten. You control Scarfman around the maze, gobbing up everything in your path. You attempt to eat it all before the monsters devour you. Difficulty increases as game progresses. Excellent high speed machine language action game. From The Cornsoft Group. With sound.

CAUTION: Played with the Alpha Joystick, Scarfman may become addictive.




SUPER NOVA®

Asteroids float ominously around the screen. You must destroy the asteroids before they destroy you! (Big asteroids break into little ones.) Your ship will respond to thrust, rotate, hyperspace and fire. Watch out for that saucer with the laser! As reviewed in May 1981 Byte Magazine.




GALAXY INVASION®

The sound of the klaxon is calling you! Invaders have been spotted warping toward Earth. You shift right and left as you fire your lasers. A few break formation and fly straight at you! You place your finger on the fire button knowing that this shot must connect! With sound effects!




ATTACK FORCE®

As your ship appears on the bottom of the maze, eight alien ships appear on the top, all traveling directly at you! You move toward them and fire missiles. But the more aliens you destroy, the faster the remaining ones become. If you get too good you must endure the "Flagship" ... With sound effects!



COSMIC FIGHTER®

Your ship comes out of hyperspace under a convoy of aliens. You destroy every one. But another set appears. These seem more intelligent. You eliminate them, too. Your fuel supply is diminishing. You must destroy two more sets before you can dock. The space station is now on your scanner ... With sound!



METEOR MISSION II®


As you look down on your view, astronauts cry out for rescue. You must maneuver through the asteroids & meteors. (Can you get back to the space station?) Fire lasers to destroy the asteroids, but watch out, there could be an alien **FLAGSHIP** lurking. Includes sound effects!

THE ALPHA JOYSTICK: REAL ARCADE ACTION

ONLY \$39.95

- ▣ Features the famous ATARI JOYSTICK
- ▣ Works with any Level II or disk system Model I
- ▣ Plugs directly into KB or E/I (next to printer port)
- ▣ Compatible with any other TRS-80 accessories
- ▣ Saves your keyboard
- ▣ Fun to experiment in BASIC. Simply use A=INP(0) to read the joystick.
- ▣ Fully assembled, ready to plug in and use.

Price includes Atari Joystick + Alpha Interface + instructions + demo program. The Alpha Joystick is backed by an unconditional money back guarantee. If you are not delighted with it, return it within 14 days for a prompt and courteous refund.



Circle # 5

Toll Free Order Line (800) 221-0916

ADD \$1.50 PER ORDER FOR SHIPPING AND HANDLING
ALL ORDERS SHIPPED FIRST CLASS MAIL
WE ACCEPT VISA, MASTER CHARGE, CHECKS, M.O.,
COD. ADD \$2.00 EXTRA
QUANTITY DISCOUNTS AVAILABLE
N.Y. RESIDENTS ADD SALES TAX



ALPHA Products

85-71C 79th Street, Woodhaven, N.Y. 11421 (212) 296-5916

Items at random

It's mid-winter madness time again. The madness this year has to do with our coming to you monthly instead of every other month. You may have noted we have dropped back a few pages (for the first time since we have started). Getting geared up to go monthly has been a blast, to say the least. You are now receiving about 70% more editorial material in a two-month period than before. The idea of a "February issue" seems funny around here, but we are already working on it - and it will cover word processing and spelling checkers, among other things.

We have been taking extra effort to make our programs run on several of the TRS-80 models. It should be noted that almost any program which does not include random disk files will also work on the Exatron Stringy Floppy. Speaking of the Stringy Floppy, @NEWS is missing again - technical difficulties in the Southland. The editor for that column admits to a red face, and promises to be back in February.

Starting next issue, subscriptions and all matters related to subscriptions, will be handled by an agency in Illinois. We have really outgrown doing it ourselves (and I used to do it on one Model I floppy diskette!). It is very important to renew your subscription using the same name. It is always best to include your label from a current issue. It's amazing how balled-up something can get when someone subscribes from the office and then renews from home, especially when they work in New York and live in Connecticut. Most of the time including your old label is not so much a courtesy as an absolute necessity.

What with going monthly and all, Eva Jones has moved to Editorial Secretary. Catherine Doud has joined the staff as typographer and layout person and Don Scarberry is our new assistant editor. You will probably see some of Cathy's influence in this issue, Don's should be apparent in the next and following. We are growing, and hope these new persons will enjoy their stay with us as much as the others have.

Corrections

The following products were reviewed in the last issue (Nov/Dec

81). We inadvertently left out vendor and pricing information. Our sincerest apologies to those companies and our readers.

Introduction to TRS-80 Level II BASIC by Michael P Zabinski, Ph.D., is published by Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 07632. The price is \$10.95

Fifty BASIC Exercises by J. P. Lamotier is published by Sybex Publishing, 2344 Sixth Street, Berkeley, California, 94710 and costs \$12.95.

ENHBAS, evaluated by Lawrence Charters, is from the Cornsoft Group, 6008 North Keystone Ave., Indianapolis, Indiana, 46220 (317) 257-3227 and is priced at \$59.95.

Softbyte Computing's *Stock Chart Grapher* description in the advertisement appearing on page 149 should have read: Track your own stock's price performance. Shows trading prices, volume, moving advances and price momentum for up to 60 dates. \$24.95.

In *NOTES*, we talked about sending listings to the Model II from the Color computer. We inadvertently told you to connect pin 1 of the Color computer to pins 6, 8 and 20 of the Model II. The lines are still tied together at the Model II end but *are not* connected to pin 1 of the Color computer. Also tie pins 2 and 4 together at the Model II end.

In this issue

Merv is not the only one to do themes with panache. Our business line-up this issue includes Fred Blechman's 12 Column Ledger, a program for most TRS-80 models with 16K and up. It will also work with the Stringy Floppy. No, we are not hung up on Model II's and hard disks, but some of that is in here too.

Something we have never done before appears on page 22. Last summer, while flying to Aberdeen, South Dakota on Republic Airlines, I happened to read their magazine and found an article by Joel Makower. He really seemed to have done his homework, and wasn't pushing any computer in particular. We asked for reprint rights and got them. The items he discusses for a business environment are worth consideration.

Now there are compilers for just about every model of TRS-80, even 16K Level II. See page 33 for a review of three of them.

Color computer owners can get up

to 1500 bytes more memory, free! R. Wayne Day from Blue Mound, Texas tells all about it, starting on page 38.

If you're tired of the "reverse shift" syndrome on your Model I, William R Bell of El Granada, California, tells how to get back to the normal "shift for upper case" with a little hardware modification. It happens on page 43.

The Exatron Corporation has introduced a disk controller for the Color computer. We take a pretty good look at it starting on page 46. The indications are that the Color computer, even though it is a fantastic game machine, can also be a serious applications machine.

Captain 80 was off to merry ol' England recently, and tells about his visit and other assorted things on page 54.

Richard Straw, who has appeared in our pages a couple of times previously, tells about linked list subroutines on page 58. They work on Level II 16K and up and also on the Color computer. This is a technique I always wondered about, now we can all find out.

In "Happiness is a printer", Larry Krengel tells about his experience with the Epson MX-80 printer. It's on page 64.

Hog Jowl Mansion is a zany adventure by Jon Waples. It starts on page 66, and should spice up your holiday spare time.

A year ago, Spencer Hall introduced his nine Z-sub. Now, he has expanded them considerably and calls it ZLanguage. They are really quite clever, and start on page 79.

Glenn Collura tells how to find execution points on page 88, Dan Connors tells how to make a turnkey system out of your Model I and Lou Pa gives us a "Spacer" program on page 94.

Terry Dettmann takes a look at the Corvus hard drive system on page 107, and for beginners, Bob Bahn looks inside the FOR...NEXT loop on page 110.

There are several other goodies, System/Command and a few reviews for your wintertime reading.

See there, going monthly wasn't that bad, was it? We will do it again in February, and in the meantime, enjoy your holidays and tell them all that you saw it in 80-U.S.

Mike

Call or Write Your Nearest Snappware Distributor

MICRO-80
284 Goodwood Road
Clarence Park
Adelaide South Australia
Ph-(08) 2117224

DIGI-TEK SYSTEMS
65 Thornridge Circle
Kitchener Ontario N2M-4V9
Ph-(519) 743-1699

Strawflower Electronics
50 North Cabrillo
Half Moon Bay, California 94019
Ph-(415) 726-9128

COMPUTER MAGIC
115 Wiltshire Avenue
Louisville, Kentucky 40207
Ph-(502) 893-9334

E-C DATA
Tornevangsvej 88
P.O.B. 116
OK-3460
Bikered, Denmark
Ph-45(0) 2/818191

System Soft
49, Dunvegan Drive
Rise Park
Nottingham, England
NG5 5Dx
Ph-(0602) 275559

Programs Unlimited
20 Jericho Tpke
Jericho, Long Island
New York 11753
Ph-(516) 333-2266

AEROCOMP
Redbird Airport
Hanger 8
Dallas, Texas 75232
Ph-(214) 339-5014

80 Data Systems
10307 Smokey Point Blvd.
Marysville, Washington 98270
Ph-(206) 653-3883

Quality Software Distributors
11500 Stemmons Expressway
Suite 104
Dallas, Texas 75229
Ph-(214) 484-2976

NOTICE

Snappware Goes On Trial! You Be The Judge!

Snappware knows your programming time is valuable. That's why we are offering a trial package that will cut your programming time up to 75%!

This unprecedented offer allows you to judge for yourself the value of our software using *your* hardware at *your* convenience. Our five best selling products: EXTENDED BASIC, EXTENDED BUILT IN FUNCTIONS, COLLEGE EDUCATED GARBAGE COLLECTOR, AUTOMAP and AUTOFILE, are all available to you on a trial basis for only \$50.00 for the Model II and \$35.00 for the Model III. We're convinced that after you see how well our software helps you perform programming tasks, you will purchase them like thousands of others have.

Our trial package consists of a master diskette which may be used to create one working copy. Your purchase price for the trial package will be credited toward the purchase of any software Snappware sells.

If for any reason you are not satisfied, just return the trial diskette and working copy and we will refund your money, no questions asked. With an unconditional guarantee like this, you can't lose.

Call our toll free number 800-543-4268 to put us on trial. We're sure your verdict will be: Snappware saves you time and money.

MODEL II Trial Package \$50.00
MODEL III Trial Package \$35.00

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**



New products

Designatron Organizer

The Designatron Organizer places your TRS-80 Model I components into one convenient desk-top package to hide messy wires and cables. The Organizer consists of two wood grain cabinets. One holds the monitor, expansion interface power supplies, line filters, cables, power strip and fan. The front panel removes easily for resetting the computer. The other cabinet holds up to four disk drives, a tape recorder and fan. The cabinets are available separately. Together they sell for \$87.50 plus \$8.75 shipping. Designatron, 2794 Hume Road, Malibu, CA 90265 (213) 456-9023

Circle 150

New British Program

EDIT is a new full-screen BASIC editor for TRS-80 Model I/III. The program has a full-floating cursor with autorepeat and over 30 commands for professional editing of BASIC text at the character, word, line or block level. A Scripsit-like control structure aids speedy familiarization and ease-of-use. EDIT was recently developed in England by Southern Software, originators of the ACCEL2 compiler, and is available in the U.S. and Canada from Allen Gelder Software, Box 11721 Main Post Office, San Francisco, CA 94101. Price is \$40.00

Circle 152

New artificial intelligence book


SAMS has introduced a new book called *Experiments in Artificial Intelligence for Small Computers*. Author John Krutch presents programs written in Microsoft's Level II BASIC. The book begins with an explanation of artificial intelligence. Game playing programs, problem solving, reasoning, creativity, natural language processing and verbal communications are areas covered by subsequent chapters. It is number 21785, contains 112 pages, costs \$8.95 and is available from Howard W. Sams & Co., Inc., 4300 West 62nd Street, Indianapolis, IN 46268 (317) 298-5400

Circle 158

New computer simulations

Creative Computing Software has released two simulations for the TRS-80, Atari and Apple computers. TRUCKER allows the user to experience a trucker's haul from coast to coast. STREETS OF THE CITY is a simulation model of Grand Rapids, Michigan. The objective of this simulation is to complete a ten-year plan of street and transit improvements while retaining the support of the majority of the city commission. They are \$24.95 each on diskette. Creative Computing Software, 39 East Hanover Ave., Morris Plains, NJ 07950 (201) 540-0445

Circle 159



Graphics Editor/Programmer

J. F. Consulting has announced the Graphics Editor and Programmer which is a hybrid program that is part text editor, screen drawing utility and BASIC program creator. The price is \$25.99 for the Model I and III, 16K and up. Also available are the Expansion Modules I, II and III for the Graphics Editor and Programmer. Module I adds magnification and rotation features; Module II, large alphanumeric characters; Module III, an alternate set of large alphanumeric characters. All three modules are included in one package at \$16.99. Contact J. F. Consulting, 74355 Buttonwood, Palm Desert, CA 92260 (714) 346-2051

Circle 151

New games from Liberty Software

Liberty Software Company, a division of Acorn Software Products, announces the release of its first two programs for the Radio Shack Model I and III: *Golfer's Challenge* and *Alien Armada*. *Alien and Golf* are available on cassette for \$13.95 each and *Alien* on diskette for \$17.95. Both feature good graphics, sound effects, fast speed, and one or two player options. Liberty Software Co., 635 Independence Ave., S.E., Washington, DC 20003 (202) 544-6674

Circle 154

ALIEN ARMADA



by Waldron P. Hodsdon



by Charles S. Butler

Color computer mail list

D & M Software has announced **COLORFILE**, a simple menu driven mail list system for the color computer. Designed to be used with or without a line printer, options allow for creation, review and editing of a file which may be saved to cassette for storage. Price is \$24.95 postpaid. D & M Software, 1510 South 97th Street, Tacoma, Washington 98444 (206) 537-8155

Circle 156



Orchestra-85

Stereo music synthesis and percussion for the TRS-80 is now possible with **Orchestra-85**, a software/hardware product from the Software Affair. The package includes tape and diskette versions plus sample music files on cassette, instruction manual, and a fully assembled and tested printed circuit board which plugs into any Model I Level II keyboard or Expansion Interface. The high level stereo output may be connected to the AUX/TAPE/TUNER inputs of any stereo amplifier. No external power supply is required. The system sells for \$129.95 plus \$2. shipping. Software Affair, 858 Rubis Drive, Sunnyvale, CA 94087 (408) 295-9195

Circle 155

5-Game Educational History

An educational software package for the microcomputer is being issued by Advanced Operating Systems. "The Time Dungeon-American History" is a 5-game package designed to help the user become knowledgeable in five eras of U.S. History "1848-1914", "American History 1916-1975", "American History-Civil War 1850-1865 and "American History Presidents 1789-1981". The package is written in BASIC.

When the game begins, the user finds himself at an unknown location in a dungeon with 1000 pieces of gold. He must answer questions concerning the history of the U.S. during the era chosen. The object of the game is for the operator to map his way out of the dungeon with as many pieces of gold remaining as possible. Gold can be gained, among other ways, by answering questions correctly.

Time portals, a Crystal Key, Closet doors, Secret doors, Time Traps and Alien Travelers all add to the mystery of the game.




The package is available through computer retail outlets. Advanced Operating Systems is the microcomputer software division of Howard W. Sams & Co., Inc., a subsidiary of International Telephone and Telegraph Corporation.

BASIC Handbook in 2nd edition

The second edition of **The BASIC Handbook** by Dr. David A. Lien, has been released by CompuSoft Publishing. This edition is fully revised to document and explain 238 additional BASIC words from the hundreds of new computers which have been introduced since the first edition, published in 1978. The Handbook provides an easy to follow format that allows the user to learn and thoroughly utilize the hundreds of known BASIC dialects. It contains 480 pages and is priced at \$19.95 plus \$1.65 shipping. CompuSoft Publishing, 1050 Pioneer Way, Suite E, El Cajon, CA 92020 (714) 588-0996

Circle 157

WE'VE GOT THE CONNECTIONS!



SYZYGYTM. CUSTOM MODULES

- For RS232 Serial Interface
- For DEC, HP, TANDY and other users
- Color coded for easy identification
- Compact size - 1 3/4" x 2" x 3/4"
- Integral PC board circuits

The next time you have a problem with a RS232 Serial Interface - remember SYZYGY connectors! Whether adding Printers or Terminals, SYZYGY modules will provide standard or null modem configurations, connector sex changes, or loop-back testings of peripheral devices and cables.

For DEC, HP, TANDY or other equipment, chances are we have the right connections... even a module for attaching Letter Quality Printers direct to CPU Serial Ports. (This enables the use of popular 4-wire extension cables.)

SYZYGYTM. "the interface people"

P.O. Box 4036 ● 256 W. San Bernardino Rd., Covina, CA 91723 ● (213) 332-3320

NULL MODEM SERIES

- Female/Female (red & yellow) NM25F
- Male/Male (blue & yellow) NM25M
- Female/Male (black & yellow) NM25B
- Letter Quality Printer-Female (red & white) WS25F
- Hewlett Packard-Female (red & pink) HP25F

SPECIAL APPLICATIONS

- Loop back-Female/Male (black & brown) LB25B
- Double Sex-Female/Female (red & red) DS25F
- Double Sex-Male/Male (blue & blue) DS25M

PRICE \$25.00 each in Quantities 1-49 (order by stock number)

Tandy topics

Ed Juge, Director Computer Merchandising, Tandy Corp.

1500 One Tandy Center, Fort Worth, TX 76102

Our faithful mail carrier has had more than normal exercise this month. We continue to hear several common questions... ones I'd like to address before we get started with some other subjects I think you'll be interested in. Most common seems to be the one on software. Why don't we sell software written by other people? The answer is, we do! More than half of Radio Shack's software was written by outside professional software developers. But because it is modified, edited, tested, and most important —supported by Radio Shack, it goes out under our name. In some cases, our contract with the vendor even specifies that we will furnish all necessary customer support, so the vendor won't have to answer lots of user calls.

Next logical question is, how can you sell your software to Radio Shack? Well, first of all, we have a large backlog of software to look at most of the time, and frankly we're very short-staffed for that kind of activity. Second, we probably look at 200-plus for every one we select, because they're 1) not professionally designed and/or coded, 2) not professionally documented, 3) cute or impressive but of little real benefit to the user, 4) of interest only to a very limited market, or 5) a direct "knockoff" of an existing program somewhere. But, if you think you have a winner, here's the procedure:

Submitting Your Software to Radio Shack

- 1) Don't send the program to us right off the bat, please! Send a one-page letter describing the program, who would want it, how big you think the market is, and why you feel we should market it. And please remember to say which computer you have it written for! And we need to know whether or not your program has been copyrighted and sold (at least one copy). Don't be in a rush, it could take us 60 days to reply.
- 2) If we're interested, we'll contact you for a copy of the program

and documentation. Our people will look over the program and your code, and contact you.

- 3) If we proceed, it could be 6 to 12 months before editing, testing, etc. is complete, and your program reaches our stores.

So that's how it's done. We are looking primarily for programs with a broad appeal to a wide market. Truly useful home programs would be of interest, but please no checkbook balancers or cupboard inventory schemes. Good vertical market business or professional packages are of interest if the market is large enough. Games must be original and have exceptional graphics . . . and we aren't interested in games or home applications for Model II.

Why Don't We Have More Software?

A common question is why does it take so long to get more software out? Right now, there are 149 different software packages in our warehouses. A few months ago, I counted in one of our competitor's catalogs and found a total of 15. But then the Medflies did hurt the fruit crop in his area . . .! That's no excuse for us, and we're not satisfied with our development speed either. Let's look at the development pipeline for Color Computer software . . . It takes about one month per thousand bytes of code to develop and debug a program. 8K means 8 months' time. Then comes 60 to 75 days minimum testing, followed by 3 months to get ROMS, and another month to assemble the packages and get it to our warehouses. That means 13 months for an 8K color package. Although Model II and III software do not have the ROM time, most of those packages are considerably more complex and require more time in other areas. Of course, these are very generalized examples.

You might be interested to know that we currently have almost as many packages in various stages of development as we have in the warehouses today. And, for you educators,* there will be some

educational software for the Color Computer . . . as requested.

Still Other Questions . . .

Why is our TRSDOS primitive compared to some of the other DOS's available? Well, beauty is in the eye of the beholder, but I don't think "primitive" is a fair judgement. TRSDOS is a good, reliable, forgiving operating system on which the average *non-technical* user can run applications software with as little hassle and chance of error as possible. It wasn't intended to be a "programmer's dream" development system. TRSDOS does a lot of error checking and attempts to prevent and recover from operator errors. We use techniques like dual directories, verify detect, verify after write, etc. Systems without these capabilities run noticeably faster, and of course you can "turn off" most of these items in TRSDOS if you're in that much of a hurry, and willing to take your chances. I don't, and I suggest that you don't either, unless you're a very competent professional programmer and fully understand what you're getting into.

TRSDOS is a good utility product — and the price is certainly right! If your needs differ from what we offer, by all means, look into CP/M, NEWDOS, LDOS, DOSPLUS, or one of the other aftermarket products available. (Sorry if I left anybody out!) Remember that these systems are supported only by their authors . . . not by Radio Shack. Should you have a problem, it's strictly between you and them. We can't answer any questions about them, because our people do not know them. We can check your hardware (using TRSDOS), but if a problem remains with XYZDOS, it's strictly between you and XYZ Company.

TRS-80 Microcomputer News

Another common question is "How can I get back issues of the TRS-80 newsletter?" Well, I finally have a good answer — in our stores! We've packaged every issue in reprint form, from issue Number 1 to

and including December, 1980. Twenty issues in all, and available under Catalog Number 26-2115 for just \$4.95.

**So Much For Questions . . .
Now On to the Good Stuff!**

With the express caveat that any "advance information" you find in this column is not 100% cast in stone . . . and is subject to Murphy's law and a variety of unforeseen dark and sinister forces that affect software and hardware development, I'll try to give you some of the details about upcoming items as often as I can.

Hard Disk!

For example, our long-rumored hard disk should be showing up in the field about the time you read this. As of this writing, it's on schedule for a December 31 release date. Initial testing of our existing application software indicates that we may have to do significant rewriting to only one package . . . Scripsit. You may not be able to scan through Visicalc's directory with hard disk but it appears everything else works... so far, including Profile and the accounting packages. There

may be some minor patches required for some programs, but they don't look bad at all. The disk has been advertised as 8.5MB formatted. We were hedging a bit... it will actually be 8.9MB, less systems software and directory. The first drive should net out at about 8.6 useable, and the remainder of the drives 8.9 less the directory. Installation is required on the first and second drives. When you buy your first one, you'll need to bring in your Model II CPU for connector and board installation, a new boot ROM, and possible board changes. When you buy the second, bring in the first hard disk unit — a terminator must be removed and put in the second disk. To add the third and fourth, we think you'll be able to take them home and plug them in between the other two.

Backup will be accomplished with SAVE and COPY commands. You'll be able to save from hard disk to a TRSDOS 2.0 floppy, or to special "Hard Disk Formatted Floppies" which accept a little more data, and are specifically for backup purposes. You will be able to read data onto the hard disk from either TRSDOS 1.2,

2.0, or hard disk floppies. A full disk should take 12 or 13 hard disk floppies for complete backup, but you won't have to do a full backup daily. (By the way, we expect the final backup onto hard disk floppies to require somewhere in the 60 to 90 second per diskette range).

Backup options will include full, everything created before/during/after specified date(s), everything updated before/during/after . . . , or you can specify files to backup using wild cards, dates, extensions . . . or you can effectively create a DO file listing those files you want backed up.

The number of directory entries possible on the disk is effectively limited only by the amount of available disk space. You'll be asked how much directory space to allocate up front, but if the system needs more, it will grab it, assuming it's available. You will, by the way, be able to boot up under either hard disk or floppy, so your old floppy programs will run in that mode without transfer to hard disk. And, yes, it will be possible to have 4 floppies and 4 hard disks attached at the same time. ■


Untangle with the Organizer!

Now you can place your TRS-80 Model 1 components into one convenient desk top package. The ORGANIZER puts everything within reach, with room for Monitor, Expansion Interface, four Disk Drives, Diskettes, Cassettes and tape recorder. The ORGANIZER eliminates messy wires, reduces eye and body strain, provides room for ventilation, and works as a dust shield.

The ORGANIZER consists of two cabinets:

CABINET ONE holds Monitor, Expansion Interface, Power Supplies, Line filters, Cables, Power strip, Fan and has an easily removable front panel for re-booting.

CABINET TWO can hold up to four Disk Drives, Tape Recorder, Fan, Diskettes and cassettes. This cabinet is usable with any manufacturer's 5 1/4" disk drives.



CALL NOW TOLL FREE

Continental U.S. . . . 800-824-7888 ask for operator 617
California . . . 800-852-7777 ask for operator 617
Alaska and Hawaii . . . 800-824-7919 ask for operator 617

Or send check or money order to:

DESIGNATRON

2794 Hume Rd, Malibu, California 90265
For information call (213) 456-9023

BUY BOTH—\$87.50 + \$8.75 ship & handle

CABINET 1—\$64.00 + \$5.75
ship & handle

OR: CABINET 2—\$44.00 + \$4.50
ship & handle

For VISA, MASTERCARD, or C.O.D.

TRS-80™ PROGRAMS SUPER SOFTWARE AT SUPER PRICES

THE ULTIMATE DISK-OPERATING SYSTEM

LDOS™

A completely documented new generation of operating system for the TRS-80. Far superior to any on the market. It is a totally independent device system, capable of device linking, routing, setting, and filtering. LDOS will support 5" and 8" floppies, single/double density, single/double sided, and up to 80 tracks. Full customer service provided with a toll free 800 number. Excellent documentation in a tab indexed manual (over 250 pages). Call or send for more information today.

Available for Model I or III only \$149.00

LDOS™ is a product of Logical Systems Inc.

ALSO AVAILABLE

EDAS 3.5 Model I and III . . . \$79.00
EDAS 5.0 Model II \$179.00
Host Model II was \$199.00
now \$99.00

BUSINESS SYSTEMS

INVENTORY MASTER SYSTEM

With today's market, keeping on hand only what your demand calls for is reason enough to let your TRS-80 accurately and effectively take care of your Inventory. Always know what to stock and when to stock it. This system has many features which were modeled after a main frame system of large capacity. More information available upon request.

Model I version just \$159.00
Model III version just \$259.00

ALSO AVAILABLE . . . For the MODEL I or III STOCK MARKET MONITOR

Cassette version \$89.00
Disk version \$99.00

MAILING SYSTEMS

MAIL/FILE - SERIES II

NEW Series II Mail/File has all of the outstanding features of the original Series I Mail/File, PLUS many additional qualities which again will set standards for this type of system. "Word processor" type input editor, fast sorting, and fabulous editing capabilities are a few of its features. Name and ZIP code are under constant sort. Series II is compatible with Series I data files.

Model I system will handle up to 600 names.
Model III system will handle up to 1200 names.
Either system available for only \$159.00
Also available for the Model II \$199.00

THE ULTIMATE IN MAILING SYSTEMS MASS/MAIL SUBSCRIPTION SYSTEM AVAILABLE FOR MODEL II.

"I think the system will stand the test of time . . . it is probably the most sophisticated system around for the micros today"
Mike Schmidt (EDITOR) 80-US Jan/Feb pg. 94

Galactic's Mass/Mail System was designed with the needs of the large mailing list in mind. This system has capabilities of handling up to 10,500 records, with access times of less than 15 seconds and usual access of about one second. All adds, deletes and edits are instant for the operator and



MAILING SYSTEMS

are then completed later in a "batch mode". The System comes complete with extensive documentation and on-going support.

Contact Galactic Software for detailed specifications for your exact needs. Available only for the TRS-80 Model II.

ULTRA-TREK GAME

Can you master this trip through the galaxies? Climb aboard the Star-Ship Enterprise and head for a universe of unknown encounters, enemies and stellar battles. As commander, will you be able to keep the Enterprise and its crew en route and on patrol? Can you destroy the hostile base? Order today.
Model I or III version only \$19.95

All of Galactic's products have a one year limited warranty with customer support included with each purchase. Warranty information is available upon request in writing.

Money orders, credit cards, & cod's shipped within 24 hours.

Can't wait?
call

414/241-8030



A 12-column ledger program

For Models I, II & III 16K
and up with printer

Fred Blechman
7217 Bernadine Avenue
Canoga Park, California 92307

Were it not for the Internal Revenue Service, I wouldn't keep books at all! Operating a small home-based business without employees is simple and has many tax advantages. It requires some recordkeeping to justify deductible expenses, and to complete the required IRS Schedule C with your tax return. Faced with this need, I wrote a TRS-80 Model I/III Level II 16K program in BASIC to do the necessary recordkeeping with a minimum of time, effort and cost.

The old way

For 17 years I've used a simple 12-column method to record income and expenses for my Amway Direct Distributorship, and more recently for my "Blechman Enterprises" TRS-80 microcomputer software business. Income is merely the total of all sales: wholesale and retail plus bonuses received. I use monthly totals of all invoices, so that's easy enough. Expenses, however, require more detail. Larger businesses seem to require dozens of expense account numbers. At least, that seems to be what bookkeepers and accountants insist on using. I suspect this may serve to create a mystique about their work that will keep you from ever considering doing it yourself! Another popular accounting method is that of double-entry bookkeeping, with balancing of debits and credits. Income and expenses I can understand, but all this other jargon leaves me cold, so I just keep things very simple. My hand-written 12-column ledger book

(about \$2.50 in stationery stores) used column one for the total expense amount, and the other 11 columns were expense categories, such as: Merchandise, office expense, utilities, promotion, petty cash, etc. I simply wrote the date, check number and description followed by the amount in column one, and then wrote the amount again under the appropriate category column. If an expense was split between categories (such as a telephone bill, which might be partly business and partly personal) each portion was listed under the appropriate heading. I used a column headed "Draw" for nondeductible personal expenses, such as transfers to another bank or savings account, or cash drawn for personal use. In all these years, I've yet to find an expense that I couldn't fit into one or more of the 11 categories.

Enter the TRS-80

However, all this still involved considerable time and effort to hand-enter the numbers, total all columns per page, then add page totals for monthly totals, then add monthly totals for annual totals to use on the Schedule C. Therefore, a couple of years ago I wrote a TRS-80 Model I Simplified Bookkeeping Program as part of my \$30 "Amway Product Distributor Programs" package of seven BASIC programs. It still required a ledger book to make all the entries by hand, but did all the column addition and page, month and annual totals for all columns. This was better than

before, but I still needed to make hand entries in a ledger book. Why couldn't the computer do it?

Last year I acquired an Okidata Microline-80 printer and wrote a program to completely replace my ledger book. It prints out individual 8 X 11 sheets using only 80 characters on a line, so most printers can be used.

This is a ledger??

A conventional ledger page consists of titled columns of numbers. Since 12 columns of numbers ranging to 999,999.00 would need at least 120 character spaces per line, printers limited to 80 characters per line could not use this format. Furthermore, unless condensed-width characters were used, this would require paper wider than 8½ inches, the standard width, also eliminating many printers. Although the Okidata Microline-80 can provide 132 condensed characters on 8 inch paper, the maximum TAB allowed by TRS-80 BASIC is 64, so complex PRINTUSING strings, or other special programming techniques, would be necessary to print 120 or more characters on a single formatted line. Another limitation is the fact that the TRS-80 screen only shows 64 characters on a line. For all these reasons, and perhaps a few I've forgotten, I chose to use a totally unconventional format, as shown in the sample run.

Ledger format

This format is easy to read, compact and complete. Each line contains the date, check number (or

Business Application

" if cash), the amount, to whom, purpose and column number two to twelve. The amount is shown in two decimal places, with aligned decimal points. When totals are requested, columns one through six, with complete headings (up to 14 characters per heading) appear along the left side of the printer sheet, and columns seven through 12 appear in the center of the sheet. All totals include two decimal places, with aligned decimal points. The maximum amounts and totals are 99,999,999.99. After the page totals, you can add additional entries, additional pages, and additional months. Following page totals are monthly totals. After any monthly total you can request a grand total. These ledger sheets replace a ledger book; just clip them together to make your own "book".

If you ever need a breakdown of a page total, just look at the column numbers along the right side of the page. If you want the items which created the total of column two, for example, look for a "2" in the right column and those are the items, including date, check number, purpose and amount. Isn't that simple?

Running the program

Optional screen instructions provide the essential information as a refresher if you haven't used the program for some time. Practice with the column headings in DATA statements 3060 to 3090, then change them for your own needs. Be sure there are three column numbers and headings per DATA line, for a total of twelve - and don't forget the commas between the entries, as shown. Each column heading title is limited to 14 characters - more than that will not appear on the printer (although they might on the screen). Column one is always TOTAL. The headings shown in the listing and run are the ones I used for Blechman Enterprises.

If you are starting at the beginning of a year, bypass the "previous grand totals" option. If you wish to enter previous totals, the program will request an entry for each column, by column number and heading. Next, the screen clears and shows all categories by title and number, followed by a reminder of how to obtain page totals. A dotted line is drawn on the screen, followed by the last printed line number and the contents of that line. This lets you know where you are on the printed page, so you can command a total if you're getting near the

bottom of the page - around line 55. If you pass line 58, the printer will automatically advance to the next page so you don't have totals split between two pages.

Next come input prompts and verification. When entering "To whom-purpose" information, don't type beyond the end of the screen line or the printer format might be disrupted for that line. You can get page totals by typing TOTAL,0,0 and ENTER at any date, check#, amount? prompt, and this is followed by additional entries, or additional pages of monthly totals. You can also get grand totals after any monthly totals. Input a minus amount to subtract an entry error.

The program is written for the TRS-80 Model I Level II or Model III BASIC, and will easily fit in 16K of RAM. No disks are required and no information is saved except on the printed ledger sheet. The program can be applied to other microcomputers, though formatting might need to be modified (since the PRINTUSING line formatting statement is not available on some other micros). The PEEK and POKE commands in this program are used merely to identify and reset printer line numbers and are not essential for program operation. Double precision is used for all ledger entries, or numbers above 9999.99 would lose penny accuracy, and amounts over 99,999.99 would lose dollar accuracy!

Modular Program

The program is mostly modular. Lines 100 - 190 initialize 300 bytes of string space, define the double precision variables, dimension twelve A\$array locations (actually, thirteen if you include A\$(0), which is not used), define strings for PRINTUSING, initialize program variable values at zero, and set the printer line counter to the first line. Lines 200 - 220 and 7000 - 7300 provide optional screen instructions. Lines 300, 310 and 3000 to 3090 display the column numbers and headings held in easily-changed DATA statements.

Lines 400 - 420 and 4000 - 4140 allow you to enter the grand totals from your last run. This saves the trouble of making a data tape at the end of each run to preserve totals for later use. It's simpler and easier to just hand-enter the grand totals from your last ledger sheet than to try and locate and load a data tape probably made months before! With this technique you can stop your ledger anytime and start again with previous totals as a new beginning.

If your business is small, you may not need or want to bother with monthly totals - just use page totals and grand totals, and ignore the monthly totals. If you do enter previous grand totals, lines 2170 2190 and 1680 - 1730 print these totals at the top of the printer page, so you have a record of starting values.

Lines 500 - 540 initialize variables for a new page and lines 550 - 560 provide printer headings. Lines 600 670 display column numbers and headings and the "page totals" command, draw a dotted line across the screen and display the last line entry. (On a new page, the last line entry is blank, with a 0 amount). Lines 1000 - 1060 provide multiple input prompts and verification. Lines 1070 - 1240 print the input information and add the column entries. Lines 1500 - 2030 print page, monthly or grand totals with column headings. The PRINTUSING statements use S\$ and N\$ defined in lines 130 and 140 for proper formatting and decimals.

Lines 2040 - 2250 provide options for more page entries, additional pages, monthly totals, grand totals, another month and program termination. Line 10000 allows you to make two cassette copies with your own custom headings in DATA lines 3060 - 3090, just type RUN10000 and ENTER with the recorder ready to record. (Note: For Model III, change OUT 255,4 to OUT 236, 2).

Fire your accountant?

This program is not intended to replace your bookkeeper or accountant if your business requires a finer breakdown of expenses or must handle payroll deductions. I have found it entirely practical for my Amway business, my software business, and to define and total deductible household expenses. It could also be used to determine home budget allocations and performance. And, of course, it could be used to tabulate and total various incomes as well as expenses. It is easy to learn, "crashproof" (just GOTO600 without loss of any totals), and it is versatile.

This program is available from the author on a 500-baud cassette for Model I or III, with step-by-step documentation, for \$10 postpaid in the USA. It is also included as one of five "Small Home-Business programs" on cassette with documentation, for \$25 ppd. USA from the author. CA residents add 6% sales tax. ■

Not all Spelling Checkers are the same.

MICROPROOF^{T.M.} stands out!

EASY TO USE: Prepare your text on any Z-80 based micro-computer, using any of a number of popular word processing programs. When you are finished, enter the appropriate command, and MICROPROOF proofreads your document, displaying misspellings and typos on the screen. Then correcting MICROPROOF can display each error separately, requesting you to enter the correct spelling for each. You are also given the option of displaying errors in context or adding words to MICROPROOF's 50,000 word vocabulary. Finally, MICROPROOF corrects your document. All in less than a minute.

SELECT APPROPRIATE RESPONSE:

CORRECT MISPELLED WORD:	ENTER CORRECT WORD
LEAVE WORD "AS IS":	HIT <ENTER> KEY
DISPLAY WORD IN CONTEXT:	?
ADD WORD TO DICTIONARY:	+
EXIT:	!

WORD: (Your error)
RESPONSE:

Correcting MICROPROOF Screen Display

SPEED is the single most important factor in a dictionary program. All dictionary programs will find your potential errors but if the program is too slow, you are not likely to use it. MICROPROOF's speed is outstanding. It can proof-read a several page letter in 20 seconds.

LOW PRICES: Standard MICROPROOF is available for either \$89.50 (TRS-80® Models I or III) or \$149.50 (CP/M®, TRS-80® Model II and all others). The optional correction feature can be added at any time for an additional \$60.00. Optional patches to integrate MICROPROOF into your word processing software can also be added at any time for an additional \$35.00. (Integration patch not needed for Wordstar®.)

MICROPROOF'S FULL 50,000 WORD VOCABULARY saves you time and allows you greater confidence in the lists of potential errors that MICROPROOF identifies. The mini-dictionary programs, with their 10,000 and 20,000 word vocabularies, have many correctly spelled words omitted from their vocabularies. Consequentially, they identify as potential "errors" many words that are actually spelled correctly; five to ten times as many such words as does MICROPROOF. So, when you use MICROPROOF you will have far fewer extra words to evaluate, a major time savings. There will be less need to look up words in order to verify that they are in fact spelled correctly. The extra 30,000 words in MICROPROOF's vocabulary assures you confidence in the error lists that MICROPROOF generates.

There are other proofreading programs available to choose from. Since MICROPROOF became available in December of 1980, a number of companies have announced programs with small dictionaries. It took us almost two years to develop MICROPROOF. During that time we were able to compress our full 50,000 word dictionary into a manageable size (fits on one single density 5¼ inch disk). And we were able to design a proofing program which operates remarkably fast. The chart below illustrates the comparative advantages of MICROPROOF.

ADVANTAGES OF MICROPROOF

	MICROPROOF DICTIONARY SOFTWARE	OTHERS (Mini- Dictionaries)
DICTIONARY SIZE	50,000 Words	20,000 Words
DISK SPACE REQUIRED FOR DICTIONARY	70,000 BYTES (fits easily on one 5¼" disk)	170,000 BYTES
DICTIONARY ENLARGEMENT	VIRTUALLY UNLIMITED	EXTREMELY LIMITED
SPEED—400 Words	20 Seconds	1 to 5 Minutes
SPEED—3,000 Words	1 Minute	2 to 10 Minutes
CORRECTION FEATURE	Optional	Not Available

See your local microcomputer dealer or write to:



CORNUCOPIA SOFTWARE

Post Office Box 5028, Walnut Creek, California 94596 • (415) 893-0633

Business Application

The following lines are replacement lines to make the 12-column ledger program work with the Model II.

```

130 S$ = "\          \  ##,###,###.
##        \          \  ##,###,###.#
#"
190 PL=1
500 GOSUB 5000 : CLS : SYSTEM" T " : LPRI
NT "      BEGINS NEW PAGE..." : LPRINT
" "
670 PRINT : PL = PL + 1 : PRINT "LINE #
"; PL-1; " : "; D1$; " : "; C1$; " : "; A1; "
"; W1$; "...COLUMN "; X1
5000 REM * LINE 5020 ADVANCES PRINTER T
O NEXT PAGE *
5010 REM * ASSUMES 66 LINES PER PAGE MA
XIMUM *
5020 IF PL>58 THEN SYSTEM " T " : PL=1 :
RETURN
5030 REM
5040 RETURN
5050 REM
10000 SAVE "TWELCOL/BAS"

```

Program listing for 12-Column ledger program for Models I, II, and III.

```

100 REM * COPYRIGHT FRED BLECHMAN 1981
* VERSION 5/4/81 *
110 CLEAR 300
120 DEFDBL A - L, S : DIM A$(12)
130 S$ = "%          %  ##,###,###.
##        %          %  ##,###,###.
.##"
140 N$ = "##,###,###.##"
150 REM * INITIALIZE VALUES AT ZERO *
160 A = 0 : B = 0 : C = 0 : D = 0 : E =
0 : F = 0 : G = 0 : H = 0 : I = 0 :
J = 0 : K = 0 : L = 0 : M = 0 : P = 0
: R = 0 : S = 0 : W = 0 : X = 0 : Y
= 0
170 S1 = 0 : B1 = 0 : C1 = 0 : D1 = 0 :
E1 = 0 : F1 = 0 : G1 = 0 : H1 = 0 :
I1 = 0 : J1 = 0 : K1 = 0 : L1 = 0
180 S2 = 0 : B2 = 0 : C2 = 0 : D2 = 0 :
E2 = 0 : F2 = 0 : G2 = 0 : H2 = 0 :
I2 = 0 : J2 = 0 : K2 = 0 : L2 = 0
190 POKE 16425, 1 : REM * SETS PRINTER
LINE COUNTER AT FIRST LINE *
200 CLS : PRINT : PRINT "
12-COLUMN LEDGER" : PRINT
210 INPUT "DO YOU WANT INSTRUCTIONS (Y/
N)"; A$
220 IF LEFT$(A$, 1) = "Y" GOTO 7000


```

```

300 CLS : PRINT "THESE ARE THE HEADINGS
ENTERED IN DATA LINES 3060 TO 3090."
310 PRINT "      .....CHANGE THEM IF N
CESSARY....." : GOTO 3000
400 CLS : PRINT : PRINT "      ***** TUR
N ON PRINTER OR PROGRAM WILL 'FREEZE'
!! *****"
410 PRINT : INPUT "DO YOU HAVE PREVIOUS
*** GRAND TOTALS *** TO ENTER (Y/N)"
; O$
420 IF LEFT$(O$, 1) = "Y" GOTO 4000
500 GOSUB 5000 : CLS : LPRINT " " : LPR
INT "      BEGINS NEW PAGE..." : LPRI
NT " "
510 A = 0 : B = 0 : C = 0 : D = 0 : E =
0 : F = 0 : G = 0 : H = 0 : I = 0 :
J = 0 : K = 0 : L = 0 : S = 0
520 IF LEFT$(R$, 1) = "Y" THEN S1 = 0 :
B1 = 0 : C1 = 0 : D1 = 0 : E1 = 0 :
F1 = 0
530 IF LEFT$(R$, 1) = "Y" THEN G1 = 0 :
H1 = 0 : I1 = 0 : J1 = 0 : K1 = 0 :
L1 = 0
540 X = 0 : Y = 0 : P = 0 : M = 0 : R =
0 : R$ = ""
550 LPRINT "DATE"; TAB(6)"CHECK#"; TAB(
19)"AMOUNT";
560 LPRINT TAB(32)"TO WHOM AND PURPOSE"
; TAB(60)"COLUMN#"
600 CLS : PRINT A$(1) TAB(32)A$(7)
610 PRINT A$(2) TAB(32)A$(8)
620 PRINT A$(3) TAB(32)A$(9)
630 PRINT A$(4) TAB(32)A$(10)
640 PRINT A$(5) TAB(32)A$(11)
650 PRINT A$(6) TAB(32)A$(12)
660 PRINT ".....FOR PAGE TOTALS:      TO
TAL,0,0      ENTER"
665 PRINT "-----"
670 PRINT : PRINT "LINE #"; PEEK(16425)
- 1; " : "; D1$; " : "; C1$; " : "; A1; "
"; W1$; "...COLUMN "; X1
1000 GOSUB 5000 : PRINT : PRINT "DATE,C
HECK#,AMOUNT"; : INPUT D$, C$, A
1010 IF D$ = "TOTAL" THEN 1500
1020 PRINT "TO WHOM - PURPOSE.....
..."; : INPUT W$
1030 INPUT "      COLUMN"; X
1040 IF (X < 2) + (X > 12) PRINT "COLUMN
ENTRY ERROR!! ONLY 2-12 VALID" : GOT
O 1030
1050 INPUT "CORRECT? (Y/N)"; Z$
1060 IF LEFT$(Z$, 1) = "N" GOTO 600
1070 D1$ = D$ : C1$ = C$ : A1 = A : W1$
= W$ : X1 = X

```

DOSPLUS ADDS UP



Double density software is definitely here, but conversion of your old single density software library is unnecessary. With *DOSPLUS from Advanced Operating Systems, for your †TRS-80 Model I or III, both single and double density diskettes can be utilized. DOSPLUS, when combined with a double density controller board, essentially converts your Model I to a Model III at a fraction of the cost of a new Model III. If, however, you wish to transfer some of your single density software over to double density and you own a double density controller board, this is easily accomplished under DOSPLUS with a *single* command. When used with a

Model III, DOSPLUS allows the user to SAVE, COPY and FORMAT *single density* diskettes.

DOSPLUS offers you greater speed with its ability to chain functions and to accommodate various logical record lengths for the ISAM programming techniques.

The DOSPLUS package also contains an easy-to-read operator's manual designed to help you realize the full potential of your computer.

Give your TRS-80 Model I or III that added plus with DOSPLUS from Advanced Operating Systems, available as DOSPLUS 3.3D (double density) or

DOSPLUS 3.3S (single density) for Model I, or DOSPLUS for Model III.

Now available at your local software dealer, or call 1-800/348-8558 to order. MasterCard and VISA accepted. (Indiana residents call 1-219/879-4693).

DOSPLUS III #26062
DOSPLUS 3.3D 26063
DOSPLUS 3.3S 26064

160+ PAGE MANUAL
AVAILABLE SEPARATELY

**ADVANCED
OPERATING
SYSTEMS**

450 St. John Road
Michigan City, IN 46360

Business Application

```
1080 S = S + A
1100 LPRINT D$; TAB(6)C$; TAB(12); USIN
    G N$; A; : LPRINT TAB(28)W$; TAB(62)X

1110 REM * SELECT COLUMN AND ADD TO PRE
    VIOUS TOTAL *
1120 ON X - 1 GOTO 1130, 1140, 1150, 11
    60, 1170, 1180, 1190, 1200, 1210, 122
    0, 1230
1130 B = B + A : GOTO 1240
1140 C = C + A : GOTO 1240
1150 D = D + A : GOTO 1240
1160 E = E + A : GOTO 1240
1170 F = F + A : GOTO 1240
1180 G = G + A : GOTO 1240
1190 H = H + A : GOTO 1240
1200 I = I + A : GOTO 1240
1210 J = J + A : GOTO 1240
1220 K = K + A : GOTO 1240
1230 L = L + A
1240 GOTO 600
1500 GOSUB 5000 : PRINT : PRINT "** PAGE
    * TOTALS BEING PRINTED...."
1510 LPRINT " " : LPRINT " " : LPRINT "
    * PAGE TOTALS *" : GOTO 1540
1520 GOSUB 5000 : PRINT : PRINT "*** MON
    TH ** TOTALS BEING PRINTED...."
1530 LPRINT " " : LPRINT " " : LPRINT "
    ** MONTH TOTALS **"
1540 IF M = 1 GOTO 1680
1550 IF P = 1 GOTO 1620
1560 LPRINT USING S$; A$(1); S; A$(7);
    G
1570 LPRINT USING S$; A$(2); B; A$(8);
    H
1580 LPRINT USING S$; A$(3); C; A$(9);
    I
1590 LPRINT USING S$; A$(4); D; A$(10);
    J
1600 LPRINT USING S$; A$(5); E; A$(11);
    K
1610 LPRINT USING S$; A$(6); F; A$(12);
    L : GOTO 2000
1620 LPRINT USING S$; A$(1); S1; A$(7);
    G1
1630 LPRINT USING S$; A$(2); B1; A$(8);
    H1
1640 LPRINT USING S$; A$(3); C1; A$(9);
    I1
1650 LPRINT USING S$; A$(4); D1; A$(10)
    ; J1
1660 LPRINT USING S$; A$(5); E1; A$(11)
    ; K1
1670 LPRINT USING S$; A$(6); F1; A$(12)
    ; L1 : GOTO 2000

1680 LPRINT USING S$; A$(1); S2; A$(7);
    G2
1690 LPRINT USING S$; A$(2); B2; A$(8);
    H2
1700 LPRINT USING S$; A$(3); C2; A$(9);
    I2
1710 LPRINT USING S$; A$(4); D2; A$(10)
    ; J2
1720 LPRINT USING S$; A$(5); E2; A$(11)
    ; K2
1730 LPRINT USING S$; A$(6); F2; A$(12)
    ; L2
2000 PRINT : PRINT
2010 IF P = 1 GOTO 2110
2020 IF M = 1 GOTO 2200
2030 PRINT
2040 INPUT "DO YOU WANT TO ADD MORE ENT
    RIES (Y/N)"; Y$
2050 IF LEFT$(Y$, 1) = "Y" GOTO 550
2060 S1 = S1 + S : B1 = B1 + B : C1 = C
    1 + C : D1 = D1 + D : E1 = E1 + E : F
    1 = F1 + F
2070 G1 = G1 + G : H1 = H1 + H : I1 = I
    1 + I : J1 = J1 + J : K1 = K1 + K : L
    1 = L1 + L
2080 PRINT : INPUT "ADDITIONAL PAGES TH
    IS MONTH (Y/N)"; W$
2090 IF LEFT$(W$, 1) = "Y" GOTO 500
2100 P = 1 : GOTO 1520
2110 S2 = S2 + S1 : B2 = B2 + B1 : C2 =
    C2 + C1 : D2 = D2 + D1 : E2 = E2 + E
    1 : F2 = F2 + F1
2120 G2 = G2 + G1 : H2 = H2 + H1 : I2 =
    I2 + I1 : J2 = J2 + J1 : K2 = K2 + K
    1 : L2 = L2 + L1
2130 M = 1
2140 PRINT : INPUT "*** GRAND TOTALS **
    * (Y/N)"; A$
2150 IF LEFT$(A$, 1) = "Y" GOTO 2170
2160 GOTO 2200
2170 GOSUB 5000 : PRINT : PRINT "*** GR
    AND TOTALS *** BEING PRINTED...."
2180 PRINT : P = 0
2190 LPRINT " " : LPRINT " " : LPRINT "
    *** GRAND TOTALS ***" : GOTO 1540
2200 PRINT : INPUT "ANOTHER MONTH (Y/N)
    "; R$
2210 IF LEFT$(R$, 1) = "Y" GOTO 500
2220 CLS : PRINT : PRINT : PRINT : PRIN
    T
2230 PRINT "          END OF PROGRAM - SE
    E YOU AGAIN SOMETIME...."
2240 PRINT : PRINT : PRINT : PRINT
2250 END
3000 REM * ENTER COLUMN HEADINGS (14 CH
    ARACTERS EACH, MAX.) *
```

```

3010 FOR Z = 1 TO 12
3020 READ A$(Z) : PRINT TAB(10)"COLUMN
      "; A$(Z)
3030 NEXT Z
3040 PRINT : INPUT "***** PRESS ENTER T
      O CONTINUE..."; A$
3050 GOTO 400
3060 DATA 1-TOTAL AMOUNT, 2-MERCHANDISE
      , 3-PARTS/SAMPLES
3070 DATA 4-PROMOTION, 5-DELIV/POST, 6-
      OFFICE EXPENSE
3080 DATA 7-UTILITIES, 8-TAX/INSUR/LIC,
      9-PETTY CASH
3090 DATA 10-NOT USED, 11-NOT USED, 12-
      DRAW
4000 PRINT : PRINT "      ENTER PREVIOUS
      *** GRAND TOTALS *** :"
4010 PRINT
4020 PRINT A$(1); : INPUT " TOTAL"; S2
4030 PRINT A$(2); : INPUT " TOTAL"; B2
4040 PRINT A$(3); : INPUT " TOTAL"; C2
4050 PRINT A$(4); : INPUT " TOTAL"; D2
4060 PRINT A$(5); : INPUT " TOTAL"; E2
4070 PRINT A$(6); : INPUT " TOTAL"; F2
4080 PRINT A$(7); : INPUT " TOTAL"; G2
4090 PRINT A$(8); : INPUT " TOTAL"; H2
4100 PRINT A$(9); : INPUT " TOTAL"; I2
4110 PRINT A$(10); : INPUT " TOTAL"; J2

4120 PRINT A$(11); : INPUT " TOTAL"; K2

4130 PRINT A$(12); : INPUT " TOTAL"; L2

4140 M = 1 : GOTO 2170
5000 REM * LINE 5050 ADVANCES PRINTER T
      O NEXT PAGE *
5010 REM * ASSUMES 66 LINES PER PAGE MA
      XIMUM *
5020 PL = PEEK(16425)
5030 IF PL > 58 GOTO 5050
5040 RETURN
5050 FOR PE = 1 TO(66 - PL) : LPRINT "
      " : NEXT PE : POKE 16425, 1 : RETURN

7000 CLS : REM * INSTRUCTIONS WHEN REQU
      ESTED *
7010 PRINT : PRINT "      THIS PROGRAM,
      USED WITH YOUR PRINTER, PRODUCES AN I
      NCOME"
7020 PRINT "OR EXPENSE LEDGER FOR HOME
      OR SMALL-BUSINESS USE. YOU MUST"
7030 PRINT "HAVE AN 80-COLUMN PRINTER,
      BUT NO DISK IS REQUIRED....."
7040 PRINT : PRINT "      THE PROGRAM KE
      EPS TRACK OF 12 'COLUMNS'. COLUMN 1 I
      S"

```


```

7050 PRINT "ALWAYS THE AMOUNT. COLUMNS
      2-12 ARE THE CATEGORIES THIS AMOUNT"
7060 PRINT "MIGHT FALL INTO. COLUMN HEA
      DINGS ARE ASSIGNED IN DATA LINES"
7070 PRINT "3060-3090, WHICH YOU CAN CH
      ANGE FROM THE KEYBOARD BEFORE"
7080 PRINT "ACTUALLY USING THE PROGRAM.
      HOWEVER, FIRST PRACTICE WITH THE"
7090 PRINT "HEADINGS ALREADY ASSIGNED..
      ....."
7100 PRINT : INPUT "PRESS ENTER TO CONT
      INUE....."; A$ : CLS
7110 PRINT : PRINT "ENTER THE FOLLOWING
      FOR EACH AMOUNT:
7120 PRINT "      DATE (MM/DD).....
      .....(COMMA)
7130 PRINT "      CHECK # ( OR USE - FOR
      CASH).....(COMMA)
7140 PRINT "      AMOUNT (XXXXX.XX).....
      .....(ENTER)
7150 PRINT "      TO WHOM - PURPOSE.....
      .....(ENTER)
7160 PRINT "      COLUMN # ( 2-12 ONLY!)
      .....(ENTER)
7170 PRINT : PRINT "ENTER.....TOTAL,0,0
      .....FOR PAGE TOTALS"
7180 PRINT : INPUT "PRESS ENTER TO CONT
      INUE....."; A$ : CLS
7190 PRINT : PRINT "      AS YOU CONFIRM
      EACH BLOCK OF INFORMATION REQUESTED
      BY THE"
7200 PRINT "PROGRAM, A SINGLE LINE CONT
      AINING THIS INFORMATION IS PRINTED"
7210 PRINT "ON STANDARD 8-1/2 INCH WIDE
      PAPER. PRINTER LINE NUMBERS ARE"
7220 PRINT "SHOWN FOR EACH ENTRY SO YOU
      KNOW WHERE YOU ARE ON THE PRINTED"
7230 PRINT "PAGE. WHEN YOU REQUEST TOTA
      LS, EACH COLUMN HEADING WILL BE"
7240 PRINT "PRINTED WITH THE TOTAL FOR
      EACH COLUMN FOR THAT PAGE. YOU CAN"
7250 PRINT "THEN REQUEST ADDITIONAL PAG
      ES. IF NOT, MONTHLY TOTALS WILL BE"
7260 PRINT "PRINTED. YOU THEN CAN DO AN
      OTHER MONTH, OR PRINT GRAND TOTALS"
7270 PRINT "OR EXIT THE PROGRAM....."
7280 PRINT : PRINT "      THE FORMAT ALL
      OWS TOTALS TO $99,999,999.99!!"
7290 PRINT : PRINT "      ** CRASH RECOVERY
      : TYPE....      GOTO600      ....AND ENTE
      R."
7300 PRINT : INPUT "PRESS ENTER TO CONT
      INUE....."; A$ : GOTO 300
10000 CSAVE "1" : OUT 255, 4 : FOR I =
      1 TO 2000 : NEXT : CSAVE "1"

```

THE PROGRAM STORE


VOYAGE OF THE VALKYRIE



By Leo Christopherson from AOS
Combine the animation and music techniques pioneered by Christopherson with the challenge of his first fast-moving arcade game and you have VOYAGE TO VALKYRIE!

You speed through a magical maze guarded by ferocious birds that swoop down to attack if you don't get them first. To list all the play and options of this exciting game would take the 16 pages of instruction included.

Tape (TRS-80 16K) \$34.95
Disk (TRS-80 16K, Apple 48K) \$39.95



DUEL «N» DROIDS

By Leo Christopherson from Acorn
Teach your "animated android" how to wield a laser sword! Leo Christopherson, author of "Android NIM," "Dancing Demon," "Voyage to Valkyrie" and other animations, has developed a new type of animation and high-quality sound in this work.

Starting out as a lowly clown, you teach your 'droid to use a laser sword by controlling its movements -- advance, attack, even retreat if necessary. Then you enter the tournament against the program's skilled 'droid. Revel in the fanfares of the victorious -- or hear the funeral dirges of the defeated! Entertainment for all ages.

16K protected tape...\$14.95
16K protected disk...\$20.95

BATTLE OF SHILOH

From Strategic Simulations
Now Civil War buffs can engage in a realistic simulation of a major battle. Marching through the war-torn countryside, strategically using the forests, creeks, hills for defense, you re-create every facet of the battle on a hex-grid map. If you had been in charge, would we still be whistling "Dixie?"

16K tape...\$24.95

Visit our other stores: Seven Corners Center • Falls Church, VA & W. Bell Plaza • 6600 Security Blvd. • Baltimore, MD



TRS-80
Unless
Otherwise
Noted



From Med Systems
You are sitting alone at 2 AM. Your eyes are bloodshot as you peer into your computer's screen and cry, "I must be CRAZY!" If this has never happened to you, you've never tried ASYLUM. It's Med Systems most ambitious 3-D graphics adventure yet!

ASYLUM places you on a cot in a small (padded?) room. Periodically the janitor lobs a hand-grenade through the window. What you do next could mean escape -- or disaster.

16K tape...\$14.95
32K disk...\$19.95

Also order DEATHMAZE 5000, Med System's challenging 3-D maze game. Same prices as above.

FORBIDDEN PLANET I

By Wm. Demas from Fantastic Software
The first TALKING adventure! With skill, luck, and tenacity -- and a little help from your chatty TRS-80 -- you may survive Part One of this multipart adventure! You don't need a voice synthesizer, this program talks to you via the cassette port. And it's a good thing it does, 'cause otherwise you'd get mighty lonesome on desolate FORBIDDEN PLANET.

48K disk...\$39.95

LOST COLONY

By David Feitelberg from Acorn
It's the world's first deep space colony and you are the economic manager. A remarkable simulation, LOST COLONY arms you with maps and charts as tools for resource management. You assign human and robotic labor, explore new land, and set production quotas. At the same time you must determine equitable pay scales and taxes.

Communicate through your model I or III using full sentences or short commands. A challenging game, it might give you insight into real life management as well.

16K protected tape...\$19.95
32K protected disk...\$19.95



Crush, Crumble and Chomp!

From Epyx
It's a monster movie, and you are the monster! You can be The Glob, Kraken, Mantra, Mechismo, Arachnis, or Goshilla -- or even design your own "custom" monster (disk version only). This hilarious action game is loaded with graphics and sound as you practice your villainy. With 6 monsters, 4 cities, and 5 game objectives, you get a choice of more than 100 possible scenarios. A monster's life is not all carnivorous crunching, though: The combined resources of the police, science, and armed forces are bent on your destruction.

TRS-80 (16K tape or 32K disk), Apple (48K disk)...\$29.95

TIGERS IN THE SNOW

From Strategic Simulations
Highly sophisticated simulation of World War II's Battle of the Bulge. Your troops are encamped in the French forests of the Ardennes, ready for the first wave of this key assault. The battle requires complex strategies and a good grasp of the overall situation: troops, artillery, terrain, support, and timing. Are you up to it?

16K tape...\$24.95

Unbelievable Realtime 3-D Graphics!



FLIGHT SIMULATION

From Sub-Logic
The wait is over! If 3-D graphics seem impossible on the low resolution TRS-80, you haven't seen this brilliant program. During FLIGHT SIMULATION, you instantly select instrument flight, radar, or a breathtaking pilot's-eye-view. But be sure to strap yourself in -- you're liable to get dizzy!

Once you put in some air time learning to fly your TRS-80, head for enemy territory and try to bomb the fuel depot while fighting off five enemy warplanes. Good Luck!

NOW FOR MODELS I & III!
16K tape...\$25.00
32K disk...\$33.50



TO ORDER CALL TOLL FREE 800 424-2738

For information
Call (202) 363-9797

THE PROGRAM STORE
4200 Wisconsin Avenue NW, Dept. 8 1 Box 9609
Washington, D.C. 20016

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$1.00 postage & handling. D.C. residents, add 6% tax. Charge card customers: include all embossed information on card.


Business computers: a planning guide

Joel Makower, Washington, DC

A business computer is like a tuning fork: when it works, it hums; when it doesn't, it's useless. Assuring that your system hums is most often a matter of how well you plan before you make your purchase. The planning stage, says one expert, is where 80 percent of the problems occur.

Planning takes on ever-increasing importance these days, as the computer becomes not merely an essential element of nearly every business's financial, word-processing and other record-keeping processes, but is also linked with other parts of office systems-telephones and photocopiers, for example-to create an efficient and powerful information network.

Integration of office equipment is going on at a feverish pace, with the computer taking center stage. Photocopiers are being replaced by "telecopiers"-computerized copying machines that instantaneously transmit copies to other copiers or to computer screens a continent away. "Filing" has virtually gone the way of the V-8 engine; it's being replaced by "information storage and



retrieval systems," which zip documents in and out of computers and micro-image devices whenever and wherever needed.

Computers are shrinking both in size and in price. This year may well be remembered as the year of the "micro-microcomputer" - the portable microprocessor that easily slips into a briefcase or, with some models, even a suit pocket. Such devices have the capabilities of computers that once filled the better part of a good-size room, and can be hooked into a telephone in a hotel room or phone booth for instant transmission of words or numbers to virtually anywhere in the world. A few models even feature tiny printing devices.

And what we're seeing is just the tip of this Alice-in-Computerland iceberg. Earlier this year, a number of major breakthroughs in computer chips were announced, with up to one thousand separate circuits being crammed onto a quarter-inch computer chip. The new "supercomputers" being developed are said to have ten to fifteen times the power of current models.

In addition to going on business trips, business computers are staying home. If last year's buzz word was "telecomputing" (the transmission of computer data over telephone lines), this year's is "telecommuting"-computer hook-ups from office to home, allowing employers to tap labor pools that

Reprinted courtesy Republic Scene Magazine carried aboard Republic Airlines © 1981 East/West Network, Inc.



MONEY MANAGER

By Andrew P. Bartorillo

NEW!

A complete management tool for the home budget, this useful program helps keep track of your income and expenditures and provides an easy method of budget allocation.

MONEY MANAGER answers the question, "Where does it all go?" by categorizing the outgo of your money in accounts that you design according to your needs. It provides a means of keeping complete and accurate records, including an itemization of your tax-deductible expenditures—you can imagine the time savings at tax time alone!

You can store information on up to 100 checkbook entries per month (250 with 48K), specify any automatic withdrawals (such as automatic mortgage payments), keep a separate list of tax-deductibles, and record expenses by category. Checks payable to charge card companies and other lump payments may even be broken up to be placed into the proper individual categories. If you have a lineprinter, MONEY MANAGER will provide formatted printouts by category and time period.

MONEY MANAGER requires a TRS-80* model I or III with a minimum of 32K and one disk drive. Order this time and money saver now for only \$39.95.

ACORN PROGRAMS ARE AVAILABLE AT FINE COMPUTER STORES EVERYWHERE

LOST COLONY



By David Feitelberg

It's the world's first deep space colony and you are the economic manager. A remarkable simulation, LOST COLONY arms you with maps and charts as tools for resource management. You assign human and robotic labor, explore new land, and set production quotas. At the same time you must determine equitable pay scales and taxes.

Communicate through your model I or III using full sentences or short commands. A challenging game, it might give you insight into real life management as well. Available on 16K tape or 32K disk for only \$19.95 each.

EVEREST EXPLORER



By William Godwin & Don Knowlton

EVEREST EXPLORER lets you challenge the world's highest mountain without ever leaving home. You make all the decisions in this logistical simulation.

You select the manpower, food, fuel, shelter and oxygen you need. Then manipulate your resources to outwit the elements and terrain, establishing ever higher encampments. Will you reach Everest's 29,028 foot summit—and return to tell about it? Just \$19.95 for model I or III. Order on 16K tape, or the 32K disk version which includes a "save game" feature and other enhancements.


ASTROBALL



By John Allen

More features, thrills, and sound than even our famous PINBALL. With ASTROBALL in your TRS-80* model I or III the arrow keys become flipper buttons, the screen becomes the play board, and you become the "Pinball Wizard!"

A flying saucer and moving spaceships add to the fun. Knocking out five meteors earns you an extra ball, while black holes swallow the ball in play. ASTROBALL's five skill levels will have all your family and friends lining up for the pinball action. Available on 16K tape or disk for just \$19.95 each.



(202) 544-4259

Acorn

Software Products, Inc.

634 North Carolina Avenue, S.E., Washington, D.C. 20003

*Trademark of Tandy Corp.

**ALL ACORN ENTERTAINMENT
SOFTWARE SUPPLIED FOR
TRS-80* MODELS I & III**

MAIL ORDERS: Include \$2.00 shipping & handling (D.C. residents add 6% sales tax).

CHARGE CARD CUSTOMERS: Call (202) 544-4259 for fastest service.

could not otherwise be reached, such as the handicapped parents who prefer to work at home. In an age of increasing transportation costs and decreasing computing costs, this is truly the wave of the future.

Trends like telecommuting and portable computers create a bold new challenge for today's managers and executives: how to manage a disparate and mobile network of indispensable business tools. One major roadblock to that challenge is the lack of knowledge of computers that plagues the upper echelons of most major companies. That information gap often hinders every aspect of a firm's computer operations, from purchase to operation to security.

Increasingly, however, executives are becoming more computer savvy. Many corporate-ladder climbers who have scarcely touched a typewriter keyboard are suddenly finding themselves in three-day-long classroom seminars that teach not only the ABC's of business computers, but often send managers home with new computer-programming hobbies.

"The fear of computers is eroding at a very high rate," says John M. Nevison, a Concord, Massachusetts, computer consultant who teaches "computer literacy" to business executives. "Most people know that it's only a matter of time before they'll have to learn." In Nevison's courses, which last for three days, students write and run their own computer programs within the first two hours of the first day. "We hit them between the eyes with it so fast that they don't have the chance to really get scared," says Nevison.

Students of such courses walk away with a newfound respect for business computing, but also with two seemingly contradictory outlooks on the relationship between computers and their business. On one hand, the "new" technology might not be as complex and as scary as it once was; on the other hand, having better understood the technology, "going computerized" may not be as simple as it once appeared.

Wait or buy now?

Another benefit of computer courses can be to abolish some of the myths and misunderstandings of buying business computers. One point of confusion is whether, in the light of the fast-

changing technology - with a new generation of machines appearing almost annually - it makes sense to buy now or to wait. It's a question on the minds of virtually all executives considering buying a computer.

"I get this question all the time," says one California computer consultant. "It's a major source of puzzlement for me.

Virtually no clear-thinking businessman would consider posing such a question for a car, a printing press or any other business tool. My answer is always the same: If you've determined that you need it now, buy it now."

Granted, it's a dilemma. How do you resist the temptation to jump into the sleek world of computers, in light of the myriad ads and sales pitches you encounter at nearly every turn? It's difficult to stand back and ask, "What is this equipment really going to do to the way that I run this business?" All those fancy colors and graphs and bells and whistles of today's computers often make those important questions fall by the wayside.

On the other hand, it may be unwise to resist the temptation. "It's crucial that you try out the new technology, or you're not learning to absorb it," says Amy D. Wohl, president of Advanced Office Concepts Corporation, an office-automation consultant firm in Bala Cynwyd, Pennsylvania. "If you decide to 'wait until the market straightens itself out,' you'll find yourself facing very sophisticated technology with absolutely no understanding of how you get such systems to work."

Wohl believes that executives who put off buying decisions in the hope that products will become cheaper or more powerful or more reliable are causing themselves more harm than good. "I tell those executives, 'If you choose to stand with your head in the sand, you can be assured that your competitors will not do likewise,'" she says. "I come out of an economics background; there's something called comparative advantage: If your competitor chooses to use a business technique and you choose not to use it, you just may be choosing to go out of

business."

Creating a plan

If there is one mistake in computer purchasing that is virtually universal among businesses, it is purchasing without proper planning. "A lot of very expensive computers are purchased on impulse," says Fred Amport of Amport and Associates, a management consultant based in Chagrin Falls, Ohio. "The typical business president will look out at his sales office and see twenty or thirty people doing a variety of paperwork and handling phone calls and say, 'There's got to be a better way to do this.' Typically, he'll go out and look at a couple of computers and make a decision without studying it any further. They make decisions that come back to haunt them several years down the road."

Instead, says Amport, "you should launch into some kind of a cost/benefit study. It can be done informally or it can involve professional help. Not only are you looking at your current operation, you also should be looking at your operation as it will be several years from now. It is not a simple task. Unfortunately, many people reduce it to simple terms that they can understand but which may not have their best interests at heart."

A proper analysis examines the full impact of the computer system on a business: what the full costs will be, including installation, training, redesigning of workspace; what the tax implication will be; which departments will be hooked into the system; what the restaffing or reorganizational requirements will be; who will use it, who will have access to it, who will manage it; how it will all be protected from abuse; and probably the most difficult and least-asked question of all - is a computer really needed in the first place?

The answers you get to such questions may surprise you. You may even learn something new about your operation.

Even firms that already have computerization may want to indulge in a bit of "post-purchase" planning. Amport cites the example of a large client who has acquired a number of computers over the years, all of which have proved to be effective problem solvers for their various applications. Nevertheless,

INCREDIBLE


IMAGINE a computer printer/electronic typewriter with a 100 character daisy wheel, controlled by 6 microprocessors (including 2 Z-80's) with an all-electronic keyboard... all in one machine!
THAT'S INCREDIBLE!
THAT'S THE TYPRINTER 221!

AUTOMATICALLY, IT WILL:

- Center copy
- Line up decimal points
- Print vertical lines (to separate columns)
- Layout columns
- Center titles (over a column)
- Print flush right
- Return carriage (at end of line)
- Paper feed to pre-set starting point
- Indicate end of page
- Set tabs from one to many
- Clear tabs from one to all
- Set temporary margins (wherever you like) as often as needed
- Repeat all typing keys as needed
- Underline copy
- Print bold face and underline
- Do reverse print (white on black), sort of "reverse Video"
- Allow alphabetic and decimal tabulation
- Indent paragraphs
- Store in non-volatile resident memory
- Often used line formats (margins & tab stops)
- Often used phrases (up to 835 characters) in 10 "bins"
- Up to 10 complete forms (tax, medical, insurance, etc.)
- Up to 14,000 characters in an additional 26 "bins"
- Print perfectly spaced proportional letters
- Return to typing position after correction with relocation key
- Allow one character to overlap another (Ø)
- Right margin justification
- Print two columns with both right and left margins justified and the center ragged
- Lift off errors (from single character to entire line)

IT WILL EVEN:

- Allow a carriage return without a linefeed or a linefeed without a carriage return
- Allow you to pre-set an impression control for high-quality carbon copies
- Allow both vertical and horizontal half-spacing
- Allow cancellation of copy before printing
- Allow express and normal backspacing
- Print in four different sizes: 10 pitch pica, 12 pitch elite, 15 pitch micron
- Allow insertion of a missing character in an already printed line
- Accept paper up to 17" wide.



- Backspace 1/10, 1/12, 1/15 or even 1/60 of an inch.
- Buffer and print out one word at a time, or one line or as many as 10 pages*
- Print up to 198 columns
- Do 1/2 line spacing for footnotes and scientific notation.
- Accepts carbon film or reusable nylon ribbons

IT HAS:

- A lighted key to inform you that it's set to temporary margin
- A factory installed noise reduction shield
- A 16K buffer/automatic spooler*
- A lighted key to indicate upper case only
- A Centronics standard parallel interface and can be ordered with:

- RS-232 Serial interface* or
- IEEE (PET) interface*

- A print speed of 20 cps and (because of logic seeking circuitry) a through-put of approx. 32 cps

- A built-in anti-glare shield

IT EVEN HAS:

- Carbon film ribbons in various colors
- 20 character ribbma readout that informs you as to:
 - Number of characters to end of line
 - Number of lines left to end of page
 - The existence of an error condition
 - The contents of a memory "bin"
 - Number of characters left in buffer
- An automatic "feature in use" indicator (centering, storage, etc.)
- With scrolling, both FORWARD and BACKWARDS

INCREDIBLE?

THE 221 OFFERS EVEN MORE!

- It's totally compatible with all computers and software
- It will print in English, French, Spanish, Italian and German. It will automatically switch between English and foreign keyboards*. (Under computer control)
- Scientific, mathematic, financial and legal daisy wheels available*
- Tractor feed available*
- Can be used as a stand-alone terminal*
- Can be used to access both TWX and TELEX networks*

**TRY WHAT YOU'VE BEEN MISSING.
TRY THE INCREDIBLE MACHINE.
TRY THE TYPRINTER 221**

Suggested price \$2850.00

Dealer inquiries invited.
(Call for store nearest you).

Service available through the world-wide facilities of the Olivetti Corporation.

HOWARD INDUSTRIES
2051 E. CERRITOS AVE., 8-C
ANAHEIM, CA 92806
714/778-3443

*Optional at extra cost



CRYSTALWARE

THE FINEST IN
FANTASY GAME SOFTWARE



At Crystal we are doing our best to provide the finest state-of-the-art graphic adventure software in the world. Our list of credits include the first indoor-outdoor graphic adventure, the first multi-disk graphic adventure, and now for the Atari, the first graphic adventure in the world which includes screen scrolling and animation. The era of the text adventure and games which are simple combinations of static graphics and text is rapidly drawing to a close. We attempt to utilize the full potential of your computer. True, many of our games use up to 48K and we only deal in disk products, but there are a lot of users out there who have worked hard to upgrade their systems to the max and we think they deserve games that will give their computer system a run for its money.

★★★ ADVENTURE GAMES ★★★

1-THE HOUSE OF USHER- Haunted house type adventure game with scrolling in the Atari version. Wander the creepy hallways of the three story castle based on Edgar Allen Poe's short story of the same name. Written in graphics, of course, with animation and sound. We have introduced a new mystery for another \$100 prize. \$29.95/1 disk

2-FANTASYLAND 2041 A.D.- The largest disk based adventure game in the world (that we know of). Enter the Hall of Heroes and prepare yourself for the greatest fantasy-role-playing game you will see for years to come. To win you must survive Congoland, Arabia, King Arthur, Captain Nemo, Olympus (a sea voyage), and Dante's Inferno (Hell itself). In both the Atari and Apple versions it takes up more than 400,000 bytes of memory and uses more than 400 hires screens. The winner of the contest described in the manual with this game will receive \$1000.00 and a bronze trophy. We have pushed the award date forward to February 1982 to allow more people to participate in the contest. \$59.95/6 disks

3-GLAMIS CASTLE- Yes, Pat and I are on our way to Britain to stay in the dreaded Glamis Castle. If we survive our real life adventure, we'll be measuring it and will be able to provide you with a 3-D game based on this ancient haunted site where King Duncan met his end at the hands of Macbeth. Our good friend, Mark Benioff, after much research, said there's a mystery room that has never been found in this castle and a half beast, half-man creature that guards a treasure therein. Our stay will be covered by the British media and we hope to share our experience with you through the writing of this game. \$49.95/2 disks

4-BENEATH THE PYRAMIDS- You are an archaeologist in 1932 and must find your way through the perilous chambers beneath the pyramids to discover a golden statue of the cat goddess Bast. This game is in hires graphics, includes sound, your little man actually moves through the corridors which you can see on the screen. The monsters are animated and very aggressive. There is a new \$100 prize for the first to solve the mystery; which is a toughie! \$29.95/1 disk

★★★ SPACE GAMES ★★★

5-GALACTIC QUEST- An excellent combination of Star Trek and Space Trader. Battle the animated Vegan fighters as you warp from galaxy to galaxy. At the same time, you may land on and trade with hundreds of planets. Super hires graphics and lots of sound. This has been one of our most popular games. \$29.95/1 disk

6-SANDS OF MARS- Take an exciting voyage to the planet Mars via the Starship Herman. This game compared to the rest, is second only to Fantasyland 2041 A.D. It includes scrolling on the Atari and hundreds of full screen graphics. You can move your little man through the terrain of Mars; if, of course, you survive the exciting journey to Mars, which occupies the whole first disk. There is a new mystery and another \$100 prize just waiting for some clever adventurer out there. Good luck! \$39.95/2 disks

★★★ WAR GAMES ★★★

7-WORLD WAR III- You Atari gamers will have to see this in the Atari version to believe it! If your tired of war games which take 15 minutes a move and have a manual the size of a telephone book; but still want a complex, real-time action war game-this is it! It is designed for two arm-chair generals which may maneuver up to 128 separate type of units at a time. The game displays a map of Iran & Iraq in the first scenario and later on you will find yourself moving nuclear submarines and battleships through two world wars. This is not a boring copy of a board based game but an original war game which takes a lot of skill and may take weeks to play. \$29.95/1 disk

8-WATERLOO II- If you had been Napoleon would you have done a few things differently? Well as you approach this final battle you are equipped with the same forces, face the same opposition, and survey the same terrain which he did. We have done a great deal of research to make this historically accurate as well as extremely complex. Even the angle of sight, fatigue of the individual soldier, and his psychological profile are included in the calculations. Oh by the way, your opposition is no slouch. You may find it more difficult to change the course of history than you think! \$49.95/2 disks

★★★ ARCADIA ★★★

9-LASAR WARS- Hires-3d space war simulation. Protect the earth from alien invaders. \$29.95

10-LITTLE CRYSTAL- The first of our line of education software, which will be completed by December. It includes a very fine version of Hangman, Mr. Music; which transforms the computer into a piano, Gunk-a hilarious shoot-em up game, and Storytime- an anthology of bedtime stories featuring Herman, the cat, Oscar, the Hamster, and of course, Little Crystal. \$39.95

11-IMPERIAL WALKER- A fine game pack written by our Atari programmer, Michael (graphics) Potter. Includes the Walker animation which is superb, Gunfight, and Lasar Nim, a game of 'how many robots'. \$29.95

12-ADVENTURE PACK- (#1-4) \$112

13-SPACEOUT- (#5-6) \$58

14-THE WARRIOR- (#7-8) \$64

15-ARCADE- (#9-11) \$60



Crystal has many other fine fantasy and space games. For a copy of CRYSTAL VISION which includes a complete catalog please send \$3.00 to the address below.

Our order lines are open 24 hrs. a day 7 days a week.

(408) 778-2966

CRYSTAL COMPUTER

17120 Monterey Rd., Morgan Hill, CA 95037

Circle # 15



48K — w/disk

CRYSTALWARE

THE FINEST IN
FANTASY GAME SOFTWARE

APPLE

48K — w/disk



48 — w/disk

"Having previewed over fifty of your competitors' games, I can assure you that your use of scrolling far exceeds anything I've seen for the Atari and, of course, for the Apple. I'm very impressed by the dedication and quality that your company exhibits by virtue of this demo." **David Sosna** — Associate Producer, Universal Pictures
Crystal has done its best to become the Porsche of the computer game industry. New scrolling techniques, video disk games, a real-life fantasyland — our mad programmers toil onward with little food or sleep to produce some incredible firsts in the microcomputer world. If you are an unappreciated genius and want to join our staff to help create the world of tomorrow today, give me a call. Our magazine *Crystal Vison* will within the next month have a circulation of 80,000 and we look forward very soon to producing our first full length motion picture. I'd like to thank my friends at Votrax and Axlon for giving us the tools (128K RAM for Atari and a vocal text synthesizer) to truly produce some programming miracles.

★ ★ ★ NEW RELEASES ★ ★ ★

THE CRYPT — One evening you awake at sunset to find yourself in what appears to be an endless cemetery. Although defenseless, you must somehow find your way out or perish from the hideous assaults of flesh-eating zombies, rats, vampires, werewolves, and other repulsive monstrosities. To escape you may have to descend into the catacombs beneath the cemetery. This game is a little different from the others of our series because we use a lot of static graphics to set the mood. It is similar in some respects (without any copying intended) to those of our friends at On-Line who produce excellent static graphic adventures. You must use all your common sense and a great deal of courage to escape from this perilous adventure alive. We have made it so nearly impossible that the first player to do it successfully will receive a \$200.00 prize. **\$49.95 2 disks**

QUEST FOR POWER by Mark Benioff — An extraordinary game with the adventure and magic of Arthurian legend. Join Galahad as he leaves Camelot in search of the Scroll of Truth. Explore the treacherous depths of the Caves of Somerset, visit the medieval city of Essex. Along the way you will meet powerful wizards and great prophets. The villages of Sunderland and Leeds dot your path. Somewhere in an evil castle called Skenfirth, lurks the devil himself, while the Evil Giant Gogmogo, hungry for human prey, roams the forests. In Fantasyland tradition we include 64 full screens of hires scrolling and some sensational graphic and animation sequences. Well worth the **\$39.95 1 disk**; enjoyable to all ages.

★ ★ ★ GALACTIC EXPEDITION ★ ★ ★

The year is 3021, almost 100 years since the expedition to the Sands of Mars has returned. The Starship Herman now rests quietly in the Zikon Museum in New Brisbane. It's nearly 80 years since World War III, the Ames Research Center celebrates its 150th anniversary, and you stand at the unveiling of a truly technological wonder — the first ion-propelled vessel, saucer-shaped Lady Joanne, its viewport of pure diamond, its hull of synthetic emeralds. The Martian glyphs of the Meshim and those of Lemuria have now been deciphered and it appears that a much greater mystery is about to unravel. 7 planes and 7 doors — 7 guardians and 7 candles. 7 strange new worlds await the ultimate adventurer to unlock a timeless secret. The starship may seem strange and unfamiliar to our veteran adventurers, faced with its marvelous new technology; this craft must be flown by constant monitoring of ion stabilizers. During your galactic expedition you are surrounded by the flickering heavens, beset by meteor showers and time-warps. Each unique world holds one of the 7 keys to unlock the Great Mystery. The games all run off the Main Module which also is a game unto itself.

From Earth to Moon — On the Moon's dark side lie entrances to caverns extending to the moon's hollow core which contains a timeless secret. Here live a race of burrowing creatures, who have built vast earthen cities with storehouses full of precious stones. Gravity is extremely critical and you must use all your skills to manually land your craft. This first Master Disk contains the dos needed to run additional scenarios. Its price is **\$39.95** and includes 64 screens of Hires graphics.

Mists of Venus — On Venus' ever hot surface are endless jungles and swamps. The air is unbreathable and spacesuits and oxygen must be carried. This world is especially treacherous with all sorts of loathsome creatures and hardly any place dry enough to land your ship. Beneath the green seas our adventurer may find the second key to solving the Mystery. **\$29.95** (must have Master Disk to run)

Planet Herman — It is hard to tell where Herman's atmosphere ends and the surface begins. Much of this adventure will have the feeling of a starship submarine. Navigating around Herman is very dangerous but with a computer on board Lady Joanne it may be just possible. This senario costs **\$29.95** and needs the Master to run.

The Asteroid Belt — Every play something oids. A combination of the best machine language sub-routines of our new Crystaloids with a fast moving adventure game. Penal colonies, lurking pirates, and some unusual forms of scavenger life exist here. It's difficult to travel in the Asteroid Belt without getting blown up. Perhaps you should find some expert help by rescuing a pilot, who is also a sentenced thief or murderer, from one of the penal colonies. There are places for trading and you may wish to indulge yourself with a visit to the sensual Pleasure Planet. **\$29.95** (needs Master Disk)

Uranus - World of Ice — A freezing place with nights of —200° F. Bring along Thermasuits, as well as some Laars with which to battle the Grungik, a 12 foot tall relative of Big Foot, fond of human flesh. Uranus also has a secret inner labyrinth with tropical flora and fauna. However, the King of the Ice Planet, Norion may have his own idea about your trespassing. Without proper clothing, weapons and supplies, your stay here may be very exciting and very short. **\$29.95** (needs Master Disk to run)

Jupiter - World of Dwarfs — How would it feel to weigh 300 or so lbs.? A trip to Jupiter should fill you in fast. There is a particularly interesting red spot on Jupiter and a curious set of moons. Picking up some antigravs will help. Landing should really tax your energies. In the Jupiterian atmosphere, you fall fast! Be prepared to use 10 times the normal amount of fuel. Better find the 6th key quickly before your fuel and food are exhausted. **\$29.95** (needs Master Disk)

The Crystal Planet — You will have to embark on this final portion of your expedition ignorant of what you may encounter here on this mysterious planet, excepting that the 7th world holds the ultimate key to winning the contest. **\$29.95** (needs Master Disk)

The Contest — To the Winner with the highest score, who solves the mystery by November of 1982 will go \$5000.00 in cash. Good Luck!




GLAMIS CASTLE — According to ancient legend and records this castle is one of the most haunted sites in Great Britain. One Lady Glamis, known to be in league with the devil, liked to send out a destructive demon to harrass the townspeople. She finally was burnt at the stake on Castle Hill, cursing as she died all future generations of the Lyon family. Her demon still seems to haunt that spot, murdering the curious who stray up to Castle Hill after dark. The curse stipulated that each succeeding generation would have at least one child, often female, who would be a vampire. When an heir comes of age, there is a secret ceremony in which the heir, his father, and the steward take crowbars and chip away plaster concealing a hidden chamber, known only to them, that Earl Pattle used when he gambled with the devil. Another tradition says that a creature, half-man, half-beast stalks the passages in the walls of Glamis to insure the fulfilling of the curse. The mystery, of course, is to determine the location of this secret chamber. Our game, occupying 2 disks, will have as exact a replica of the castle as possible. It's definitely one of a kind! And we will be offering a \$500 prize to the first person daring enough to solve the centuries-old mystery of Glamis Castle. **\$49.95 2 disks.**

Crystal has many other fine fantasy and space games. For a copy of CRYSTAL VISION which includes a complete catalog please send \$3.00 to the address below.

Our order lines are open 24 hrs. a day 7 days a week.

(408) 778-2966

CRYSTAL COMPUTER 17120 Monterey Rd., Morgan Hill, CA 95037



BUSINESS,

continued from page 24

an evaluation revealed that new and improved software technology could allow a number of separate and disparate computer operations to be merged into a much more coherent operation. "They changed the whole way that they were doing computing," says Amport. "But there was no way to know it was possible without studying it intensively. In the long run, it really pays off."

There are a few other major considerations that are often overlooked when making purchase decisions. First and foremost is computer software—the programmed instructions that allow you to perform the various applications, from word processing to report generating to number manipulations. In the midst of all of the sexy computer hardware demonstrations, most potential purchasers don't fully consider this crucial element.

Software comes in a variety of styles. You can buy prepackaged software, which is designed for the

"typical" business. Such products require that you bend your operation to fit the software, which is not always possible—or desirable—particularly with large organizations.

An alternative is to purchase "custom" software designed for your specific purpose. Custom designs, as is true with most other products and services, are not inexpensive, and they require an in-depth analysis of how your business functions (something you should do in the first place). But there is usually little question of whether it will meet your needs. Another option is to do the programming yourself, a logical solution if you have a system large enough to justify employing a computer programmer.

Another frequently overlooked question is that of service. Any computer system—whether it's a state-of-the-art model or one that is three generations old—requires regular maintenance, in addition to the inevitable "down time" that pops up when you least expect it. Computer manufacturers vary widely in their ability to service their machines. Some computer makers farm such operations out to independent contractors. Others maintain fast and efficient fleets of on-call technicians. Still others require that you pack up your troubles and bring them in to their shops. In some cases, businesses purchase equipment from firms with no local service presence. When it comes time for repairs, they find that the nearest expert is several states away.

In the end, says Jack Nevison, "buying a computer is like buying a car. If you are a business buying a computer, probably the least important thing is the piece of equipment. The most important thing is that you understand your business well enough to know that you have a function that you want to automate. If you buy a car, you do exactly the same thing. You buy partly for what you need, partly for what you can afford in terms of sticker price and options, and, finally, you buy a car that your mechanic says he can keep in running order."

Words to the wise

If you're a typically busy manager or executive, you probably don't have a lot of time to scour the town in search of the right computer system for your business. In fact, you may not have the time to learn

enough about this new technology to even make intelligent decisions. After all, modern computer technology is the product of several thousands of technological geniuses, and it's unlikely that even the brightest of business people can pick it up just like that.

Or is it? As is true with almost everything from acupuncture to zero-based budgeting, there is expert advice available, often at little or no cost. For one thing, whatever you're doing, from running a diaper service to mixing paint dyes, there's a trade association and a professional journal that covers your business. "Unless you're on the cutting edge of your industry, somebody else has probably solved half the problems that you are about to run into," says Jack Nevison.

Computer manufacturers often hold introductory seminars, which can provide a wealth of information. The seminars, of course, are geared to sell computers, and having signed the seminar guest register, you are sure to hear a lot about the products of your host. But the seminars often can serve as good primers on the state of the art, and will probably create a lot more questions than they will answer, which will give you a good basis for further inquiry.

Another source of help are courses aimed at teaching executives and managers about computers. Many are offered at colleges and university extension services. The American Management Association offers a series of courses entitled "Data Processing for the Non-Data Processing Manager" that is offered at various locations around the country.

There is also wide variety of business computer and office automation shows held throughout the country each month. Such shows typically feature seminars for both novices and experts, as well as give you immediate access to the many manufacturers exhibiting their wares on the premises.

And, of course, as with just about everything else, you can hire a consultant. In recent years, the computer consultant population has grown nearly as fast as the computer systems themselves. Choosing the right one can be a complex matter in itself, since, like computers, consultants vary widely in their specialties, abilities and rates.

But the information they provide

DISCOUNT DISKS



VERBATIM

BOX OF 10

5 1/4" MINI DISKS	29.95
8" DISKS	45.95

ALL VERBATIM PRODUCTS AVAILABLE. ASK FOR QUOTES.

ALL ORDERS SHIPPED UPS SAME DAY.

TERMS: CASH, CHECK, MONEY ORDER, VISA, MASTERCARD OR TRANSACTION. WASH. RESIDENTS INCLUDE 5.4 SALES TAX. SHIPPING NOT INCLUDED.



(206) 952-6372



S-80 SYSTEMS
P.O. BOX 6244
FEDERAL WAY, WA. 98003

Does your CP/M** or TRS-80* Word Processor need help?
Aspen Software has the finest document proofreading tools available.

GRAMMATIK™

Beyond Spelling Checking

Spelling checkers are useful, but they are not enough! Grammatik can find many errors that a spelling checker can't. It detects many errors commonly found in text entered on computers, such as doubled words ("the the"), inconsistent capitalization ("STicky shift key"), incorrect punctuation, and others. That's not all! Grammatik also checks your document for good writing style using a dictionary of over 500 misused phrases as defined in many writer's style manuals. It marks and classifies the problems it finds in the document file for easy correction with your word processor, and provides suggestions for correcting the problems. The phrase dictionary can be easily extended to include checking for esoteric jargon or your own pet peeves. Grammatik also collects other stylistic information that can be used to revise the document to improve its readability such as average sentence and word length. It can produce a profile with the number of times each unique word in the document was used, helpful for identifying overworked vocabulary. Grammatik is not only a valuable proofreading tool, it is also a useful learning tool. You will notice significant improvements in your own writing style after using Grammatik for only a short time. Grammatik is fast, easy to use, and works with all popular TRS-80 and CP/M word processors. Model I/III version requires a minimum 32K, 1 drive system. Model II TRSDOS* version requires 64K and 1 drive. CP/M version requires CP/M release 2.2 and 48K.

PROOF READER™

The Aspen Software Company Spelling Checker.

Don't buy a spelling checker until you've considered Proofreader. Recently, several ads for other spelling checkers have compared themselves to "others". They weren't comparing themselves to Proofreader! Proofreader has all the features you need for checking your documents for spelling errors and typos. Proofreader looks up every word in its 38,000 word dictionary, and does not increase its "vocabulary" by using less accurate root word analysis like some others do. You won't need to spend as much time adding new words as you would with a smaller dictionary. Proofreader is easy to use -- you can start checking your documents immediately. Proofreader is fast -- it can check even your largest document (20 pages or more) in less than 5 minutes! Unknown words are listed on the screen, and can be saved in a file for later manipulation. The Proof-Edit feature (optional on the Model I/III version, included with Model II and CP/M) allows you to interactively correct the unknown words in context. New words can easily be added to the dictionary, and expansion is limited only by disk capacity. Proofreader works with all TRS-80 operating systems and word processors, so if you change systems, you won't need a new spelling checker. On the TRS-80 Model I/III, only 32K RAM and 1 disk drive are needed. Proofreader also works with all popular CP/M word processors. Add up the facts and the low price, and you will conclude that Proofreader is the best value available in spelling checkers.

Aspen Software programs are professional quality, reliable software tools developed for the TRS-80 and CP/M by a Ph.D. in Computer Science. All software is protected by Aspen Software's low cost upgrade privilege for new versions. Other tools include:

— SOFT-SCREEN™, a powerful, state of the art full screen text editor. Over a year in development, Soft-Screen is compatible with all TRS-80 programming languages, including BASIC, FORTRAN, MACRO, Ratfor, and COBOL. Commands are easy to learn, yet versatile and complete to satisfy the most experienced user. Soft-Screen is also available for P&T Model II CP/M.

— SOFT-TEXT™, Aspen Software's text formatter. When used with Soft-Screen, provides a powerful word processing system. Full featured, including automatic pagination, even and odd page headings, underlining, index generation, footnotes, support for

advanced printer capabilities, and much more. Model I/III version supports serial printers at full speed. Soft-Text offers a real alternative for Model II TRSDOS users. Please write or call for more details.

— RATFOR, a structured language preprocessor for Fortran developed at Bell Labs. Aspen Software Ratfor is one of the best versions available, and the only one with a pretty printer option. Totally compatible with Microsoft F80. Includes several extensions, including "case", "string", and conditional compilation. User's manual contains all information needed to learn and write Ratfor programs. Requires FORTRAN.

— PP-RATFOR, a pretty printer. Automatically formats and indents Aspen Software Ratfor source programs. An essential program development tool.

	Model I	Model II (64k,1d)	Model III	CP/M (2.2,48k)	Manual only
Proofreader	\$54.00(32k1d)	\$119.00	\$64.00(32k1d)	\$129.00	\$8.00
Proof-Edit	\$30.00	incl.	\$30.00	incl.	incl.
Grammatik	\$59.00(32k1d)	\$99.00	\$59.00(32k1d)	\$149.00	\$8.00
Soft-Screen	\$69.00(48k1d)	\$99.00	\$75.00(48k1d)	\$99.00(P&T)	\$15.00
Soft-Text	\$69.00(48k1d)	\$99.00	\$75.00(48k1d)	\$99.00	\$15.00
both	\$129.00	\$179.00	\$139.00	\$179.00	\$25.00
Ratfor	\$49.00(48k2d)	\$99.00	\$59.00(48k1d)	\$99.00	
PP-Ratfor	\$30.00(48k2d)	\$49.00	\$34.00	\$49.00	
both	\$74.00(48k2d)	\$139.00	\$84.00	\$139.00	\$15.00

IMPORTANT: Specify computer model, operating system, memory size, and number of drives when ordering! For CP/M, currently only 8" single density CP/M versions available. Please inquire about other CP/M disk formats. All TRS-80 versions available. Manual only orders can be applied to final purchase. CP/M prices are introductory.

Orders sent postpaid by first class mail. Terms: Cash, check, money order, VISA, or Master Card. NM residents add 4% tax.

Proofreader, Grammatik, Soft-Screen, and Soft-Text are trademarks of Aspen Software.

**trademark of Digital Research

*trademark of Tandy Corp.



ASPEN SOFTWARE COMPANY™

P.O. Box 339-E Tijeras, NM 87059 (505) 281-1634

can be invaluable. By providing an objective evaluation of your organization and its computing needs, a good consultant can rise above the chaos and provide a unifying force among the many diverse interests of the typical modern business. Moreover, a good consultant can cut through the ad claims and computer jargon of manufacturers to line up the best system of hardware and software for your needs, and can help arrange financing as well as oversee the system's installation and implementation.

Staying out of trouble (and court)

Despite the best-laid plans, a distressing percentage of businesses fail to find happiness with their computer systems. Lawsuits over faulty systems are increasing at a rapid rate, with epithets flying about between computer manufacturers and users over who's to blame. In some cases, the problems originate with the computers, or the lack of service available when problems arise. Sometimes, the problems arise at a frequency that even the finest service fleet can't handle. Other times, problems originate with the naivete' of first-time buyers, particularly from small and medium-size companies.

A lot of the problems come down to basic misunderstandings. "One major problem is an underestimation of the time it takes to implement a system," says Thomas Christo, a New Hampshire attorney who has represented many dissatisfied computer buyers. "It is a major effort, and rarely can a new user expect to plug in a bunch of hardware and have it operate to his satisfaction within thirty, sixty, or ninety days. It takes time for the user to adapt to the system and for the system to adapt to the user. It is not something that can happen overnight."

Another problem, he says, is that "many companies get into data processing when they don't need to. By streamlining their manual systems they'd be much better off."

But the biggest source of misunderstanding, says Christo, is an inadequate contract, one that fails to fully spell out the responsibilities of the manufacturer and of the user. Normally cautious executives, who wouldn't sign a sizable check without consulting with counsel, fail to seek advice when locking themselves into a

multiyear financial arrangement with a computer vendor.

Of course, what you purchase is important, too. "That's where most of the mistakes are made," says Hillel Segal, president of the Association for Computer Users, a Boulder, Colorado-based nonprofit membership organization of individuals and businesses that buy and use computers. Segal points to a number of pitfalls he says are the source of a large number of the problems most computer users face: *★ Failing to "test drive" the equipment.* "Before you sign on the dotted line, you should let your programs run on the equipment, measure the response time, determine how much time it takes to run your payroll or your general ledger," says Segal. "Any computer company, if it sees that your purchase of their equipment is dependent on allowing you to do that, will make that computer time available."

★ Passing the buck. The buying decision should rest with top management, rather than with someone in a lesser position. "That person doesn't necessarily know what you had intended for that machine," says Segal. "Upper management has to be involved."

★ Unrealistic expectations. "Some people think that all they have to do is to get a computer with a financial modeling package on it and it is going to help them be profitable," says Segal. "If you don't know what you are doing, the computer is not going to help you—instead, it will make you aware of what it is you are not doing."

★ Ignoring hidden costs. "There are a million costs to bear in mind when you buy a computer," says Segal, "and if you don't build it into your equation in the beginning, you could vastly underestimate what it is going to cost you. For example, there are peripheral devices, like printers, extra storage supplies, software, personnel training, installation costs, insurance, conversion, parallel operations, consultants, finance charges, legal fees. A lot of people tend to forget about these."

★ Trying to defy Murphy's Law. Something is inevitably going to go wrong, and you need to be prepared, whether the problem is in budgets, installation and conversion schedules or equipment glitches. "The people who inevitably get into trouble are the ones who say, 'It won't happen to me,'" says Segal.

Computer systems - safe and secure

Two other aspects of owning and operating business computers that are generally left out of sales brochures and pitches involve keeping computers safe for your business and for your employees.

Computer security is an area of increasing interest and concern, as "computer crime" begins to penetrate small businesses as well as bigger ones. Smaller firms are the ones that suffer most, since even a tiny embezzlement can be enough to bankrupt a small business with a tight cash flow.

Theft is made easier by computer in two ways. First and foremost is that the mere existence of computers in a business increases access to company records and accounts. Computerization means that all kinds of information is available right at employees' desks—if they are situated at computer terminals.

The second reason why computerization encourages crime is that it makes theft more difficult to trace. Handwritten records that had to be erased or altered were considerably better proof than a series of electronic beeps made anonymously by a computer-operating embezzler.

Of course, computers can be programmed to guard against such abuses, and security codes can prevent unauthorized individuals from access to confidential data. But the best protection is periodic perusal of computer records by yourself or a trusted employee. For this reason alone, it is important that top management fully understand the workings of the computer systems in their operations.

If security is rarely considered by computer buyers, worker safety is an unknown entity. But it is a vital one, according to a growing population of physicians and researchers, who are finding that computer terminals can cause a wide range of adverse health effects for users—effects that can substantially reduce productivity, increase absenteeism and possibly make you liable for health-care claims that could come up even after employees leave your firm.

At issue are the video display terminals (VDTs) that comprise the basic work station for most computer users. It's just becoming recognized that the designs of many such systems are poor, resulting in

FREE SHIPPING

(ONLY IN CONTINENTAL U.S.)

MODEL III DISK KITS

TWO 40/track drive kit and hardware. Comes complete with all the necessary hardware and 2 drives of your choice, (MPI or TANDON 40 track). NO SOLDERING OR TRACE CUTTING REQUIRED! COMPLETE EASY TO FOLLOW INSTRUCTIONS INCLUDED **875.95**



TWO 80/track drive kit and hardware. Same as above **1,095.00**

ONE 40/track drive kit with all hardware and your choice of MPI or TANDON 40/track drive. (INSTRUCTIONS INCLUDED) **599.99**

ONE 80/track drive kit with all hardware and one MPI 80/track drive. No soldering! (INSTRUCTIONS INCLUDED) **699.99**

TRS-80 MODEL III, 48K, 2 40 Track TANDON or MPI drives **2,095.99**

TRS-80 MODEL III, 48K, 2 80 Track MPI drives **2,325.99**

1 YEAR WARRANTY

16 K MEMORY 19.95

MODEL I, III APPLE AND EXIDY. Instructions included. (MOD 1 Keyboard requires jumpers. \$2.00 extra)

ARCHBOLD SPEED-UP MODIFICATION FOR MOD I TRS-80. RUN UP TO 300% FASTER CPU SPEED! SPEED UP SLOW PROGRAMS WITHOUT SOFTWARE! **45.00**

MONITORS

Black and White Monitors 12" (TECO) **129.95**
 Green Phosphor Monitors 12" (TECO) **159.95**
 AMDEK Black and White 12" Monitor **159.95**
 AMDEK Green Phosphor 12" Monitor 100G **189.95**

MODEL I DISK DRIVES

These drives come complete with power supply and chassis. 90 day warranty on disk drives. ALL DRIVES COMPLETELY TESTED PRIOR TO SHIPPING! 40 track drives are fully compatible with TRSDOS, NEWDOS-80, LDOS etc.

Fully compatible with the PERCOM DOUBLER and Double density! 80 track drives require MAKE-80 program to run regular software. (SPECIAL! GET A FREE 2 DRIVE CABLE WHEN BUYING 2 or more DRIVES!)

40 TRACK MPI or TANDON DRIVES **319.95**

80 TRACK MPI **439.95**

DOUBLE SIDED 80 TRACK MPI **579.95**

2 DRIVE CABLES **25.95**

4 DRIVE CABLES **35.95**

SPECIAL DOUBLE SIDED CABLES (CALL \$)

MAKE-80 CONVERT 40 TRACK TO 80 TRACK.

(SPECIFY MOD I, III) **29.95**


DISKETTES

SPECIAL: Brown Bag Diskettes (Verbatim) Bag of 20 . . . **49.95**

SPECIAL: Brown Bag Diskettes 100 Quantity **214.00**

VERBATIM DATALIFE DISKETTES Box of 10 **32.50**

VERBATIM DATALIFE DISKETTES 100 Quantity **275.00**



SPECIAL DISK HOLDER

Holds 50 Diskettes

Reg. Price \$35.95

SPECIAL

\$21.95

PERCOM DOUBLER II (Includes DBLDOS) Doubles storage on Model I disk drives. Installs in Exp. Int. in minutes! Will not effect normal operation! **169.95**

NEWDOS-80 (New Version 2) **139.95**

LDOS **139.95**

DOSPLUS 3.3 **89.95**

(Specify Mod I or III)

LYNX TELEPHONE MODEM

AUTO/DIAL AUTO/ANSWER. COMPLETE WITH SOFTWARE AND HARDWARE FOR MODELS I AND III



The RS-232 is not needed! Completely assembled. LYNX MODEMS are compatible with ST-80 III also **299.95**
 ST-80 III: Smart terminal program. Allows saving data to disk or sending data from disk and more! Mod I or III ... **149.95**

PRINTERS

SPECIAL: FREE CABLES AND FREE SHIPPING WITH ALL PRINTERS!

CABLES FOR MODEL I EXPANSION INTERFACE, MOD III, or PMC-80 EXP 100 or PIF-40 only.) PLEASE SPECIFY WHICH COMPUTER!

HIGH QUALITY DOT MATRIX

EPSON MX-80 (Tractor feed only) **539.95**

EPSON MX-80 FT (Tractor and Friction feed) **639.95**

EPSON MX-70 (Tractor feed only) **419.95**

EPSON MX-100 (Tractor and Friction feed 14.5 wide) . . . **895.95**

EPSON MX-80 Hi-Res Graphics Option **89.95**

Add-On Friction Feed Adaptor for MX-80 or MX-70 **59.95**

OKIDATA MICROLINE 80 (Friction and Pin feed) .. **414.95**

OKIDATA MICROLINE 82 (Friction and Pin feed) .. **597.95**

OKIDATA MICROLINE 83 **897.95**

(Friction, Pin and Tractor feed 14.5")

OKIDATA MICROLINE 82A. 120 cps **625.00**

(9x9 matrix w/descenders)

OKIDATA MICROLINE 83A. 120 cps **925.00**

(9x9 matrix w/descenders)

TRACTOR FEED ADAPTOR for 80 and 82 **75.00**

LETTER QUALITY PRINTERS

The C-itoh Daisy wheel printer is one of the finest Letter Quality printers we've seen. WHY PAY MORE FOR LESS??? Exchange Daisy wheels to get the kind of printing fonts you need. 12-10 pitch. Excellent with Scripsit or Electric pencil. Let's face it, sometimes dot matrix doesn't hack it! (You can use standard Diablo Carbon ribbons with the C-itoh to get crisp "COPY READY" printouts!)

C-ITOH DAISY WHEEL 25 CPS **1,795.25**

C-ITOH DAISY WHEEL 45 CPS **1,995.25**

C-ITOH TRACTOR FEED **219.95**



PMC-80 COMPUTER

16K LEVEL II Fully compatible with all TRS-80 Mod I Software **595.95**

PMC-81 COMPUTER 16K LEVEL II

with upper/lower case. Upper/lower case driver in ROM. Auto key repeat. Numeric keypad.

4 programmable keys. Built in speaker. 100% Mod I software compatible **679.99**

EXPANDER 100 PMC's expansion interface 32K, disk controller, printer interface. (Expands PMC-80/81 to 48K) **499.99**

RF-MODULATOR for PMC or TRS-80 to TV Hook-up. Completely assembled and tested. (Plugs in Video port) UHF CH.33 **39.95**

TRS-80 Disk and Other Mysteries Book, 132 pp **22.50**

Microsoft Basic Decoded and Other Mysteries, 312 pp **29.95**

Custom TRS-80 and Other Mysteries, 300 pp **29.95**

CALL TOLL FREE: 800-528-1149

NO SURCHARGE FOR VISA, MASTER CARD OR AMERICAN EXPRESS!!! (10% DEPOSIT REQUIRED ON C.O.D.'S OVER \$200.00) Send Certified Check, Money Order or Check.

SIMUTEK COMPUTER PRODUCTS INC.

4877 E. SPEEDWAY

TUCSON, AZ 85712

(602) 323-9391

CALL FOR

FREE 100+ PAGE

CATALOG!!!

TRS-80 IS A TM OF TANDY CORP. PMC-80 IS TM OF PERSONAL MICROCOMPUTERS. PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

physical and psychological hardships for system users.

For example, keyboards that aren't separate from screens can be harmful to the back; screens that don't adjust vertically or horizontally, or that don't have adjustable contrast, can result in increased glare that can lead to a wide range of visual problems. Many products do offer such flexibility, although these aspects are rarely made prominent in manufacturer literature, if they are mentioned at all.

The physical working environment can cause problems, too. For example, the lighting conditions needed for VDT work are far different from those needed for typing on traditional typewriters and doing filing and other typical office work. VDT users need subdued lighting. Moreover, glare from white walls, shiny desk tops and windows often contributes to high levels of glare that make it difficult for employees to work efficiently.

Such considerations may seem less than earthshaking to an executive burdened by price/earning ratios and investment tax credits, but they're issues that you'll have to face in the coming years of the increasingly computerized workplace. But with a little planning, the savvy executive can easily nip such problems in the bud.

Perspectives from three users: PPG Industries

"As the result of an internal study of office technology, we installed a minicomputer system, with fourteen work stations," says Ken Myers, supervisor of programming support for the chemical division of PPG Industries in Pittsburgh.

"During the first few months, we're concentrating on the people aspect of the system, making sure that the capabilities are being fully utilized, that the training is sufficient and that the personnel is adequate. We've started the system primarily on word processing, although we intend to explore some of the additional advantages as we get moving.

"In our original investigation, during which we talked with a number of computer companies, the discussions always seemed to deal more with people than with technology. We realize that it was important to pay due respect to the human element when going into something as new as word

processing. We kept close touch with the personnel aspects of our system. We had orientation sessions prior to the actual installation. We made sure that everyone had training that was offered through our vendor, so that when the machine showed up they had some background on what it could do and had the ability to start using it.

"So we tried a combination of all those things to take a little pressure off the secretaries, and at the same time see them accelerate and get through the learning curve as soon as possible, without expecting full proficiency for six to eight weeks. I think that it has been a big success, because our people have almost unanimously indicated that they really enjoy working with the equipment. They feel that it has been a big benefit to them."

United Mineralogies Inc. and Johnnycake Inc.

"Our core group of companies is involved in many activities, including active real estate development, agriculture, and the development of oil, gas and coal properties," says Daniel F. Flynn, president of United Mineralogies Inc. and Jonnycake Inc., two jointly owned companies based in Farmington, Connecticut. "Our interest in data processing was instigated by the need to assemble raw data from our various operations around the country, and to be able to analyze these operations and the opportunities that they present in order to determine which are most deserving of our attention. Our data-processing operation, therefore, is broken down into two parts: the gathering and assembly of data, whether statistics or financial reports, and the manipulation of this data into usable form.

"I would recommend highly that any executive who is involved with analysis spend a couple of days taking an executive computing course. Not simply to become a proficient data-processing operator, but to understand the dimensions and capabilities of the current state of the data-processing art.

"We purchased terminal equipment but decided to go with a service bureau for the software because the technology is changing so quickly that by the time we invested or committed ourselves to one system, developments would have taken place that would leave

our equipment out of the top of the market. So we chose for flexibility to go for terminal equipment that is plugged into the service bureau's larger system.

"Our uses and benefits have expanded almost geometrically over the past couple of years, and we couldn't be happier. I suppose that there could be a point in time when we might purchase our own system, but for the volume of information that we store, it simply isn't cost effective."

International Harvester

"About a year ago we realized there were numerous cases where we couldn't obtain routine data for reports," says E. C. Yerian, manager for industrial engineering and distribution planning for International Harvester in Broadview, Illinois. "We knew that the data was available, but we'd go to our data processing people and have to write out a project request and go through a lot of bureaucratic red tape. It was taking us weeks to get what we needed. The DP department was concerned with maintaining inventory of the five million square feet of warehouse space we have scattered around the world, so we got the idea we could do it ourselves.

"We went out and purchased a small microprocessor and started learning basic programming. All of a sudden we had about six departments that wanted to use it. Within a year, the thing was in use from 6 A.M. to 10 P.M.

"After one year, we expanded our processing capacity. We purchased a system with five terminals. It's totally operated by the users-representatives from the supply department, the accounting department, the transportation department, engineering.

I think that we have eighteen steady users on it now, and that number is growing by the hour. The data processing department, which is still running its big mainframe system, has offered to give us support, but so far we haven't felt the need for any assistance.

"It's not a duplication of effort. The functions that we are running on this system are entirely our own creations, like simulations and employee reports that we used to type manually. Now, once we key in information, we can quickly manipulate the data and restructure reports for any level of management." ■

BASIC compilers

For Models I, II, III; tape, disk or stringy floppy

80-U.S. Staff

Last year we compared two BASIC compilers for the TRS-80 Model II: Microsoft's BASIC Compiler (BASCOM) and Radio Shack's Compiler BASIC (RSBASIC). They are now available for the Model I. In addition, a third compiler, ACCEL2 from Southern Software in England (via Allen Gelder Software in this country), has made its appearance.

The usual reason for using a compiler is to gain speed. This is not always the case. CBASIC, long a favorite of CP/M users on non-Radio Shack computers, is not fast. Even on machines with identical processors (Zilog's Z-80), the built-in BASIC in the Model I can outrun CBASIC in speed tests.

Another reason for using some compilers is for accuracy. Put the following code into your computer and run it.

```
10 A = 0.1
20 B = B + A
30 PRINT B
40 GOTO 20
```

Now you have a stream of numbers running down the video. Everything is accurate to the nearest tenth of a whole number, right? No?

Now make A = 0.01 in line 10 and run the test again. Same results? No, they are different this time. At any rate, it doesn't take long to see that accuracy is *not guaranteed* with standard Radio Shack BASIC (which we will simply call Standard BASIC for the remainder of this article). Many versions of BASIC are plagued with the same problem. Some decimal numbers cannot be accurately represented as a binary number. In most cases the conversion process from decimal to binary and back takes care of the inaccuracies. However, when two binary numbers are added, the inaccuracy can become greater than the binary to decimal conversion can handle. Hence, the eventual loss of visible accuracy.

In business applications where numbers must balance to the penny, this inaccuracy eventually becomes intolerable. Two possible solutions present themselves: Use a language which works in binary coded decimal, or run all numbers through a self-correcting subroutine. Usually the former solution means COBOL and the latter means number to string and back again, with a

loss of time.

The following routines demonstrate a double conversion correction routine. Note that this routine does not always work. Try the double precision routine with A = 0.0001. The first listing is for single precision numbers and the second is for double precision.

Listing 1

```
5 CLEAR 100
10 DEFSNG I
30 INPUT "VALUE OF A";IA
40 A$ = STR$(IA)
50 IA = VAL(A$)
70 I = I + IA
80 PRINT I;
90 GOSUB 10000
100 PRINT I
110 GOTO 70
10000 REM SUBROUTINE TO FIX I
10010 I$ = STR$(I)
10020 I1 = LEN(I$); I2 = INSTR(I$,".")
10030 IF I1<7 OR I2 = 0 THEN RETURN
10040 I3 = 0.5*10↑(-I1 + I2)
10050 I = VAL(LEFT$(STR$(I + I3),I1-1))
10060 RETURN
```

Listing 2

```
5 CLEAR 100
10 DEFDBL I
30 INPUT "VALUE OF A"; IA
40 A$ = STR$(IA)
50 IA = VAL(A$)
70 I = I + IA
80 PRINT I;
90 GOSUB 10000
100 PRINT I
110 GOTO 70
10000 REM SUBROUTINE TO FIX I
10010 I$ = STR$(I)
10020 I = LEN(I$); I2 = INSTR(I$,".")
10030 IF I1<17 OR I2 = 0 THEN RETURN
10040 I3 = 0.5*10↑(-I1 + I2)
10050 I = VAL(LEFT$(STR$(I+I3),I1-1))
10060 RETURN
```

By adding these routines, execution will be slowed considerably since the routine must be run each time calculations involving decimals are

used. Some of this lost time can be made up by using one of the two standard BASIC compatible compilers discussed later. However, the easiest answer for business software may be an entirely new language: COBOL or RSBASIC from Radio Shack.

As we are considering only BASIC in this article, we will not look at COBOL now.

Radio Shack Compiler BASIC

It has previously been pointed out that RSBASIC is not compatible with standard BASIC. However, it would be well to treat RSBASIC as an entirely new language. Its power and capabilities, while not necessarily superior to standard BASIC, are impressive.

First, RSBASIC offers total cross-compatibility to the Model I, II and III *except* for screen size and some screen cursor control characters and commands executed as CHR\$ functions.

Second, there is no longer the lack of decimal precision noted in standard BASIC. RSBASIC uses binary coded decimal in its functions and carries all real numbers to 14 significant digits within the range of $\pm 10^{64}$ to $\pm 10^{63}$. RSBASIC uses the notation ** to indicate "raise to the power of" instead of the usual up arrow. There is also no single and double precision. Integers are retained with the same range as standard BASIC: -32768 to +32767. String space is no longer dynamic with the inherent "garbage collection" routines, but must now be defined as to length. Variable names can be as large as six significant characters.

The third significant difference is the addition of sub-program calls with their own local variables. Values (including entire arrays) are passed easily. This adds flexibility for the programmer who has developed a large number of standard routines and doesn't want to key them in for each new program.

The fourth major change is in the file structure. While the resultant files are *not* compatible with existing standard BASIC disk files, sufficient technical information is provided in the manual for conversion routines to be built for passing data via RS-232 communications channels should it be necessary.

RSBASIC has a total of nine different file structures. Three types of files are supported: Sequential, Random (or Direct) and Indexed Sequential (ISAM). There are three different methods of access for each type of file: Stream, Formatted, and Binary. Both fixed and variable record lengths are supported for the appropriate file type and access method.

ISAM file handling has real power. This method precludes the necessity of sort routines if handled properly. ISAM files are also accessible from the Radio Shack COBOL language, now also available to the Model I and III user.

Microsoft's BASCOM

BASCOM has been criticized for excessive

space consumption. Microsoft has re-written the compiler and alleviated the problem somewhat. To do this, they created a run-time module which must be used with the compiled program. It is this run-time module which makes possible the space savings over the earlier version. Updates for registered owners are available from Microsoft's Consumer Products Division.

BASCOM's features are continually expanding as Microsoft further develops and refines this excellent BASIC. Now capable of compiling to version 5.2, it includes such niceties as WHILE-WEND, which essentially duplicates leaving a FOR-NEXT type loop in the middle, but cleans up stack space. Modules may be merged into the source with the %INCLUDEfilename feature, although variables are not localized to the module. CALL replaces the USR function and is used to link machine language modules developed by the FORTRAN or disk EDITOR/ASSEMBLER packages.

Speed is claimed to be three to eight times greater than standard BASIC. Space is still critical. Stack space, rather than string space, is cleared, as in Radio Shack's Compiler BASIC.

The real plus comes from the compatibility with existing software. Except in a few instances where some complex contortions take place or space is at a premium, BASCOM will compile standard BASIC code without fail.

Yet, the major shortcoming of this compiler is still in decimal to binary number conversion. Microsoft also authored the standard BASIC and BASCOM. Both exhibit the same problem with accumulated inaccuracy with decimal numbers.

Microsoft is reportedly working on a new compiler which will use either binary coded decimal or another method to overcome accuracy problems.

Allen Gelder's ACCEL2

This compiler is the least expensive of the three and is designed to work with tape or Exatron Stringy Floppy systems of 16K or larger and disk systems of 32K and up, Models I and III.

ACCEL2 is not a complete compiler in that it doesn't compile the full program. Like the Compiler BASIC and BASCOM, it also requires a run-time module. However, this module can be made an integral part of the program and there are no royalty requirements for budding programmers who wish to sell and protect their source code.

Once a program is compiled, the results are impressive. It was used extensively in spacing programs in a book recently published by 80-Northwest Publishing Inc. The spacing program used is "Spacer", by Lou Pa. A run-time comparison of Spacer spacing itself was 16 minutes, 55.9 seconds under standard BASIC and 3 minutes 52.6 seconds after compiling with ACCEL2. The improvement is a ratio of 4.37. Due

MIKEEANGELO[®]*1

BRINGS

Graphic

LIFE

TO

TRS-80[®]*2

Model I and Model III
Must have Level II
Basic or Model
III basic.



**WE'RE GOING TO CHANGE THE
WAY YOU SEE THINGS!**

Designing a computer that people could use in business and leisure, without spending a lot of money was once a problem. Thanks to the TRS-80* there are now over 200,000 Microcomputers in homes and business today.

Unfortunately in keeping the price of the TRS-80 down, the Random Access Memory was kept down to only 17K. Yes. 17K. (16K User Memory and 1K Video Memory. 128 x 48 or 6,144 Independently controlled dots.) BUT WE'VE CHANGED ALL THAT.

**NOW HIGH RESOLUTION GRAPHICS
ARE HERE!**

MIKEEANGELO is 16 times better with the Model III and 12 times better for the Model I.

That's 512 x 192 or 98,304 dots for Model III,
and 384 x 192 or 73,728 dots for Model I.

MIKEEANGELO connects to your TRS-80 easily.³ You can do it yourself with our instruction book in minutes and a handy tool kit is available, if you need one for \$15. Please specify Model I or III TRS-80.

Order Now For Only \$340. Complete

Order today complete with power supply, case, software and excellent manual for \$340. Check or Money Order please *4

Or write for free booklet and more information.

MIKEEANGELO[®]


MIKEE ELECTRONICS CORPORATION
P.O. Box 3813 Bellevue, Washington 98009
Telephone 206/451-0574

Sorry no C.O.D. Stock to 60 days for delivery.
Washington residents must add 5.4% sales tax.

Introductory Special for 90 days only!

Circle # 20

80-U.S. Journal, January, 1982 35



**FEATURES
YOU'VE NEVER SEEN BEFORE.**

- Hardware total screen inverse video
- Two modes of density:
384 x 192 or 192 x 192 for Model I
512 x 192 or 256 x 192 for Model III
- Every dot can be set, reset or tested.
- 12288 bytes Video Memory
- Select normal, high or very high resolution with or without inverse video via output port.
- Disable Mikeeangelo's memory via output port.

*1 MIKEEANGELO is a trademark for Mikee Electronics Corp.

*2 TRS-80 is a trademark for the Tandy Corp.

*3 Opening your TRS-80 will void the limited warranty.

*4 90 day warranty, full refund or replacement.



NOW—A MODEM AND MUCH, MUCH MORE!

AUTOTERM—The ultimate TRS-80[☆] terminal package that exploits the full capabilities of your computer and the **MICROCONNECTION™** with Autodial/Autoanswer. It has ALL the features of the "other" smart terminal programs, plus:

- Dials **MICROCONNECTION™** from terminal
- Allows full I/O translation
- Complete modem control and handshaking
- Paged screen scrolling
- Spooled printer output
- Parity, overrun and framing errors status
- Fully user-configurable
- Includes 77-page manual
- Text editor and hex conversion utilities
- Requires TRS-80 Model I or III, 32K and 1 disk drive
- Price—\$99.50. Documentation alone—\$45.00

SMART SERIES SOFTWARE FROM THE MICROPERIPHERAL CORPORATION

All terminal programs feature manual or automatic upload/download, two user-defined messages, auto prompt message entry, transfers EDTASM and Orchestra-80 files, formats screen line length, file transfer speed selection, upper/lower case drivers, auto-repeat key, "beep" function for keystroke entry, buffered print output, compatible with SCRIPSI and PENCIL. Comes with text generator for those who do not have a word processor.

SMART 80D (disk)—\$29.95 purchased alone or FREE ★
Requires Model I 32K plus one disk drive. Available for both RS232 and Buss-decoding **MICROCONNECTION™**.

SMART 80C (cassette)—\$29.95 purchased alone or FREE ★
Requires Level II 16K-48K system. Available for both RS232 and Buss-decoding **MICROCONNECTION™**.

SMART 80E (wafer)—\$29.95 purchased alone or FREE ★
The first and only smart terminal program for the EXATRON "Stringy Floppy." Requires Level II 16K plus one ESF drive.

SMART IIID (disk)—\$49.95 purchased alone or \$20.00 with purchase of **MICROCONNECTION**.
The FIRST smart terminal program for the Model III. Offers popular features of SMART 80D plus several new features associated with the Model III. Requires Model III 32K plus one disk drive and RS232 board.

SMART IIIC (cassette)—\$29.95 purchased alone or FREE ★
The FIRST cassette-based smart terminal program for the Model III. All the power of SMART 80C plus numerous other features. Requires Model III Level II 16K plus RS232 board.

★ One software package included with the purchase of each **MICROCONNECTION™**.

☆ Trademark of the Tandy Corp.

the microperipheral corporation

2643 151st Pl. NE
Redmond, WA 98052
206/881-7544



Circle # 21

Software evaluation

to the fact that Spacer, as it appears in the magazine has so many remark lines, the compiled version actually was over 3K smaller. Spacer, as it appears, is 8,996 bytes long; compressed by itself it is 2,655 bytes and compiled by ACCEL2 it is 5,792 bytes. These figures are well within those claimed for it. Since ACCEL2 compiles standard BASIC and uses numerous ROM routines, the inaccuracy problem is still present.

Conclusions

ACCEL2, BASCOM and RSBASIC all benefit from good program design. Poorly designed programs are going to run slower and be harder to debug. Staying within conventions dictated by the compilers is a wise practice. The first time you use ACCEL2, you may be frustrated by your own programming techniques. Just make sure to clear and define your variables early in the code (like the first or second line). The compilers do not compile your program in the same sequence as the program is executed, but rather in line number sequence. Further, the compilers refuse to recognize more than one NEXT statement per FOR statement. This practice, although not widespread, is becoming more prevalent and is hard to debug if unexpected.

There are some rather clear preferences in this set of compilers. For the hobbyist and person who wants to limit his expenditures, and for those limited to tape or Stringy Floppy, ACCEL2 is the ideal choice. It is easy to use, does what it was intended to do (improve speed), and is the least expensive.

RSBASIC is a must to programmers of business software which requires complete precision. While it is a new language, it certainly does have its benefits over standard BASIC and the other compilers.

Microsoft's BASCOM is the most expensive of the three. However, it is a full compiler and will increase performance as much, if not more, than ACCEL2. The early complaint about space is no longer the critical problem, although space requirements are slightly higher than ACCEL2. The compatibility with modules produced by FORTRAN and the Disk Editor/Assembler (not Series I or any of the modified tape versions) makes BASCOM a good addition for the serious programmer who is not into business applications. ■

ACCEL2, Allen Gelder Software, Box 11721, San Francisco, CA 94101 (415) 387-3131, 32K Tape or Disk Model I or III \$88.95 plus \$2 s/h


Compiler BASIC, Radio Shack #26-2204, 48K Disk Model I and III, \$149.00; #26-4705, 64K Disk Model II, \$199.00

BASIC Compiler, Microsoft Consumer Products, 400 108th Ave NE, Suite 200, Bellevue, WA 98004, 32K Disk Model I, \$195 plus s/h, 64K Disk Model II, \$395 plus s/h

Mini-Disk Storage Systems for TRS-80* Computers

Access... Offers More. Charges less.

from
\$275



Check this line-by-line comparison of Access 5-inch mini-disk systems for Model I and Model III computers. Nobody offers more benefits, better service or lower prices.

TOLL-FREE ORDER NO.

1-800-527-3475†

(orders and literature only)

Free trial offer

Use your brand new AFD drive system for up to 15 days. If you're not completely satisfied, pack it in the original shipping container and send it back to Access. We'll refund the price of the system (less shipping charges), no questions asked. (No refund for misuse or improper handling.)

Operating burn-in test — too

Every drive that leaves Access is not only 100% electrically tested and double-checked for mechanical alignment, but it is also given a full 48-hour operating burn-in test. You'll find a test list — checked and signed by

Company/Drive Model	Price 1/	Flippy	Formatted Diskette Storage Capacity		100% Tested	48 hr. Burn-In	Warranty	Trial Period
			Dbl-Density	Sgl-Density				
40-TRACK DRIVES								
Access Unlimited								
AFD-100 ¹	\$275 00	no	180 Kbytes	102 Kbytes	yes	yes	yes	yes
AFD-100F ¹	329 00	yes	360 Kbytes	204 Kbytes	yes	yes	yes	yes
MTI								
TF-5	359 00	no	?	?	?	?	?	no
Midwest Comp. & Per MPI B-51	321 00	no	?	102 Kbytes	?	?	yes	no
Aerocomp Mdl 40-1	349 95	yes	?	?	yes	?	yes	yes
CPU Shop CCI-100	314 00	no	?	102 Kbytes	?	?	yes	no
AMI 40-track	325 00	no	?	?	?	?	?	no
80-TRACK DRIVES								
Access Unlimited								
AFD-200 ¹	429 95	no	368 Kbytes	205 Kbytes	yes	yes	yes	yes
AFD-200F ¹	449 95	yes	736 Kbytes	410 Kbytes	yes	yes	yes	yes
MTI								
TF-8	639 00	no	?	200 Kbytes	?	?	?	no
Aerocomp 80-tk mdl	459 95	yes	?	?	yes	?	yes	yes
CPU Shop CCI-280	429 00	no	?	204 Kbytes	?	?	yes	no
AMI 80-track	560 00	no	?	?	?	?	?	no

¹ As advertised in 80 Microcomputing, Jan. 1981

one of our competent technicians — in the drive carton. If a drive has latent defects, the burn-in life test will weed them out. The drives we ship just keep on running. And running. And running.

About our warranty


Venus de Milo has about the right number of fingers to count our warranty returns. Nevertheless, your new drive system is covered by our comprehensive 90-day limited warranty. The details are spelled out in the illustrated users manual included with each AFD drive system.

Software galore!

Games. Business programs. System software. We sell many of the best TRS-80* Model I and Model III programs, and at competitive prices. Make Access Unlimited your one-stop shopping center for all of your TRS-80* software, hardware and accessories. Save big! Call our toll-free order number, 1-800-527-3475† for free descriptive literature.

USE YOUR CREDIT CARD AND SAVE! VISA AND MASTER CARD CHARGES ARE NOT DEPOSITED UNTIL THE DAY YOUR ORDER IS SHIPPED. CALL NOW TOLL-FREE, 1-800-527-3475†


the DOUBLER-II™



Percom's new plug-in adapter for your Expansion Interface stores almost twice the data on a diskette track as a single-density system. You can store up to four times more data — depending on the type of drive — on one side of a diskette than you can store using a standard Model I mini-disk drive. Other features: Reads, writes and formats either single or double density minidiskettes. • Runs TRSDOS*, NEWDOS+† Percom OS-80™ or other single-density software without changing either software or hardware. Switch to double-density when convenient. • Includes DBLDOS™, a TRSDOS* compatible double-density operating system. • Includes on card, high-performance data separator circuit. • Installs without rewiring or trace cutting. • Introductory price, including DBLDOS and format conversion utility, only \$159.95. ▶ Permits Model III software to be read on Model I computers. ◀

DATA SEPARATOR™

This PC board plug-in adapter for the TRS-80* virtually eliminates data read errors (CRC error — Track locked out!) which occur on high-density inner disk tracks, a problem that has plagued TRS-80* systems. The Percom Data Separator™ is installed in the Expansion Interface without modifying the host system. Caution: Opening the TRS-80* Expansion Interface may void the limited 90-day warranty: \$23.95



Printer Bargain: Microline-80 \$399.95 (reg. \$446.00)

Features: • Prints 96 ASCII characters, 64 graphic characters • Throughput is 80 cps • Use roll paper, fan-fold, individual sheets • Printhead is rated at 200 million characters • Lightweight, compact, dependable. Cable (parallel port): \$24.95

Percom System Desks

Features: Modular design permits arrangement suited to each user's needs • Styling and construction are elegant furniture quality — colors are Tandy-compatible pumice and black • Units knock down for UPI shipping, easy "carry-out" handling • Prices start at only \$115 for desk, \$144 for printer stand. Optional under-desk bay, equipment drawer and desk-top riser available.

How to Order Order by calling Access Unlimited toll-free on 1-800-527-3475†.

Mail orders also accepted. Orders may be charged to a VISA or MasterCard account or paid by a cashier's check, certified check or money order. We accept COD orders with 25% deposit. Sorry, we cannot accept personal checks. We pay shipping and insurance charges on orders over \$1,000.00. Add approximate insurance and shipping charges for under \$1,000.00. If in doubt about these charges, ask when you call in your order. Texas residents include 5% sales tax. Minimum order \$20.00. Allow 2 to 4 weeks for delivery. †Texas residents call (214) 690-0206

ACCESS UNLIMITED

401 N. Central Expressway #600
Richardson, Texas 75080

† trademark of Access Unlimited Company. *RADIO SHACK and TRS-80 are trademarks of Tandy Corporation. ™ trademark of Percom Data Company, Inc. ‡ trademark of Aparat Corporation. ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE AND ALL OFFERS SUBJECT TO WITHDRAWAL WITHOUT NOTICE.

Color computer techniques

Expand your color computer's memory without hardware

R. Wayne Day, Blue Mound, TX

One of the most frustrating things I saw upon unwrapping my brand-new Color computer, was the result when I asked it how much free space memory was available.

Free space is the amount of memory available for you to fill with programming, not counting the "overhead" the computer needs to run.

"PRINT MEM", I innocently commanded.

"8487 - OK?", said the computer.

Heck no, it's not OK! I bought a computer advertised as having 16K worth of RAM (Random Access Memory), and it tells me I only have 8487 bytes left...

Well, the people who designed the Color computer may have had a different idea in mind than I did, because they thoughtfully decided they would "protect" 6.1K of memory for graphics. They have broken it down to four pages of 1536 bytes for each page, which are unavailable for you to use without some operator override.

For those among us who are having their first computer experience with the Color computer, I'll digress a little bit to explain some facts of life about these monsters. For those geniuses amongst the rest - go have a drink, and we'll be back with you in a couple of moments.

Why would you want to protect something in RAM, and what's all this about overhead?

Well, first off, a couple of definitions - very basic, but very important.

RAM is the abbreviation for Random Access Memory. You can read from this memory, or more importantly, write new data into the RAM; such as a new program.

ROM, on the other hand, stands for Read Only Memory. The only thing that can be done with the data in this type of memory is to read it and act upon it. It cannot be changed or modified! In fact, the only way to change ROM is to program a new one entirely, from start to finish.

The BASIC and Extended BASIC language is stored in two ROM integrated circuits in the Color computer, but without some RAM, the chips would just be little pieces of plastic.

"Why 'zat?", you ask.

Because it is necessary for a computer to be able to keep track of itself, to keep track of where in the program it currently is, to remember what the current value of the variable "A" is (i.e., A=13), a computer must provide a certain amount of RAM for what is commonly called overhead.

Did you ever wonder how the computer remembers that line 10 in your BASIC program comes after line 9? Without some overhead RAM, it couldn't.

OK, the geniuses are back from their drink now. Let's continue.

In the case of the Color computer, high resolution graphics were believed to be a high drawing card for the product, and they very well may be for some people.

For a game programmer, the protection of four pages of video memory may not be enough if he wants to do some fancy animation.

For example, if a program continually erases, then re-writes a video display (a lunar lander program is the most common example, where you keep the "Height" label, but change the data that tells you how high off the

ground you are), the result would be quite "jerky" and not smooth at all.

On the other hand, by protecting various pages of video memory, you could update a page that is not currently being displayed then turn around and call it up to the screen. Then, while you're watching that page, you could update the next page, call it up, and go on like that forever.

This method of displaying video information would result in a smooth picture to the person running (watching) the computer.

But, saving a lot of memory for video has its drawbacks if you use the computer like I do.

Personally, games are not the reason I bought the computer. I tend to use the machine for keeping subscription and mailing lists, running some amateur radio programs that keep my station log, keep count of how many countries I have worked and gotten confirmation cards from, finding out what direction it is from my house to any point on Earth (so I keep my antenna pointed in the right direction), etc.

I tend to use a large amount of DATA statements for file searching, and that eats up the memory very, very quickly.

But, there is hope.

The Extended Color BASIC manual very briefly explains how you can "PCLEAR", but it doesn't go into too much detail. Here's what you need to know.

Remember when we said you start out with four pages of memory that were protected? Well, the direct statement (i.e., you don't put it into a program, but rather type a one-liner directly into the computer - like CLOAD) of "PCLEAR 4" will also

reserve four pages for your display. Get it? "PCLEAR" = Page Clear.

Now, suppose you don't want to save four pages worth of memory... you've got some serious number crunching to do and you'll be needing all of the RAM you can get?

Do like the manual says and enter: "PCLEAR1".

This will protect only one page of video, or 1536 bytes, giving you a total of 13095 bytes to use for your programming.

By the same token, if you're going to need more than four pages, you can "PCLEAR 8" to protect eight pages of the RAM.

A PCLEAR8 will leave you with only 2343 bytes for your program (the same as a 4K machine).

"So what happens if I've got 14K worth of program, and only 13095 bytes when I "PCLEAR1"?, you ask, leading me up to the "Case of the Missing PCLEAR".

A little digression again. No, don't turn off for something to drink, 'cause we'll be right back!

If you are like me, you didn't particularly like to take more math in high school than was absolutely

necessary for graduation. And after that... forget it!

Well, it seems that I had forgotten one of the first things in math. That is that "Zero is a number, just like 1, 2 or 3!

For example, "2 minus 2 is the number 0", right? Not "2 minus 2 is nothing", although if we were talking about my checkbook, it very well may be.

Now, if we take a PCLEAR8 and subtract 1 from it, and do this seven times, we'll come up with a PCLEAR1.

If we do this subtraction again, we'll come up with a PCLEAR0.

"Hey, that's what I've been wanting... I don't want to reserve anything for color graphics. All Power to the Program!!

OK, let's try it. Enter PCLEAR0 and see what happens.

"Awwwww, it was a good idea, anyway."

Wait a minute, don't give up. Just because Microsoft didn't include PCLEAR0 into the vocabulary of the computer doesn't mean we can't do it. We'll just have to fool the

computer a bit and sneak up on it.

To do this miraculous trick, we're going to have to get into the overhead of the computer and do some manipulations.

Remember PEEK and POKE? PEEK looks at a specific memory location and tells you what's there. POKE lets you write something directly into a memory location.

Turn the computer off for about 15 seconds. That will give it time for everything to reset and lose its memory.

Now, turn it back on and enter: "PRINT MEM". It should give you 8487, meaning you have 8487 bytes of free space memory.

Now let's investigate. Look at memory location 31, by entering "PRINT PEEK(31)". Does it say "30"? It should.

Enter a PCLEAR1 statement, and check location 31 again.

"12"? Hmmmmmm.

There seems to be some correlation between the amount of memory available and the data in 31; with 8487 bytes available it was 30 and with 13095 bytes it was 12.

See COLOR, page 42



**RAMCHARGER
32K UPGRADE**

COMPVOICE
Give your computer a voice of its own - build speech into your BASIC programs. This machine language program is a must for your library - no hardware modification needed. \$44.95

- EXTEND MEMORY FROM 16K to 32K
- 100% Compatible With Extended Basic
- No Soldering Or Modification
- Fits Inside Computer
- \$79.95

**Space Invaders
Meteoroids
Space War**



- The Best Games Available
- High Resolution Graphics
- Fast, Machine Language
- Ext. Basic Not Required
- \$21.95 each, \$59.95 for all three

EXTENDED BASIC GAMES

- **LOTHAR'S LABYRINTH**
Word Search Puzzle
- **BATTLEFLEET**
Battleship Search Game (one or two players)
- **SPACE TRADERS**
Galactic trading game



THE FACTS

At last, a complete description of the "guts" of the Color Computer. Specs on all the ICs, complete schematics, theory of operation and programming examples.

\$14.95

TRS-80

**MADNESS & THE
MINOTAUR**

The best adventure game available for the color computer. Over 200 rooms, 6 creatures, 8 magic spells, loads of treasures. Written in machine language, extended Basic not required. \$19.95

**NEW EXTENDED
BASIC GAMES!**

- SUB HUNT \$15.95
- LASER ATTACK \$13.95
- ALCATRAZ II \$11.95

Complete with high resolution graphics and sound.

SOUNDSOURCE

Store music or voice from a cassette tape in the computer and display it on the TV screen. Shorten it, lengthen it, modify it and replay it through the TV's sound system. Build and test your own sounds for games. No hardware mods needed.

\$24.95

UTILITIES

- EDITOR/ASSEMBLER \$34.95
- SUPER MONITOR 19.95
- EPROM PROGRAMMER 89.95
(Program your own ROMs for the ROM-PAC port)
- MAGIC BOX 24.95
Load MOD I/III Tapes into the color computer
- TYPING TUTOR 19.95
- TEXT EDITOR

DEALER INQUIRIES INVITED



**SPECTRAL
ASSOCIATES**

145 HARVARD AVE.
Tacoma, Washington 98466

WRITE FOR COMPLETE CATALOG
ADD 3% FOR SHIPPING \$1.00 minimum

Allow 2-3 wks. for delivery
(206) 565-8483

VISA AND MASTERCARD ACCEPTED

STOP

BEING OVERCHARGED!

DON'T

Pay Credit Card Surcharges
Pay a U.P.S. C.O.D. "Fee"
Even Pay for the Call!

DO CALL OMEGA TOLL FREE!

**Special
of the Month!**

**EPSON
MX-80**



INTERFACES:
IEEE \$55, TRS-80 \$35,
APPLE INTERFACE & CABLE \$90,
RS 232 \$70

**ATARI 800 16K
\$ 769**




**WEST COAST
1-800-235-3581**

**EAST COAST
1-800-556-7586**


CALL OMEGA AND FIND OUT WHY WE ARE AMERICA'S FASTEST
GROWING COMPUTER SALES COMPANY!

ΩMEGA SALES COMPANY


WEST COAST / EAST COAST



ANADEx
\$ 1249




ATARI 800 32K \$ 749



DIABLO 630
\$1995


Tractor option
\$ 245



NEC 12" MONITOR
\$ 229

NEC
INTERTEC
OKIDATA
APPLE
TELEVIDEO
COMMODORE
RADIO SHACK
AMDEK
QUME
ATARI

INTERTEC SUPERBRAIN 64K RAM	\$2799
QD SUPERBRAIN	\$2999
NEC 5510 SPINWRITER (7710)	\$2345
NEC 5520 SPINWRITER (7720)	\$2695
NEC 5530 SPINWRITER (7730)	\$2345
NEC 12" MONITOR	\$ 229
OKIDATA MICROLINE-80	\$ 399
OKIDATA MICROLINE-82	\$ 529
OKIDATA MICROLINE-83	\$ 789
DIABLO 630	\$1995
APPLE II PLUS 48K	\$1139
APPLE DISK w/3.3 DOS Controller	\$ 525
APPLE DISK w/o Controller	\$ 449
HAZELTINE 1420	\$ 799
NORTHSTAR HORIZON II 32K QD	\$2925
ANADEx DP-9500/9501	\$1249
TELEVIDEO 912C	\$ 689
TELEVIDEO 920C	\$ 729
TELEVIDEO 950	\$ 929
CBM 8032 COMPUTER	\$1149
CBM 8050 DISK DRIVE	\$1349
CBM 4032 COMPUTER	\$1029
CBM 4040 DISK DRIVE	\$1029
CBM 4022	\$ 640
CBM VIC-20	\$ 269
RADIO SHACK II 64K	\$3650
RADIO SHACK III 16K	\$ 929
LEEDEX/AMDEK 100	\$ 139
LEEDEX/AMDEK 100G	\$ 169
LEEDEX/AMDEK COLOR-1 13" Color Monitor	\$ 329
MICROTEK 16K RAMBOARD for Atari	\$ 79
MICROTEK 32K	\$ 149
QUME SPRINT 9/45 (Full Panel)	\$2295
ATARI 400 16K	\$ 349
ATARI 825 PRINTER	\$ 650
ATARI 850 INTERFACE	\$ 139
ATARI 810 DISK DRIVE	\$ 449
ATARI 800	\$ 749



PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Call for price list of ATARI software

We carry the complete line of Personal Software

We Accept C.O.D.'s • Stock Shipments Same Day or Next
No Surcharge for Credit Cards • All Equipment Factory Fresh with MFT Warranty

WEST COAST
1-800-235-3581

OMEGA SALES CO.
3533 Old Conejo Rd. #102
Newbury Park, CA 91320
1-805-499-3678
CA. TOLL FREE 1-800-322-1873



EAST COAST
1-800-556-7586

OMEGA SALES CO.
12 Meeting St.
Cumberland, RI 02864
1-401-722-1027

Circle # 24

OMEGA SALES COMPANY

COLOR,

continued from page 39

That's right, because 31 contains the information that is looked at when you PRINT MEM. The BASIC looks at 31, does some division and multiplication, and Voila!, there you are, instant memory.

However, just because the computer says you have a certain amount of memory available, doesn't make it so.

Do this, exactly in this order, and you will see:

1. PRINT PEEK(31) (ENTER) - 12?
2. POKE 31,6 (ENTER)
3. PRINT MEM (ENTER) - 14631?
4. LIST (ENTER) - There's nothing in there, so it will just say "OK".
5. PRINT MEM (ENTER) - 14631?
6. RUN (ENTER) - Again, with nothing in the program it will just say "OK".
7. PRINT MEM (ENTER) - ?????

Whoa! How did we lose the memory, when we didn't put anything into the memory?

Well, location 31 is just a mailbox where the computer temporarily deposits the memory information. After you hit "RUN", the computer resets all its pointers and counters, then checks everything against everything else, decides there isn't anything for it to do, and says "OK". But, one of those pointers it reset was the one that showed how much free memory was available.

"All right, wise guy. How do I get it in there and keep it in there?"

Well, assuming you would like to have 14631 bytes of memory available for your programs, you'll have to go in and POKE that "6" we put in 31, to a total of 4 places.

The data in memory locations 25, 27, 29 and 31 are all set to the memory that you have protected.

Don't believe me? Since we're still in PCLEAR 1, PEEK at 25, 27, 29 and 31 and see what you get. They should all give you "12".

Now, let's do one thing before we whiz everyone with our magic. Enter a PCLEAR 2 statement, then PEEK at 25, 27, 29 and 31 again.

Do they all say "18"?

They should, because for each increment of PCLEAR, the count of the data in these locations increases by six.

"Now I know what to do! I'll just subtract 6 from a PCLEAR 1 and that'll do it - instant PCLEAR 0."

Try it and see if it works: POKE

25,6: POKE 27,6: POKE 29,6: POKE 31, 6 (ENTER).

"PRINT MEM" should respond with 14631, and this time it isn't a temporary gain, it's locked in tight.

But, since you think it works in place of PCLEAR 0, we could do the same thing with the values of PCLEAR 1-8 and accomplish the same thing, just taking a bit longer to do.

For some reason, it doesn't work that way. The only POKE routines I've been able to get to work, are the POKE "6"... anything else causes the monster to misbehave, badly!

"But that's kinda long to remember each time I want to use the computer. Isn't there a shorter way?"

First off, unless you either power down the computer, or use another PCLEAR value in your program, you'll have the full 14631 bytes available for each program you use.

And yes, there is a shortcut, fortunately. First, power down your computer and wait 15 seconds, then turn it back on. Now, enter: POKE 25,6:NEW - all in one line.

A check of memory should also show 14631, right?

What's happened here is that a routine in the BASIC ROM has done the same thing you were doing... checking the value in 25 and resetting all of the other pointers in 27, 29 and 31 to match.

"Gee, computers are smart!"

Be sure to expand your memory before you begin programming if you think you will need the extra space. Once you're under way, you can't change your memory with this routine and keep your program intact.

"Why not?" Well, I didn't promise to tell everything about the Color computer. You just got 1500 bytes for free. ■

MEMORY SPACE AVAILABLE WITH DIFFERENT "PCLEAR" STATEMENTS

P CLEAR 8	=	2343
P CLEAR 7	=	3879
P CLEAR 6	=	5415
P CLEAR 5	=	6951
P CLEAR 4	=	8487

(PCLEAR 4 IS THE NORMAL
POWER UP CONDITION)

P CLEAR 3	=	10023
P CLEAR 2	=	11559
P CLEAR 1	=	13095
"PCLEAR 0"	=	14631

(PCLEAR 0 = POKES INTO
MEMORY LOCATIONS 25,27
29 AND 31)

TRS 80 OWNER: What are you doing without a **P-KAY** KEYBOARD COMPANION?

TRS-80 Model II, with
20" Keyboard
Companion




TRS-80 Model I, with
16" Keyboard Companion


Use one of these new computer copy stands and you'll realize the efficiency and operator comfort a P-KAY stand provides. Keeps the work directly in front of the operator (not to the neck-craning left or right!). Models to fit virtually all computer terminals with detachable keyboards including micros, minis, main/frame terminals, dedicated word processors, the APPLE . . . AND INCLUDING **THE TRS 80 MODELS SHOWN ABOVE.**

The P-KAY installs in minutes without tools. The all steel pedestal or "riser" provides sturdy lift. The guideline is non-magnetic: place floppy diskettes or mag tapes on it without worry of erasure or damage.

FSI is a major distributor for P-KAY Products, with stock on hand. Contact our Reseda office for details.



TRS-80 Model II,
version for Terminals
w/slanted screens



TRS-80 Model I with
P-KAY Components in
position

See FSI in Booth 305,
MINI-MICRO COMPUTER CONF./EXPO November 2, 3, 4
Anaheim Convention Center




6901 Canby Avenue, Reseda, CA 91335
Los Angeles Phone (213) 705-4202

2680 Bayshore Frontage Road, Suite 1030
Mountain View, CA 94043 (415) 962-9275

LARGEST MASTER DISTRIBUTOR FOR VERBATIM REMOVABLE MAGNETIC STORAGE MEDIA

Construction



The switch locks the shift keys in the original position to make the keyboard act like the original regardless of which key is pressed. Chips Z1, Z2, Z3 and Z4 are spare inverters on the keyboard. I have not given any pin numbers on these inverters because my keyboard (and possibly yours, also) does not match the schematic in the TRS-80 Microcomputer Technical Reference Handbook. Locate the signals at the ribbon cable connector as per the schematic and follow the traces back to the inverter pins for your own modification.


In my modification, I mounted two IC sockets on the left side of the keyboard by drilling holes for the socket pins. I then glued the sockets to the keyboard with the pins extending through to the other side. Then, turning the keyboard over, I wired the socket pins to the keyboard IC pins. The traces to the shift keys were cut. The shift keys were wired together as shown in Figure 1. If the spare inverter pins are connected to traces, cut these so the inverters are isolated.

Figure 2 shows an alternate hookup that uses another IC instead of the spare inverters. This is an XOR gate connected as a programmable inverter. The rest of the circuit is the same. If this modification is mounted on a separate board, the XOR gate will reduce the number of wires to the keyboard.

You will find that with the switch set for shifted uppercase, you can stop the scroll of a listing with the @ key instead of the shift-@ combination.

If you have any questions, feel free to write directly to me at my address. Please enclose a self-addressed, stamped envelope for my reply. ■

*William R. Bell, PO Box 1231, El
Granada, California 94018*



TRS 80*

DISK DRIVES

40 & 80 TRACK

as low as **\$299.95**

NEW LOW PRICES

Thanks to you our sales volume has allowed us to cut costs and we're passing the savings along. We offer the best disk drive value in the market place. Reliability, features and cost tough to beat. We deliver... and we stand behind our products. AEROCOMP is the only manufacturer to offer FREE TRIAL! Buy Aerocomp drives today. You deserve the best.

BEST FEATURES

- ★ Fast 5 ms. track-track access time.
- ★ Operates single or double density.
- ★ "FLIPPY" feature for lower media cost (40-1 & 80-1).
- ★ Head load solenoid.
- ★ Disk ejector.
- ★ Easy entry door.
- ★ **NEW EXTERNAL DRIVE CABLE CONNECTION.** (no longer need to remove the cover to hook up cable)

MODEL III INTERNAL DRIVE KIT

Includes the following:
(1) Disk Controller Board, Double Density, (2) Dual Power Supply (handles two drives), (3) Drive Mounting Brackets & Shield, (4) all necessary hardware, cables and connectors and (5) installation instructions.

May be used with AROCOMP bare drives. DOSPLUS operating system available \$89.95.

SPECIAL PRICE

\$399.95

Add \$3.00 for shipping & handling

ORDER TODAY!

- ★ 40-Track Drive..... \$299.95
- ★ 80-Track Drive..... \$429.95
- ★ 40-Track "FLIPPY" Drive.... \$329.95
- ★ 80-Track "FLIPPY" Drive.... \$449.95
- ★ 40-Track Dual-Head Drive.. \$449.95
- ★ 80-Track Dual-Head Drive.. \$579.95

All above drives are complete with silver enclosure, power supply and external drive cable connection. 115 VAC. 50/60 Hz. 230 VAC. 50/60 Hz available on special order.

- ★ 40-Track Bare Drive..... \$269.95
- ★ 80-Track Bare Drive..... \$399.95
- ★ 40-Track "FLIPPY" Bare Drive \$299.95
- ★ 80-Track "FLIPPY" Bare Drive \$419.95

★ SPECIAL PACKAGES ★

STARTER A..... \$339.95
40-Track Drive, 2-drive cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

STARTER B..... \$369.95
40-Track "FLIPPY" Drive, cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO C..... \$465.00
40-Track "FLIPPY" Drive, 2-drive cable, NEWDOS/80 or LDOS, Freight & Ins.

COMBO D..... \$585.00
80-Track "FLIPPY" Drive, 2-drive cable, NEWDOS/80 or LDOS, Freight & Ins.

COMBO E..... \$709.00
Two 40-Track "FLIPPY" Drives, 4-Drive cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO F..... \$999.00
Two 80-Track "FLIPPY" Drives, 4-drive cable, NEWDOS/80 or LDOS, Freight & Ins.

COMBO G..... \$909.00
Two 40-Track Dual-Head Drives, cable, TRSDOS 2.3 Disk & Manual, Freight & Ins.

COMBO H..... \$1299.00
Two 80-Track Dual-Head Drives, cable, NEWDOS/80 or LDOS, Freight & Ins. DOSPLUS available with any special package.

Add \$5.00 per drive for shipping & handling (Cont. US)

FREE TRIAL OFFER

Order your AEROCOMP Disk Drive and use it with your system for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return it, packed in the original shipping container, for a full refund. (Special packages will be perforated.) We have complete confidence in our products and we know you will be satisfied! **ORDER TODAY!!**

WARRANTY

We offer you a 120 day unconditional warranty on parts and labor against any defect in materials and workmanship. In the event service, for any reason, becomes necessary, our service department is fast, friendly and cooperative.

100% TESTED

AEROCOMP Disk Drives are completely assembled at the factory and ready to plug in when you receive them. Each drive is 100% bench tested prior to shipment. We even enclose a copy of the test checklist, signed by the test technician, with every drive. AEROCOMP MEANS RELIABILITY!!

ORDER NOW!!

To order by mail, specify Model Number(S) of Drive, cable, etc. (above), enclose check, money order, VISA or MASTERCHARGE card number and expiration date, or request C.O.D. shipment. Texas residents add 5% sales tax. Add \$5.00 per drive for shipping & handling (Cont. US). Please allow 2 weeks for personal checks to clear our bank. No personal checks will be accepted on C.O.D. shipments-cash, money orders or certified checks only. You will receive a card showing the exact C.O.D. amount before your shipment arrives. Be sure to include your name and shipping address. You will be notified of the scheduled shipping date. Your bank credit card will NOT be charged until the day we ship!!

WRITE AEROCOMP TODAY FOR MORE VALUES III

**CALL TOLL FREE FOR FAST SERVICE
(800) 824-7888, OPERATOR 24**

FOR VISA / MASTERCHARGE / C.O.D. ORDERS

California dial (800) 852-7777, Operator 24. Alaska and Hawaii dial (800) 824-7919, Operator 24.

TOLL FREE LINES WILL ACCEPT ORDERS ONLY!

For Applications and Technical information, call (214) 337-4346 or drop us a card.

Dealers inquiries invited

AEROCOMP
Redbird Airport, Bldg. 8
P.O. Box 24829
Dallas, TX 75224

* TRS80 IS TRADEMARK OF TANDY CORP

AEROCOMP/23

Exatron's floppy disk controller

Add disks to your color computer . . .

80-U.S. Staff

The Exatron Color Computer Interface (CCI) is the first of two disk systems now available for Radio Shack's Color Computer, the other being from Radio Shack. In this article we examine the Exatron unit and its associated disk operating system known as CCDOS.

The Hardware

The CCI consists of two high-quality, wave soldered circuit boards. One is a Memory Expansion Board containing 16 type 4116 integrated circuits (RAM), and a 2K Read Only Memory (ROM), voltage regulation and associated circuitry. The second board is smaller and contains the Floppy Disk Controller (FDC) circuitry built around the 1771 FDC integrated circuit. The two boards are joined with a 26-line ribbon cable.

The boards are housed in an attractive turquoise plastic case measuring 8" wide by 6½" deep by 2⅝" high. A short five-inch ribbon cable exits from the back of the case. The cable plugs into the program cartridge slot of the Color Computer. No power cable is necessary as power comes directly from the Color Computer.

Directly above the ribbon cable is the connector for the minifloppies. The configuration is identical to the Model I and the interface will accept the same cable and up to four drives.

Features

The 32K of memory is divided into two sections. One 16K bank resides directly above the 16K user memory in the Color Computer. The other 16K bank resides in the area normally used by the ROM program cartridges. The 2K ROM is co-resident in this area and may be

electronically switched out for full use of the upper 16K RAM.

This upper 16K does not make the Color Computer into a 48K machine. The reason is that the 48K of memory is not contiguous. The 8K Color BASIC ROM and 8K Extended BASIC ROM occupy the area between the two groups of RAM. Take a look at the memory map accompanying this article (on page 114).

Although the BASIC interpreter will not recognize the upper 16K of RAM, machine language can be written to do so. However, some fancy load sequences might have to be written to make the most of this.

Putting It Together and Checking It Out

The accompanying manual (preliminary, as of this writing) was unusually clear and complete. The one area of complaint regarded the initial check-out sequence and may (according to Exatron) be deleted from future editions of the manual.

The instructions (as they are now written) tell the user to make sure that his color computer is working *before* plugging in the interface. After that is done, the computer is turned off and the interface connected. Power is again applied and after a momentary wait, the space bar is pressed. The system will then check out the interface memory and come back with the usual sign-on message.

The problem was that ours didn't. A call to Exatron on their toll-free line revealed the solution. After turning on the system, the space bar is pressed several times as if you were adding spaces to a line.

If you wait too long, the system will hang up trying to access the floppy disk which is still not

plugged in; too early, and the system's power supply and associated ROM circuitry is not yet ready for the space bar signal.

We came to the conclusion that if you press the space bar from one to two seconds after power is applied, the system will power up correctly.

Actually, the checkout is not necessary and one can plug in the floppy disk and interface at the same time. Then, during power up, the floppy disk is accessed and if a disk operating system disk is present, the system will load and execute.

Exatron informed us that those units sold without the disk interface board contain a different ROM which does not require the space bar sequence for proper initialization.

CCMON

The Color Computer Monitor (CCMON) contains a number of features.

Accompanying this report is a chart of commands and features of the monitor. Although not extensive, they are complete enough to be useful. Coupled with the BASIC load and save commands for tape (and disk), the monitor is a good debugging aid for the machine language programmer.

The first-time user will probably use one of its features to check out the memory of the computer and interface. When invoked, the screen clears and a changing character appears in the center of the screen. At the completion of checking the upper 16K RAM, the message "TOP BANK PASSED", will appear. The lower 32K takes a bit longer to check.

The rest of the features are those common to other monitors of this type.

CCDOS

The disk operating system is complete, although not as sophisticated as other TRS-80 operating systems.

CCDOS is fully resident in the upper 16K RAM bank. None of the user RAM is occupied and all DOS commands are usable as a direct command. There is no "SYSTEM" level and "BASIC" level as in the other TRS-80 models.

Being fully RAM resident also means that a system disk does not have to reside in drive 0. This allows the user to dedicate a majority of his disks to data and programs without the disk overhead required by the operating system.

The operating system supports only 35-track drives and the FDC only single-density diskettes. Future compatibility with Radio Shack disk software is suspect due to this limitation. The single-density also limits the amount of data which may be stored on any one disk to 87,040 bytes of information. While this compares favorably with Model I's storage capacity, it falls far short of the Model III and Radio Shack's disk for the color computer which is advertised as holding 156,672 bytes per diskette.

Since CCDOS acts as an extension of BASIC, we'll examine the commands as they appear in the user manual. The command syntax and file handling is very similar to Model I, II and III Disk BASIC. Also, users of the CCDOS system will feel very much at home with the programming techniques described for those models.

The Commands

The half-tracks mentioned in the discussion of several of the commands is equivalent to a Model I and II granule: five sectors of 256 bytes each for a total of 1,280 bytes per half-track.

CCDOS will automatically add a three character extension to certain types of programs: BIN for machine language, BAS for BASIC, and DAT for data files. These are default extensions based on the type of operation and can be overridden by supplying the proper extension. There is no provision for password protection or invisible file names.

Also, in loading or saving programs and in opening files, the disk drive number must be specified for any drive other than drive zero. The system will not automatically

search all drives as in the other models.

NUDISK is the formatting command for CCDOS. It is not elegant and does not prompt for anything. Consequently, there is no disk name or creation date. The tracks are formatted and checked for flawed areas. The disk drive number must be specified and the disk is not checked for data prior to formatting. However, the prompt "ARE YOU SURE (Y/N)" is displayed and must be answered.

BACKUP is also very limited, allowing a single-drive backup (with appropriate disk exchange prompts) or a two-drive backup. As with NUDISK, the "ARE YOU SURE (Y/N)" prompt must be answered and allows the operator to abort the operation.

VERIFYON is a command to double-check diskette writes. It will slow down the BACKUP procedure, but is recommended to double-check disk accuracy. VERIFYOFF turns off this feature.

ASSIGN sets the default drive number. It requires the disk number, 0 to 3, to execute. As was noted earlier, CCDOS does *not* search all drives if the drive number is left off a file name. Only the default drive is checked.

FREE is not a direct command, but a function which returns the amount of free half-tracks available on a diskette. The drive number must be specified or a syntax error will occur.

CAT is the CCDOS equivalent of DIR and stands for CAtalog. This is common to several other minicomputer operating systems. The drive number is optional, and if left off, defaults to the assigned drive. The display is simple and lists the drive number, the file name and extension, the size in half-tracks and the type: ASCII or Binary.

The COPY command allows both single-drive and two-drive copying of individual files.

RENAME is unchanged in its nature from other TRS-80 systems and renames the specified file.

The KILL command works on closed files and will produce an error with an open file. The file is then closed. The catalog (directory) is not scrambled as with some Model I operating systems.

The MERGE command is unchanged from the other TRS-80 systems and allows a BASIC program to be merged with one in

memory. The program to be merged must be stored in ASCII format.

Some disk drives allow faster stepping rates than the 40 milliseconds specified by Radio Shack. For those drives that can handle a 10 millisecond or faster stepping rate, the command FASTON will set it. If, after checking your drive and finding it cannot handle it, FASTOFF will set the rate back to 40 milliseconds.

Three SAVE commands are available. Without any suffix, the system will save any BASIC program in memory and will provide a "BAS" extension if not specified.

With an "A" suffix following the file name, a BASIC program will be saved in ASCII format and the default extension BAS will be used.

If SAVEM is specified, a starting, ending and transfer address must be supplied. This will save the Binary code within those memory locations to disk. The BIN extension will be the default. The addresses may be in decimal or &H hex format. Armed with the necessary addresses, any machine language program may be saved to disk.

BASIC programs may be loaded and executed directly from disk with the RUN *filename* command. If no extension is specified, BAS is supplied. As indicated earlier, only the assigned default drive or the drive specified in the file name will be searched.

Four LOAD commands are allowed. A BASIC program may be loaded without any extension. The default BAS extension will be supplied if not specified.

LOADM will load a machine language file. The EXEC command will start execution of the program.

LOADR will load a ROM backup file, relocate it and start execution. With an optional ROM backup adaptor cable, Radio Shack cartridge packs may be downloaded to tape and then transferred to disk. By using the LOADR command, the program will be loaded, moved to the proper location in upper memory and executed, all without the cartridge pack being present in the machine. The process is multi-step and a bit tedious.

LOADT allows Model I BASIC programs which have been saved on a 35-track single density diskette to be loaded into the Color Computer memory. The program can then be

See EXATRON on page 114

SAVE / on Software for TRS-80®

NEWDOS/80 Version 2.0

The most sophisticated DOS ever produced for the TRS-80® Models I and III. It provides the user with "MAINFRAME" power on a "MICRO".

Some Features available are:

- Jobstream Control Language
- Mod I/Mod III Diskette interchangeability
- Double Density Support on Model I
- Pagenation of BASIC listings on the screen
- Basic program single stepping
- Dynamic variable manipulation
- Multiple array sorts with BASIC CMD
- Complete technical support provided

All this plus much more for only
\$149.00

UNIVERSAL TERMINAL PROGRAM

NEW ***NEW***

UNI-TERM/80

By Pete Roberts

The intelligent program that takes advantage of the extended NEWDOS/80 commands is here. Supports both Model I & Model III with user defined translation tables, and buffered upload/download capabilities. UNI-TERM/80 supports standard RS-232 or buss decoding modems. Easy way to customize your initialization parameters.

For Model I and III.....\$89.00

CHEXTEXT®

Let your TRS-80® do the proofreading on your SCRIPSIT® text files!!

Features of this program include:

- Complete dictionary maintenance including the addition and deletion of words.
- Menu driven for ease of operation.
- Spelling Checker
- FREE expanded dictionaries available, depending on your drive storage capabilities.

NEW LOWER PRICE \$59.95

THE MICRO CLINIC

by Dave Stambaugh

"An ounce of prevention is . . ."

Routine system checkout will help prevent that dreaded loss of data. A thorough system checkout includes both Memory and Disk diagnostics. The Micro Clinic offers the most exhaustive set of routines known of for the Model I or III. Don't take chances with your data, a routine system checkout is your best friend.

". . . worth a pound of cure."

Model I version **\$24.95**
Model III version **\$29.95**

ENHBAS

(Enhanced-Basic)

By Philip A. Oliver

Manufacturer - The Cornsoft Group

Adds 50 new functions, statements & commands to TRS-80 Mod. I & III.

Examples:

- WHILE/WEND
- 3 GRAPHIC COMMANDS
- SEARCH
- WINKEY \$ (auto loops)
- AND MUCH MORE

See reviews in Nov. BYTE & Nov./Dec. 80 US

\$59.95

Assorted Items of interest

Lazy Writer (Mod I disk)	\$125.00
Lazy Writer (Mod III disk).....	\$175.00
Meal Master (Mod I & III disk) ..	\$ 24.95
Scarfman (disk)	\$ 19.95
(tape)	\$ 15.95
Flextext I (mod I & III disk).....	\$ 29.95
Flextext II (mod II disk)	\$ 29.00
Big five games (mod I & III)	
disk	\$ 19.95
tape	\$ 15.95

NEW! AVAILABLE NOW

FLEXTEXT/80 (for MX-80 Printers)	
Requires Graftrax	\$ 34.95
Catalog your directories	
FILE DISC/80	\$29.95

SUPER SPECIAL - ONE MONTH ONLY - 50% OFF ON MTC's MOD I DATA MANAGEMENT SOFTWARE

MTC AIDS III

The best of Meta Technologies family of data management systems. This easy to use system allows even a novice TRS-80 user to create data files custom configured for many applications, from lists for mailing and cataloging to financial reporting and time scheduling. Easy to customize without programming, it is complete with features for adding, deleting, sorting, updating and printing. The flexibility will make it one of your most useful software purchases.

MODEL I Reg. Price.....\$69.95 Sale Price.....\$35.00

MTC CALCS-IV

- More Computations • Save Report Formats on Disk
- Faster, and more!

MTC CALCS Reg. Price\$39.95 Sale Price\$20.00

MTC MERGE - III

Combines up to 14 AIDS data files into a single file. Duplicates may optionally be purged, and sorted order of records is maintained. Machine code for speed makes this useful if large data files are to be created from smaller ones.

MODEL I Reg. Price.....\$19.95 Sale Price.....\$10.00

APPARAT SPECIAL AIDS - III SYSTEM

AIDS - III + CALCS - IV + MERGE - III

SAVE**Buy all three at one low price

Model I Reg Price\$128.85 Sale Price\$64.45

LIMITED QUANTITIES

AIDS III, CALC IV, & MERGE III are trademarks of Meta Technologies.

MISCELLANEOUS SUPPLIES

DISKETTES

Double density, soft sectored, replacement guaranteed, Spindle/Hub protected. (5¼" only)	
Verbatim Datalife 5¼" 40 track	\$24.95
Apparat's No Name 5¼" 40 track	\$21.95
Verbatim Datalife 8" model II	\$39.95

PAPER

8½"x11" blank white, tractor feed paper, full box.....	\$24.95
8½"x11" blank white, tractor feed paper, half box.....	\$14.95
14½"x11" green bar, tractor feed paper, full box.....	\$34.95
3½"x15/16" tractor feed mailing labels.....	\$19.95

OTHER (NEW LOW PRICES)

5¼" plastic library case	\$ 1.95
8" plastic library case	\$ 4.95
5¼" Flip-sort	\$21.95
8" Flip-sort	\$31.95
16K memory kits.....	\$19.95

UNPRECEDENTED 90% DISCOUNT SALE

On MODEL II Commercial Grade Business Software
(LIMITED Quantities Available)

TITLE	LIST PRICE	SALE PRICE
General Ledger	\$300.00	\$30.00
Accounts Receivable	\$300.00	\$30.00
Accounts Payable	\$300.00	\$30.00
Inventory	\$300.00	\$30.00
Order Entry Processing	\$300.00	\$30.00
Sales Analysis	\$300.00	\$30.00
Word Processing	\$400.00	\$40.00

*All systems include extensive situation oriented documentation, but is supplied on diskette only.

*Above software sold as is and require a minimum of 64K and two drives.

(Sorry, but at these ridiculously low prices our usual software support will not apply.)

ADD \$3.00 for postage and handling for these items.



Apparat, Inc.

On-going Support for Microcomputers™


4401 S. Tamarac Pkwy • Denver, CO 80237 • (303) 741-1778 • (800) 525-7674

Scrpsit & TRS 80 are a registered trademark of Tandy Corporation

Freight F O B Denver call for shipping charges Foreign Orders shipped Air Freight



APPARAT OFFERS More bytes per buck!




730 K/bytes of storage. Apparat has combined its Newdos/80 operating system and a dual-sided 80 track mini-floppy drive to give you up to 730,440 bytes of storage in a single volume. Newdos/80 version 2.0 expands the capability of double density drives, so you'll have greater applications for your TRS-80® model I and III.

Drives plug directly into an expansion interface (requires installation of a double density controller) or the model III disk bus with our single volume cable so you can now have over 2 megabytes of storage on-line with standard mini-floppy diskettes. Each drive has up to 573 free grams, for a total of 1,719, on a maximum of three 80 track drives, which can be added to a TRS-80 model I. Model III's can have up to 4 dual 80's on-line (almost 3 megabytes).

These drives can "read" standard 35 or 40 track diskettes using Newdos/80 version 2.0 which will allow skipping every other track.

Drives come complete with case, power supply and documentation. The drives are priced at only \$515 (Cat.



No. 1-705, specify I or III). Now, at 1424 bytes per buck, it just might be the answer to your storage problems. **Special .- Two dual 80 track drives only \$999.**

 **Apparat, Inc.**

4401 So. Tamarac Parkway, Denver, CO 80237 (303) 741-1778



"ON GOING SUPPORT FOR MICROCOMPUTERS"

To capitalize or not to capitalize:

That is the question

For all models

Larry Krengel, Elmhurst, IL

It happened to me again! I couldn't control myself! I awoke at a quarter to five with the answer to the problem, and I didn't want to go back to sleep for fear of forgetting

So kissing my wife upon the cheek

Up to my feet I flew in a leap.

Down to the hall and onto the stair

That program last night had been a bear

I'm sure many of you have had the same problem. I had the program conceptualized in my mind. But I spent the whole evening trying to put it together in numbered statements with commas and semicolons in all the right places. But alas... It wouldn't work.

Many think of the computer as intelligent.

Well, I'm here to say there're wrong.

I told it what to do - but how irreverent

It would not go along

It was a program that had been bobbling around in my mind. It was for printing mailing labels. Now there are probably hundreds of mailing label programs (I could go out and buy one for \$9.95), but this one had a slightly different bent.

I was producing a number of mailing labels for my immediate area. All labels would be in the same state, but they would be in about two dozen different cities. I wanted a program in which I would not have to enter each zip code. I wanted the computer to look up the code for each city.

It sounded simple. Problem- There is some variance in the way that people capitalize names. Is it St. Charles or st. Charles? DuPage or Dupage? Dundee or DunDee? Sometimes one way and sometimes the other.

The answer was simple in afternoon hours as I contemplated a solution while returning from work. But it was not destined to be that simple when I sat at the keyboard. I spent thirty minutes writing the body of the program and three hours trying to write the subroutine that would produce the zip code. I had the concept but it wouldn't gel.

So here I sit; its five a.m.

But when I finish it will be a gem.

I'm excited, nearly out of control

Victory over frustration is my goal!

In the wee hours of the morning my brain operates so clearly. It seems so wonderfully simple now. To be perfectly honest, I can't even remember what yesterday's attempt looked like. There is now only one way to solve this problem.

```
10 NN$=""  
   Clears "new name"  
20 INPUT "ENTER NAME"; N$  
   Enters original name  
30 LPRINT N$  
   LPrints original name  
40 FOR X = 1 TO LEN(N$)  
   Sets loop to length of name  
50 T = ASC(MID$(N$,X,1))  
   Develops the ASCII code for  
   the Xth letter of the name  
60 IF (T>64) AND (T<91) THEN T=T+32  
   Decides if code is that of a  
   captial... if so, by adding 32 it  
   becomes a lower case code.  
70 NN$ = NN$ + CHR$(T)  
   Changes ASCII code back into  
   a letter and assembles the lower  
   case name.  
80 NEXT X  
   Closes the loop  
90 LPRINT NN$  
   LPrints name in lower case  
100 GOTO 10  
   Reruns the program
```

This little subroutine would change all the names into strings of lower case letters. By entering my data as all lower case I could successfully find the zip codes. Success was mine!

Amazing as it seems, that did the trick.






The knot in my stomach is gone, I'm no longer sick.

But as you all know

Those like us will go

Head first when it is time for another lick!

How to Buy or Sell Computer Equipment and Software



Computer Shopper is THE nationwide magazine for buying, selling and trading Micro and Mini-computer equipment and software. Each issue has over 60 pages full of bargains of new and used equipment.

You can save hundreds of dollars by getting the equipment you need from the hundreds of classified ads individuals place in Computer Shopper every month.

Now is the time for you to join over 20,000 other computer users who save time and money with a subscription to Computer Shopper.

Subscribe today and get your first issue and a classified ad absolutely FREE. Type or print your ad on a plain piece of paper and send it along with your subscription.

Just fill in the coupon or MasterCard or VISA holders can phone **TOLL FREE 1-800-327-9920** and start making your computer dollar go further today.

Cut out and mail to: **COMPUTER SHOPPER**
P.O. Box F115 • Titusville, FL 32780

Yes, I'll try Computer Shopper, I understand that if I'm not satisfied with my first issue I can receive a full refund and keep the first issue free.

- 1 year \$10.00 (\$30.00 in Canada)
- I have enclosed my free classified ad.
- I want to use my free ad later, send me a coupon.

NAME: _____

ADDRESS: _____

CITY: _____

STATE: _____ ZIP: _____

 **COMPUTER SHOPPER**
P.O. Box F115 • Titusville, FL 32780
Telephone: 305-269-3211

Circle # 28



80-U.S. Journal, January, 1982 51

Enter The Soft Sector Marketing ARCADE CENTER

ALIEN DEFENSE


©1981 Soft Sector Mkt.
Mod I or III Tape, 16K
\$19.95
Mod I or III Disk*, 32K
\$24.95

Only Mod III version has
Extended Graphics



SUPER VADERS

©1981 Soft Sector Mkt.
Mod I or III Tape **\$19.95**
Mod I Disk **\$24.95**
Mod III Disk **\$24.95**
- 2 Player - 10 Levels -
Ask for upgrade info for
INVADERS PLUS &
TRS-SUPER INVADERS




SCARFMAN

©1981 Cornsoft Group
Mod I & III Tape
\$15.95
Mod I & III Disk
\$19.95



METEOR MISSION 2

by Big 5
Mod I & III Tape
\$15.95
Mod I & III Disk*
\$19.95




ROBOT ATTACK

by Big 5
Mod I & III Tape
\$15.95
Mod I & III Disk
\$19.95



ATTACK FORCE

by Big 5
Mod I & III Tape
\$15.95
Mod I & III Disk*
\$19.95




SUPER NOVA

by Big 5
Mod I & III Tape
\$15.95
Mod I & III* Disk
\$19.95



LUNAR LANDER

by Adventure
Mod I & III Tape
\$15.95
Mod I & III Disk
\$20.95



GALAXY INVASION

by Big 5
Mod I & III Tape
\$15.95
Mod I & III* Disk
\$19.95



STAR FIGHTER

by Adventure
Mod I & III Tape
\$24.95
Mod I Disk
\$29.95

*These Disk versions save high score to disk.

SPECIAL DEAL - This Month Only

Purchase 1 Game - List Price / Purchase 2 Games - Deduct 10%
Purchase 3 Games - Deduct 15%

- SPECIAL DEAL applies only to games purchased from this ad, at one time, and at list price -

C.O.D. - certified check, M.O. or cash only. Most orders shipped next day. All orders must have shipping included. Please add 2% or \$2.50, whichever is higher for shipping. Michigan residents, please add 4% tax. Add extra \$1.50 for C.O.D. Personal checks take 3 weeks to clear. Out of the country orders add \$10.00 extra shipping.
*TRS-80 is a product of Radio Shack, div. of the Tandy Corp.

SSM SOFT SECTOR MARKETING,
INCORPORATED
6250 Middlebelt • Garden City, Michigan 48135
Order Line **800-521-6504**
Michigan Orders & Questions **313-425-4020**

AMERICAN EXPRESS
MasterCard
The American Express® Card
Don't leave home without it™
VISA®

For Your Color Computer


MASTER CONTROL

Copyright ©1981 Soft Sector Marketing, Inc. - Written by A. Swartz

Requires 16-32K

1. 50 preprogrammed command keys. Standard and Extended command.
2. Direct control of motor, trace, and audio from keyboard.
3. Automatic line numbering.
4. Programmable Custom Key.
5. Direct Run Button.
6. Keyboard overlay for easy program use.
7. Easy entry of entire commands into computer.

Load Master Control into your machine then either type in a BASIC program or load one in from tape to edit. Cuts programming time by 50% or more **\$24.95**



Coming for Christmas!

COLOR BONANZA

50 Programs for the Color Computer.
Less than \$1.00 a program!

Some 4K, some 16K, some extended BASIC, some for non-extended.

Games - Personal Programs - Utility Programs
List **\$49.95**

Expected shipping date December 1 or before.
Any prepaid orders received before that date will pay only **\$39.95**

CONCENTRATION & CONNECT UP 4

Twin Pack - 16K Extended

\$14.95


Expected Shipping Date - December 1 or before

From Other Vendors

Space Invaders, Spectral Associates	\$21.95
Space War*, Spectral Associates, *req. Joy Sticks	\$21.95
Meteoroids*, Spectral Associates, *req. Joy Sticks	\$21.95
Battle Fleet, Spectral Associates	\$14.95
Space Traders, Spectral Associates	\$14.95
Software Development System Rom Pack	\$89.95
C Bug Monitor	\$29.95
Disassembler (Source Generator)	\$49.95
Color Computer News (Latest Issue)	\$2.50

Animated Hangman

He winks... he blinks... he almost lives!
An outstanding game for the whole family!



Non Extended BASIC
Requires 16K
\$12.95

C.O.D. - certified check, M.O. or cash only. Most orders shipped next day. All orders must have shipping included. Please add 2% or \$2.50, whichever is higher for shipping. Michigan residents, please add 4% tax. Add extra \$1.50 for C.O.D. Personal checks take 3 weeks to clear. Out of the country orders add \$10.00 extra shipping.
*TRS-80 is a product of Radio Shack, div. of the Tandy Corp.

SSM SOFT SECTOR MARKETING, INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135

Order Line **800-521-6504**

Michigan Orders & Questions **313-425-4020**



The American Express® Card.
Don't leave home without it.™



Captain 80

The adventures of a software secret agent in England

© 1981 Bob Liddil

The moon is full. There are wispy clouds floating across its gleaming face and the Yorkshire moors stretch in all directions empty and lonely. I never did see a Werewolf although I cannot express too much disappointment at this.

Here's Captain Eighty disguised as Joe American Software Producer, casually taking in the sights in the Yorkshire country north of London, England. The enthusiasm with which I was received by British customs at Heathrow Airport is just now beginning to wear off and now the true beauty of the English is beginning to settle in my sight.

Lesson one for software producers escorting their wares into Great Britain. Carry English currency with you on the plane. Unless you know (by sight), the person meeting you (be he software producer, pen

pal or whatever), do not expect anything but complication from personally importing things into England. The mere act of declaring the approximately \$1700 worth of Adventures and Big Five arcade games that occupied the footlocker I was escorting initialized an interesting chain reaction.

Import duties had to be paid. And something called VAT (value added tax), sort of a British version of State Sales Tax, also had to be shelled out. Then I had to know the VAT number of the client for which the software was destined. Now all that was easy enough, I simply had called up the British Embassy in Boston. It was a sweet young lady who'd advised me to have pounds and ounces and pence and stuff like that with me, you know, exchanged in America. No one told me about

Agents. I knew Elton John needed one, but me???

The Agent, it turns out, hangs around customs and does all that nasty paperwork for about 33% of the net bill to Her Majesty's Government. It didn't stop there. Even with the help of Graham Heywood, of the *Algray Software Organization*, my British host, I found it nearly impossible to explain, in understandable terms, to a polite, well meaning, but totally uncomprehending customs agent of apparent East Indian decent, just what Software *was* or how the little letters got into the computer or why my software wouldn't work on his computer. It was interesting but next time I'm going to disguise myself as an Arab tourist.

I found the British software market to be fragmented into several noncommunicating factions. Loosely defined they are: Those who pirate software, those who do not need to pirate software because they are licensed to reproduce big selling programs on a royalty basis, but who are suspected of software piracy due to the lack of communication between producers, and those who import software from the United States by purchasing directly from the publishers or from agents or United States vendors and are suspected of skulduggery by all the other above factions purely by virtue of association.

The *Algray Organization* (my host), I found to be much like *Acorn* or *Breeze* or any of the many small Ma and Pa software houses in America. Run on sheer guts and the trust of a very few American companies willing to license them to produce proprietary software on British soil, this little outfit has

AMRAD


Amateur Radio Research and Development Corporation

AMRAD is a worldwide club of radio and computer amateurs. Activities include:

- Monthly *AMRAD* Newsletter
- Amateur Networking and Protocols
- Computer Bulletin Board System
- Handicapped Education Exchange-HEX
- Deaf Telecommunications Research
- Spread Spectrum Experimentation
- 2-Meter Voice and Data Repeater

1524 Springvale Avenue
McLean, VA USA 22101

Circle # 30



CONTENTS

Part I

Chapter 1 On the Road to Adventure..... 3
 Chapter 2 What is Adventure?..... 5
 Chapter 3 How to Play Adventure..... 7
 Chapter 4 How to Write an Adventure..... 10
 Chapter 5 Ten Adventure Ideas..... 12
 Chapter 6 Where to Sell Adventures..... 15
 Chapter 7 The Adventure Hit Parade..... 17

Part II

The Adventure Generator, by David Huntress

Chapter 1 Adventure Generator, Documentation and Comments 21
 Chapter 2 Adventure Generator, Sample Run 23
 Chapter 3 Adventure Generator Program 27

Part III

Eighteen BASIC Adventures to Type In

Chapter 1 Atlantean Odyssey..... Teri Li 37
 Chapter 2 Dog Star..... Lance Micklus 87
 Chapter 3 Thunder Road..... Don & Freda Boner 97
 Chapter 4 Deadly Dungeon..... Don & Freda Boner 107
 Chapter 5 Revenge of Balrog..... Don & Freda Boner 117
 Chapter 6 The Fortress at Times End..... Don & Freda Boner 125
 Chapter 7 Temple of the Sun..... Jack Powers 134
 Chapter 8 Lost Ship..... Charles Forsythe 148
 Chapter 9 Spider Mountain..... Teri Li 157
 Chapter 10 Journey to the Center of the earth..... Teri Li 167
 Chapter 11 King Tut's Tomb..... Greg Hassett 177
 Chapter 12 Voyage to Atlantis..... Greg Hassett 187
 Chapter 13 House of Seven Gables..... Greg Hassett 197
 Chapter 14 Sorcerer's Castle..... Greg Hassett 206
 Chapter 15 CIA Adventure..... Hugh Lampert 216
 Chapter 16 Arctic Adventure..... Harry McCracken 224
 Chapter 17 Adventureland..... Scott Adams 241

BASIC Adventures I

Have an adventure!

- **The first book of its kind!**
- **Just \$19.95 (+ 2.05 s/h)**
- **Contains a unique adventure generator!**
- **Famous adventures by famous authors (see table of contents, above).**
- **See it at your local dealer, or order direct from:**

80-Northwest Publishing Inc
3838 South Warner Street
Tacoma, Washington 98409
(206) 475-2219

Dealer inquiries invited

Please send _____ copy(s) of the ADVENTURE BOOK for only \$19.95 each, plus \$2.05 shipping and handling. Check, M.O., VISA/MC# enclosed. COD orders accepted.

Name _____

Address _____

City _____ State _____ Zip _____

VISA/MASTERCARD# _____

Exp Date _____ Signature _____

Send to: **80-Northwest Publishing Inc. 3838 South Warner Street, Tacoma, Washington 98409**

earned the respect of its customers and (at least some), competitors.

Algray is currently licensed to produce *Automated Simulations* in England. The programs are very hot and the English computerist is assured of fresh tapes and disks when he buys his software. They are negotiating with other companies for rights to good programs so they will be worth watching. Additionally, they have developed several respectable programs of their own though none is currently available for export to America.

The Software House of London, is another place I visited during my trip across the pond. Located in a quaint little courtyard off busy Oxford street in Westminster, this computer shoppe had representative software from every major producer in the United States that I could think of. *Adventure International* was well represented, as was *Instant Software*, though not as much. It was a pleasant, thoroughly British establishment and I had a good time there. It is centrally located and, in my

opinion, a good place for an American software company to get its feet wet.

The whole time I spent in the land of Royalty was one great learning experience. The British, I discovered, would dearly love to be able to enjoy the same entertainment software we take for granted here in the United States, but by the time an imported tape passes through (see customs description at beginning of column), a \$14.95 program is pushing thirty five bucks!!! American software producers who have heard grisly tales of wholesale license ripoffs don't know who to believe and will only sell through export. Catch 22? You got it. Net result, the British microconsumer tightens his belt and waits for the famine to ease.

The two places I visited, *Algray* and *The Software House*, clearly seem to have the ability to function as producing agents, paying royalties to host companies and representing them well. I was not privy to *The Software House's* book but did observe *Algray's*. I'm a

believer. They can do the job.

Not every software producer can hop a jet and zoom off to inspect a client in a foreign land. So at the very least there will be continued suspicion between different countries until someone emerges with a track record. New producers, if approached by a foreigner who says he produces for other American companies, find out who and call them. Chances are you will find that foreigner a kindred spirit, an entrepreneur in another country, making his way as you are, to that golden program that will make everyone rich.

The Yorkshire moors are really quite lovely by moonlight. Hmmm, I really must get a haircut and a manicure. There is just a hint of breeze in the night air and I'm having a howling good time here in merry olde England. I do have this urge to run on all fours. Boy ohhh boy. I'm going to have a tough time with British Air looking like this. They'll probably make me ride home in tourist. Robert Morely, I'll get you for this.... ■

SYNTHESIZE MUSIC AND PERCUSSION IN STEREO!

- **STEREO**—Separation by instrument! For example, play trumpet and oboe through channel A, clarinet and organ through channel B. You can switch instruments from channel to channel at any time!
- **PERCUSSION**—Now you can add a wide range of percussive sounds and special effects to your music!
- Existing Orchestra-80 files load and play in stereo automatically!
- Optional 5th Voice for use with speed-up mods!
- New editing features and commands!
- Plugs into any 16k Model I keyboard or expansion interface without voiding warranty!
- Includes tape and disk versions on cassette, 4 sample music files, manual, and fully assembled and tested printed circuit board!

Orchestra-85™
\$129.95

plus \$2.00 postage and handling
(\$5 for overseas airmail)
CA residents add 6% sales tax
MasterCard and Visa
accepted




WRITE FOR INFORMATION ON:

- **Upgrading**—Orchestra-80 to Orchestra-85 Switch to Stereo!
- **Greatest Hits**—Volumes I and II. All-new music! Ready to load and play!
- **Orchestra-90™**—Model III version of Orchestra-85 Available soon!
- **Orchestra-80™**—The Original! \$79.95

Software Affair

858 Rubis Drive, Sunnyvale, CA 94087
(408) 295-9195

ANNOUNCING A REVOLUTION IN THE COST OF PROFESSIONAL SOFTWARE



VISACCOUNT is a fully integrated business and accounting system designed for use in small businesses. VisAccount is extremely comprehensive and professional, yet it is very easy to use. The system is controlled from a series of interconnected menus permitting user-friendly operation. Everything you need to set-up and operate the system is provided with the VisAccount package.

ALL SYSTEMS is able to provide you VisAccount at this incredible low price because it runs on so many different machines. Through volume sales we are able to substantially reduce our prices.

OUR GUARANTEE — Buy both our software and that of our competitors (who will no doubt charge several times our price because they need to recapture their development cost). Compare the two systems and we know you'll return theirs (make sure they'll let you return their software). If you decide not to keep our system, then return it within 45 days for a full refund. Once you've used our system we're confident you'll be delighted.

†Microcomputers for Business, Applications 1979.






VISACCOUNT™

What You Receive

- Nine 5¼" double density disks (or six 8" single density disks)
- Easy-to-use operator's manual (over 200 pages)
- Self-study guide on bookkeeping and accounting (over 180 pages)
- Cassette based instruction program on set-up and operation

Available for Apple*, TRS-80 I, II & III, Osborne, Heath/Zenith, North Star, Vector, and most other CP/M computers.

*The Apple version requires the Microsoft Z80 softcard. CSCA has CBASIC2, CP/M and Microsoft Z80 softcard in stock.



Send \$159 for the VISACCOUNT system

FREE: MAILING LIST PROGRAM
Requirements: 48K CBASIC 2
2 DISK DRIVES CP/M



ALL SYSTEMS a division of Computer Services Corporation of America
332 East 30th Street New York, New York 10016
Order Toll Free **1-800-221-2486**
For New York and Technical Number 1-212-685-0090

ALSO

WORD STAR	\$290
SUPERCALC	\$249
DATA BASE SYSTEM	\$190
CP/M for TRS80 MODEL II	\$99
TERMINAL PROGRAM for MODEL II CP/M	\$39

Name _____

Address _____

City/State/Zip _____

Master Charge Visa American Express

No. _____ Expires _____

Your System _____

Disk Size 5¼" 8"


©1981 Computer Services Corporation of America

Circle # 32

Linked list subroutines

For Models I, II, III and color computer

Richard M. Straw, Altadena, CA



There are many occasions in the life of a computer programmer that call for getting things in order - that is, in some desired sequence. This may be alphabetizing a mailing list, printing mailing labels in zip code order, arranging checks in order by payee or invoice number or some other criterion.

The most common approach is probably to sort the list according to the desired "keys" when it is time to make the list. Several sort procedures have been described in the computer literature both for the pros and for us amateurs. Prominent among them are the bubble sort, the Shell sort and the Quicksort. Each has its advantages and disadvantages. Arguments about the relative speeds of new routines will probably continue for some time.

A realistic alternative is to keep the lists in order in the first place. While it might seem possible to build the list in the correct order, unless you have the information in that order when you start, this approach requires constant moving of data around in the file. It is very uneconomical for most purposes, especially if you must insert an item near the beginning of the list and move all the subsequent items down one to make room. Deleting items causes the same problem.

The best way to keep a list that is entered in random order sorted as you go is to make it into a linked list. These lists have keys or pointers associated with each item that lead you from the smallest (or largest) item to the next in line, from that to the next, and so on to the end. Both sorts and linked lists are nicely described in William Barden's book *Programming Techniques for Level II BASIC*, published by Radio Shack.

Barden's program for linked lists works well, but is not very versatile, it seemed to me, so I have constructed a set of subroutines that can be inserted directly or with little modification into almost any program needing them. These subroutines are presented at two levels. The simplest set of routines sets up that data array and links without trying to recover the space in the file abandoned when items are deleted. This approach is satisfactory when the list is quite stable, especially when items are not frequently removed from it. I use this

kind of a list to index my programs, for example, since I rarely throw away one I have put into the index (do you?).

A second pair of subroutines is more complex, but it does allow the space formerly used by deleted items to be recycled to new items as the content of the list changes. This is important for fairly volatile lists, such as might occur in your accounts payable or accounts receivable handling. Here, items are added when received and deleted when paid, so that the list is always current. The key might be the date of the invoice so you can detect ages accounts, for example.

Both sets are demonstrated in the context of driver programs which allow you to enter and delete items and to print the ordered lists. It is common to closely associate the links or pointers with the items of data, but I have found it most useful to separate these into different arrays or lists. For one thing, your links are always integer values and space can be conserved by keeping them in an integer array, whereas your data may typically be floating point numbers or alphanumeric string arrays. In every case, the index number to any item in the data array (e.g., D(5)) is the same as the index to the link array item referring to it (e.g., L(5)). The demo programs use numeric data, but few changes would be needed to make those data into strings. I call my arrays D (for data) and L (for links) in the simpler set, shown in listing 1.

Listing 1 actually has three subroutines. Subroutine A, lines 200 to 280, will link the list in ascending order (smallest to largest) of the data items. Subroutine B, lines 300-380, puts the links in descending order. The third, subroutine C, lines 400-470, deletes items from either list. The demo driver is set to produce a descending list for this example.

It is likely that you will only understand the linked list subroutines by following them out step by step with dummy data. Take the descending routine, for example. The link header in array position L(0) points to the largest element in the array as the entry point. When there is no item in the list at the start, the item counter I, in the driver, is

zero. The item is put into the array in the driver as well, at line 1050. Line 330 is the subroutine sets the initial pointers - the header points at item one, and item one's link is a negative one, indicating it is the smallest (last) in the list. Of course, at this point it is the only one in the list. After the first item, this line is always skipped.

In the subroutines, the variable KL is the previous item pointer and KN is the next item pointer. I is used to indicate the current item. Line 340 decides whether the new item is smaller or larger than each successive item as it goes through the list, and may be run through several times. If D(I) is larger than the next item, line 350 sets the links so that the "previous" link points to D(I) and D(I)'s link points to that which was previously largest. If this is not so, line 370 will move to the next item in order and repeat line 340. Unless, that is, D(I) is smaller than any item in the list, including the one marked -1, indicating the end. In this case, line 380 puts it at the end, and the former smallest item's link is set to point at this new item. Simple! The ascending routines work essentially the same way.

The delete subroutine, C, reads through the list until the value you want deleted is found. If it is not found, you are told that the item is not in the list. When found at KI - the pointer to the item to be deleted - processing jumps to line 470, which does nothing more than set the "previous item" pointer, L(KL), to point at the item following the deleted one in order, just skipping over it. The deleted item and its link are zeroed to make the links easier to read, but it is not necessary.

Figure 1 shows a couple of cycles of input and output from this program, and figure 2 shows the link and data arrays as they existed after the last output was produced. The lines represent, respectively, items 0 to the end of the list, and can easily be followed. For example, L(0) tells us that the item at line 4 is largest - the 100 in the D array. The pointer associated with item 4 is 10, since D(10) is 89, the second largest. Its pointer leads us to item 7 (=70), etc., down to the smallest item in line 8, marked with link -1.

The second set of subroutines is built into the program at listing 2. Only the ascending version is given, but following the clues in listing 1 you should be able to make the descending one yourself. In this case we want to recover our free space after an item is deleted from the list, so a second list is constructed in array F to follow it to its end. This means that array F must be initialized so that it starts out with a set of pointers. This is done in lines 150-160 of the driver. Lines 120-130 and 1000 only remind us that if you have stored these arrays on diskette or tape for later use, you do not want to destroy what you have done already by reinitializing them. The appropriate

reading routines are not included in the program.

Lines 200-290 are very similar to the previously described subroutine (of course, it goes in the opposite order, but otherwise is similar). It differs mainly in that the index or link to the next free space is taken from the free space array header, F(0). This is reset and the F link at the item is zeroed while the item coming in as X is inserted into the D array here (different from the previous program). Also, the D(0) element is used to count how many slots in the array are currently in use, since we may fill and empty it several times in the course of using it. This can't happen in the previous example. So, in summary, this insertion routine is resetting the links in both the L and F link arrays; L to keep the items in order, and F to point to all the empty slots available.

The deletion array is a little more difficult. The first part is no problem. As in the earlier example, it merely reads through the list until the item is found (or not found, if it isn't there). When it is found, line 470 jumps the L links around the item, decrements the counter in D(0), and zeroes the deleted item from the L and D arrays. The rest of the subroutine looks for and resets the F links so that the just deleted item is at the bottom of the free space list.

The examples in figure 3 show a couple of stages in the process, just as before. Figure 4 is the display of the L, D, and F arrays at the end of the work shown. The first item in the L list is L(0), pointing to the smallest element in D at D(5). The D(0) value tells us that nine slots are in use, and the F(0) and F(2) entries advise that only one slot is left vacant, at line 2 (zeroes in the L and D arrays).

Three notes are worth adding. In the last example in which the D(0) element is used as a counter, a problem may arise if D is a string array. You will need to refer

to it and change it using the string commands VAL and STR\$. Secondly, note that I used the DEFINT statement early in each program to make all the links and keys integers. Have you ever noticed how you can identify old FORTRAN warhorses by the values they choose for integers?

Third, it is entirely possible to make the data array a two or more dimensioned array (two is enough for most purposes). You then need to give the L array the same dimensions, of course, but by carefully watching your references you can call the proper subroutine or subroutines in order and have your list linked by more than one key - and even in more than one direction if you wish. Be sure to run through all of them when you delete items, however, or you will have a mess.

A final warning is perhaps also needed. There is no reason you cannot use this system in indexing a disk file too, but there is a good reason not to do so. It will thrash around a great deal causing excess wear when you do. However, it would be easier to make a linked index to the disk records that is read into memory, searched as needed, and used to call up or add or delete the single record needed with one random access to the disk. Sequential files, of course, can't run this way. You can, though, order the items in your memory and read it out to the diskette in proper order. After that it could be accessed sequentially.

All the routines here were built around single-line, fixed-length records. You can have multiple line records by building into your links another column telling how many lines or items are stored if you wish, and indexing to the start of the record as needed. That's fun too.

In any event, I hope these routines can be useful to you as you develop more complex programs. ■

ARRAY SIZE DESIRED? 20

START ACTIVITY

FOR INPUT ENTER I, X (WHERE X IS VALUE OF ITEM)

TO DELETE ENTER D, X (SAME CONVENTION)

TO PRINT LIST ENTER P, X (X = ANY NUMBER)

WHAT ACTION? I,50

WHAT ACTION? I,30

WHAT ACTION? I,70

WHAT ACTION? I,100

WHAT ACTION? D,35

ITEM NOT IN LIST

WHAT ACTION? D,70

WHAT ACTION? I,50

WHAT ACTION? P,2

Figure 1, continued on next page.

Programming technique

ITEM	VALUE
4	100
1	50
5	50
2	30

```
DONE
MORE ACTIVITY? Y
WHAT ACTION? I,35
WHAT ACTION? I,70
WHAT ACTION? I,6.34
WHAT ACTION? I,55
WHAT ACTION? I,89
WHAT ACTION? P,2
```

ITEM	VALUE
4	100
10	89
7	70
9	55
1	50
5	50
6	35
2	30
8	6.34

```
DONE
MORE ACTIVITY? N
READY
>
```

```
ARRAY SIZE DESIRED? 10
IS THIS A NEW LIST? Y
FOR INPUT ENTER I, X (WHERE X IS VALUE OF ITEM)
TO DELETE ENTER D, X (SAME CONVENTION)
TO PRINT LIST ENTER P, X (X = ANY NUMBER)
WHAT ACTION? I,50
WHAT ACTION? I,30
WHAT ACTION? I,90
WHAT ACTION? I,20
WHAT ACTION? I,40
WHAT ACTION? I,20
WHAT ACTION? P,2
```

ITEM	VALUE
6	20
4	20
2	30
5	40
1	50
3	90

```
DONE
MORE ACTIVITY? Y
WHAT ACTION? D,40
WHAT ACTION? I,100
WHAT ACTION? D,90
WHAT ACTION? D,10
ITEM NOT ON LIST
WHAT ACTION? P,2
```

Figure 1. Sample input and output for Listing 1. Descending order option.

```
READY
>FOR K=0 TO 10: PRINT L(K),D(K): NEXT
4      0
5      50
8      30
0      0
10     100
6      50
2      35
9      70
-1     6.34
1      55
7      89
READY
>
```

ITEM	VALUE
6	20
4	20
2	30
1	50
7	100

```
DONE
MORE ACTIVITY? Y
WHAT ACTION? I,10
WHAT ACTION? I,90
WHAT ACTION? I,20
WHAT ACTION? I,5
WHAT ACTION? I,100
WHAT ACTION? D,30
WHAT ACTION? P,2
```

Figure 2. Link array L (left) and Data array (right) after runs in Listing 1. Indexes from L(0) to L(10) to after runs in Listing 1. Indexes from L(0) and D(0) to L(10) and D(10). Header L(0) points to the largest item in array (D(4)). See text.

Figure 3, continued on page 62

TRS-80


sensational software

creative computing software

Stock & Options Analysis

Cassette CS-3306 (16K), \$99 95
Disk CS-3801 (32K), \$99 95

Should you hedge, buy, or sell out? **Stock and Options Analysis** puts a securities advisor in your computer, providing you with four powerful investment tools. **Option** gives important indices for opening and closing call option transactions. **Opgraph** presents a graph or table of profit for any combination of long or short calls, puts, and stocks. This allows the detailed evaluation of three types of hedges. **Newprem** helps predict the future premiums of an option at any desired time and future stock price. **Portval** lets the computer do the paper work, providing full portfolio services, including value per share, current value, and capital gain. The program includes the effects of commissions, margin interest and dividends. Beyond helping to organize and evaluate your present portfolio, **Stock and Options Analysis** is an excellent aid for planning and testing future strategies. The comprehensive 24-page manual with this package not only shows how the programs work, but is also a primer on the strategy of hedging listed options against common stocks. This strategy has been repeatedly shown to actually be more conservative and more consistently profitable than straight buying and selling of stocks.



Solar Energy Analysis

Cassette CS-3307 (16K), \$49 95
Disk CS-3802 (32K) \$99 95


Available 7/81

F-Chart Solar Energy Analysis eliminates many of the tedious calculations required when designing solar-heating systems. Beyond providing a thermal analysis, the program allows designers to quickly determine the effects of changing any specifications, allowing fast, accurate, and inexpensive experimentation.

Systems using air, liquid, or domestic hot water in any climate can be analyzed in detail. The program expands the traditional F-Chart procedure by taking ground-water temperature into account and allowing for

mixing valves in domestic hot water systems. **F-Chart Solar Energy Analysis** quickly pays for itself by freeing you from time-consuming calculations.

The disk version of the program includes a data base of all necessary climatic data for any location in the United States. These data are in the printed booklet included with the cassette version but must be entered manually for your geographic location.




Personal Address and Information System

Disk CS-3509 (32K) \$24 95

Is your address book beginning to resemble a heavily-edited inkblot? Do your friends keep moving, forcing you to cross out and rewrite addresses and phone numbers? Let the **Personal Address & Information System**

turn filing drudgery into computing pleasure. You can store all the crucial information, including name, address, home and work phone numbers, spouse's name, and comments or remarks. At any time, the information can be edited or changed.

And there's more. Names can be sorted in alphabetical order. Entire entries can be printed, as well as mailing labels. Names can be searched for by first letter. In a 32K system, you can search any record for up to two key phrases, turning **Personal Address & Information System** into a versatile filing system with unlimited uses.





Available 7/81

Text Processing

Cassette CS-3302 (16K) \$14 95

CS-3504 Disk (32K) \$24 95
(Disk includes Checking Account, CS-3304)

This program turns a 16K, TRS-80 and lineprinter into a line oriented text-processing system.



Developed exclusively for the TRS-80 this program lets you use the computer to enter general text or business letters, edit and modify your work, save text on cassette tapes, and print out a perfect report, document, or letter every time.

Editing commands are similar to those used in Level II BASIC, so there are no complicated new commands to learn. Lines may be either inserted or deleted. A special format is available to speed entry of business letters. Final printout can be done in numbered pages and you may print multiple copies.

Business Address & Information System

Disk CS-3510 (48K) \$24 95 Available 7/81

Do you need quick access to business contacts and customers? Put more organization in your organization with the **Business Address & Information System**. A complete file containing company name, address, phone number, and comments can be quickly entered and stored. Information can be

changed or edited whenever necessary. The program allows entire entries to be printed, and can also generate mailing labels.

When you need information fast, you can search for specific names or find all entries that contain one or two key phrases. Any key phrases can be used. **Business Address & Information System** will help you make the most of your time, putting the routine work in the computer where it belongs.

Order Today

To order any of these software packages send payment plus \$2.00 postage and handling per order to Creative Computing, Morris Plains, NJ 07950. Visa, MasterCard and American Express orders may be called in toll-free.

Order today at no risk. If you are not completely satisfied, your money will be promptly and courteously refunded.

Creative Computing Software
Morris Plains, NJ 07950
Toll-free 800-631-8112
In NJ 201-540-0445

creative computing software

ITEM	VALUE
5	5
8	10
10	20
6	20
4	20
1	50
9	90
3	100
7	100

DONE
 MORE ACTIVITY? N
 READY
 >

Figure 3. Sample input and output for Listing 2. Ascending order with space recovery.

>FOR K=0 TO 10: PRINTL(K),D(K),F(K):NEXT		
5	9	2
9	50	0
0	0	-1
7	100	0
1	20	0
8	5	0
4	20	0
-1	100	0
10	10	0
3	90	0
6	20	0

READY
>

Figure 4. Left is Link array L, center is Data array D, right is free space links F. First items are: L(0)=5, Location of smallest element; D(0)=9, Number of slots in use; F(0)=2, next free space slot available.

Listing 1
 (Color computer users delete line 50)

```

1 REM LINKING SUBROUTINES DEMO
2 REM R STRAW, 1981
3 REM TRS-80 MOD I LEVEL II CODE
50 DEFINT I - N
100 CLS : INPUT "ARRAY SIZE DESIRED";N
110 DIM D(N), I(N)
120 GOTO 1000
130 '
200 REM LINK ASCENDING : DATA IN ARRAY
D, LINKS IN L
210 REM LINK HEADER=L(0); INDEX TO
INCOMING ITEM = I

```

```

220 KL = 0 : IF I > 1 THEN 240
230 L(0) = 1 : L(1) = - 1 : RETURN
'FIRST ITEM
240 KN = L(KL) : IF D(I) > D(KN) THEN
260
250 L(KL) = I : L(I) = KN : RETURN
'SMALLER ITEM
260 IF L(KN) < 0 THEN 280
270 KL = KN : GOTO 240 'LARGER ITEM
280 L(KN) = I : L(I) = - 1 : RETURN
'LARGEST ITEM
290 '
300 REM LINK DESCENDING: DATA IN D,
LINKS IN L
310 REM LINK HEADER = L(0), INDEX TO
INCOMING ITEM = I
320 KL = 0 : IF I > 1 THEN 340
330 L(0) = 1 : L(1) = - 1 : RETURN
'FIRST ITEM
340 KN = L(KL) : IF D(I) <= D(KN) THEN
360
350 L(I) = KN : L(KL) = I : RETURN
'LARGER ITEM
360 IF L(KN) < 0 THEN 380
370 KL = KN : GOTO 340 'SMALLER ITEM
380 L(KN) = I : L(I) = - 1 : RETURN
'SMALLEST ITEM
390 '
400 REM LOCATE AND DELETE ITEM
(NO SPACE RECOVERY)
410 REM LINKS IN L, DATA IN D,
ITEM IN X
420 KL = 0 'START SEARCH
430 KI = L(KL) : KN = L(KI) : IF X = D(
KI) THEN 470 'AT KI
440 IF KN < 0 THEN 460 'END OF LIST
450 KL = KI : GOTO 430
'CONTINUE SEARCH
460 PRINT "ITEM NOT IN LIST" : RETURN
470 L(KL) = KN : L(KI) = 0 : D(KI) = 0
: RETURN 'SKIP OVER KI
990 '
1000 PRINT : PRINT "START ACTIVITY" :
I = 0
1010 PRINT "FOR INPUT ENTER I, X (WHERE
X IS VALUE OF ITEM)"
1020 PRINT "TO DELETE ENTER D, X (SAME
CONVENTION)"
1025 PRINT "TO PRINT LIST ENTER P, X (X
= ANY NUMBER)
1030 INPUT "WHAT ACTION"; A$, X
1035 IF A$ = "P" THEN 1500
1040 IF A$ = "D" THEN 1100
1045 I = I + 1 : IF I > N THEN PRINT "N
0 SPACE LEFT" : GOTO 1030
1050 D(I) = X : GOSUB 300

```

```

1060 GOTO 1030
1100 IF I < 1 THEN PRINT "LIST EMPTY" :
      GOTO 1030
1110 GOSUB 400
1120 GOTO 1030
1500 CLS
2000 REM READ LINKED LIST
2010 KL = 0 : PRINT "ITEM", "VALUE"
2020 KI = L(KL)
2030 PRINT KI, D(KI)
2040 ' AND ANY OTHER PROCESSING DESIRED

2100 IF L(KI) > 0 THEN KL = KI : GOTO 2
      020
2200 PRINT : PRINT "DONE"
2210 INPUT "MORE ACTIVITY"; Y$
2220 IF Y$ = "Y" THEN 1030
2230 END

```

Listing 2

(Color computer users delete line 50)

```

1 REM LINKING SUBROUTINES DEMO
2 REM   R STRAW, 1981
3 REM TRS-80 MOD I LEVEL II CODE
4 REM (SPACE RECOVERY VERSION)
50 DEFINT F - N
100 CLS : INPUT "ARRAY SIZE DESIRED";N
110 DIM D(N), I(N), F(N)
120 INPUT "IS THIS A NEW LIST"; Y$
130 IF Y$ <> "Y" THEN 1000
140 REM INITIALIZE F, L ARRAYS AND D(O)
      COUNTER
150 FOR I = 0 TO N - 1 : F(I) = I + 1 :
      L(I) = 0 : NEXT I
160 F(N) = - 1 : L(N) = 0 : D(O) = 0
180 GOTO 1000
190 '
200 REM LINK ASCENDING FROM FREE SPACE
      ARRAY : ITEM IN X
210 KI = F(O) : IF KI < 0 THEN 290 'NO
      SPACE LEFT
220 F(O) = F(KI) : F(KI) = 0 : D(KI) =
      X : KL = 0 'TAKE SPACE, INSERT
225 D(O) = D(O) + 1 : IF D(O) > 1 THEN
      240 'ITEM COUNTER
230 L(O) = KI : L(KI) = - 1 : RETURN
      'FIRST ITEM
240 KN = L(KL) : IF D(KI) > D(KN) THEN
      260
250 L(KL) = KI : L(KI) = KN : RETURN
      'SMALLER ITEM
260 IF L(KN) < 0 THEN 280
270 KL = KN : GOTO 240 'LARGER ITEM
280 L(KN) = KI : L(KI) = - 1 : RETURN
      'LARGEST ITEM

```

```

290 PRINT "NO MORE SPACE AVAILABLE" :
      RETURN
300 '
400 REM DELETE FROM LIST, RECOVER SPACE
      : ITEM IS IN X
410 IF D(O) < 1 THEN PRINT "LIST IS EMP
      TY" : RETURN
420 KL = 0
430 KI = L(KL) : KN = L(KI) : IF X = D(
      KI) THEN 470 'FOUND AT KI
440 IF KN < 0 THEN 460
450 KL = KI : GOTO 430 'CONTINUE
460 PRINT "ITEM NOT ON LIST" : RETURN
      'NOT FOUND
465 REM ITEM FOUND, LOCATE AND RESET L
      AND F LINKS
470 L(KL) = KN : L(KI) = 0 : D(O) = D(O)
      - 1 : D(KI) = 0
480 KF = F(KI) : KR = 0 : FOR KX = 0 TO
      N
490 IF F(KX) = - 1 THEN KR = KX
500 IF F(KX) = KI THEN F(KX) = KF 'LINK
      NOW FREE SP.
510 NEXT KX
520 F(KI) = - 1 : F(KR) = KI : RETURN
      'KI TO END OF FREE SP.
990 '
1000 REM READ ARRAYS AND LINKS IF NOT
      NEW (OMITTED)
1010 PRINT "FOR INPUT ENTER I, X (WHERE
      X IS VALUE OF ITEM)"
1020 PRINT "TO DELETE ENTER D, X (SAME
      CONVENTION)"
1025 PRINT "TO PRINT LIST ENTER P, X (X
      = ANY NUMBER)"
1030 INPUT "WHAT ACTION"; A$, X
1035 IF A$ = "P" THEN 1500
1040 IF A$ = "D" THEN 1100
1050 GOSUB 200
1060 GOTO 1030
1100 REM
1110 GOSUB 400
1120 GOTO 1030
1500 IF D(O) < 1 THEN PRINT "LIST IS EM
      PTY" : GOTO 1030
2000 REM READ LINKED LIST
2010 KL = 0 : PRINT "ITEM", "VALUE"
2020 KI = L(KL)
2030 PRINT KI, D(KI)
2040 'AND ANY OTHER PROCESSING DESIRED
2100 IF L(KI) > 0 THEN KL = KI : GOTO 2
      020
2200 PRINT : PRINT "DONE"
2210 INPUT "MORE ACTIVITY"; Y$
2220 IF Y$ = "Y" THEN 1030
2500 END

```

Happiness is a printer

Experience with the Epson MX-80 printer

Larry Kregel, Elmhurst, IL

In the fall of 1978 I bought my TRS-80. I spent what seemed to my wife to be thousands of hours talking with "Tom" (the name we have affectionately given to our computer). I enjoyed myself completely.

In some of my more defensive moments, I found myself trying to justify Tom's place in our family. I would find jobs which he could do better than any other member of the family — like counting up to a thousand fast. He was even asked to do more serious jobs like keep a family budget or make up practice math problems.

Tom was always happy to try to prove himself. But it was almost as if he had to do it with one hand tied behind his circuit board ... he had no printer!

For the following two years we (Tom and I) often considered the possibility of adding a printer. That, however, would require an expansion interface, not to mention the printer itself. We could easily have invested (squandered?) more than the original price of Tom!

We watched, shopped, read and sent for information from all the manufacturers. The prices started to come down, but the type quality in the lower priced printers was enough to cause Tom to send out an error message. I got tired of looking at dots which were supposed to look like letters.

Then one exciting morning while I was being my usual computer-store bum, I happened to meet "The Man from Epson". He did not wear a cape, nor did he swing from spiderwebs, but he did carry a printer with him.

That was when I met the MX-80: four widths of print, three densities of type and a beautiful white case with little green lights. What a mate she would make for Tom!

Within a week Tom was sitting on an Expansion Interface and had an MX-80 at his side.

The real story

Now, taking my tongue out of my cheek, I would like to relate the real story of getting to know the MX-80. It is one of frustration which I experienced needlessly.

Before I get to the real story, let me preface this tale with the statement that it was, without a doubt, worth all the work. I wish, however, that someone had written this article for me to read before I bought my MX-80.


The day I bought it, I read the manual on the way home when we stopped to have a hamburger. Therefore, I was ready to start printing as soon as I walked in the door. I had also picked up a cable which would, supposedly, connect the printer to either the keyboard or the interface. It didn't fit the keyboard, so I waited for the Expansion Interface to arrive the next day.

Now I was ready to print, except for the DIP switches which the manual talked about. The manual shows a drawing of a circuit board but nowhere does it say where to find it. After some consideration I removed the top case and almost ripped off the wires which tie the top panel switches to the base.

With the switch wires removed, the top came easily free. I was inside and right there in front of my eyes was the circuit board. Rotating the diagram in the manual, I quickly located the switches. They were numbered, almost imperceptibly, and little plastic covers were there to hold the switches in whatever position the operator placed them. With the switches set and the top back in place, Tom turned out his first hard copy. It was beautiful.

The next step was to learn how to make the new gadget do all those neat little things which sold me on it. As you may have guessed, the manual is far from complete. After almost a week of frustration and many phone calls, I was finally directed to Dr. David A. Lien's "MX-80 User's Manual". It is a 100-page guided journey through the MX-80 and worth every penny. Armed with it, I accomplished in 24 hours what I had failed to accomplish in the entire preceding week.

In retrospect, I always have great wisdom. Perhaps those of you who are in the position I was in only a few short months ago can benefit from these thoughts.



switch 1

switch 2

Figure 1
The dip switch settings presently used by the author.

Any change in hardware configuration (adding a printer, a disk drive, or a MODEM, to name a few) of your computer is bound to bring some difficult times. You will not be disillusioned by adding an MX-80. It may be trying, but it is worth it. Before you do anything with the MX-80, obtain a copy of Dr. Lien's book. His advice is sound.

The DIP switches are a source of mystery to me. I have settled on a set of positions which work well for me. They may for you too. Incidentally, they are not the same as in Epson's manual or Dr. Lien's book. (See Figure 1)

The reason Epson included a "TRS-80 mode" (which Dr. Lien suggests you do *not* use) is the code differences for graphics in the various computers. However, in order to use the TRS-80 mode the computerist must sacrifice a number of the finer options of the MX-80. Fortunately, the user manual provides an alternate plan.

One little quirk which confused me slightly came when the MX-80 would apparently not cancel different formatting codes. This had to do with an internal buffer memory. The characteristic is altered by the DIP switch settings. When in doubt, turn the printer completely off, then back on. It will revert to standard print.

The MX-80 is a great printer, although the lack of documentation was disappointing. If you buy an MX-80, also buy Dr. Lien's book.

Even though a TRS-80 can't smile, I can just feel the happiness radiating from Tom every time I go into my den.

Indeed, happiness is an MX-80 printer mated to a TRS-80. ■

STONE of Sisyphus

INCLUDES 2 JAM PACKED DISKS OF DATA BUT
WILL WORK ON YOUR 1 DRIVE MICROCOMPUTER!

AVAILABLE ON DISK ONLY FOR:

TRS-80 MODEL 1 32K	012-0100	\$29.95
TRS-80 MODEL 3 48K	012-0100	\$29.95
Apple 2 Applesoft in ROM	042-0100	\$29.95
ATARI 40K	052-0100	\$34.95

 **Adventure**
INTERNATIONAL

A DIVISION OF SCOTT ADAMS, INC.
BOX 3435, LONGWOOD, FL 32750
(305) 862-6917

ORDER FROM YOUR FAVORITE DEALER
or CALL TOLL FREE (800) 327-7172


SHIPPING & HANDLING ARE EXTRA, PRICES SUBJECT TO CHANGE WITHOUT NOTICE

We want to take you on a journey — a journey into an age undreamed of. When a man's worth was measured by his courage and cunning. With **STONE OF SISYPHUS**, we have re-created the wonderment of that ancient era. The **Maces & Magic Series** allows you to interact with the adventure on an intensely personal level. You create your own character, giving him (or her) the attributes of strength, IQ, constitution, dexterity and charisma. You then arm and prepare your creation for the challenges ahead. Amazingly, your character will evolve and grow as the journey progresses. Prepare yourself — breathe deeply, and step into the enchantment of **STONE OF SISYPHUS** and the **Maces & Magic Series**.

ART COPYRIGHT
1981 RAYMOND BAYLESS

Radio Shack's TRS-80[®] Color Computer Gives You the Graphics Advantage

Radio Shack's TRS-80 is the powerful personal computer that makes sophisticated color graphics affordable! With our all-new accessories, you can create a complete graphics system that's ideal for use in business, education or engineering.



NEW! TRS-80 Multi-Pen Plotter. This intelligent plotter produces hard copy printouts in six colors using simple ASCII commands. At only \$1995, it's just what you need to produce attractive, professional looking graphic displays. Add our felt-tip pens and you can plot on transparencies for chart overlays and overhead projection. Features include multiple line styles, arcs, upper- and lower-case characters and symbols to enhance your graphics, plus our exclusive high-level graphic application package. This graphics

package lets *anyone* create line graphs, pie charts and bar charts for business or educational use — no experience is necessary!

NEW! Dual-Purpose Printer. The new \$399 TRS-80 Line Printer VII is a perfect low-cost choice for printing text — and its bit image mode lets you print superb dot addressable graphics in black and white! For word processing, data processing, *and* graphics, check out our new \$799 Line Printer VIII. Our \$4.95 Cassette Screen Print Program makes it easy to transfer the two-color high-resolution display memory contents of your Color Computer to either of these printers.

you can use it on maps, charts or plans of any size. A swivel head lets you operate vertically, too. In fact, you can even input data directly from the surface of your computer screen or light table.

Great Graphics Made Easy! It all starts with our \$599 TRS-80 Color Computer. The 16K memory and extended Color BASIC lets you draw circles, rectangles, and boxes with simple, one-line commands. And you can add up to four disk drives, with the first only \$599!



Price Breakthrough! At just \$449, the new TRS-80 Digitizer is an economical and extremely convenient way to input your graphics. Measure areas, lengths, distances and more! And because it's not an ordinary graphics "pad,"

Get the great graphics advantage at over 6,000 Radio Shack stores and dealers, and 185 Radio Shack Computer Centers nationwide.

I want graphic proof!
Send me a free TRS-80 catalog.

Radio Shack, Dept. 82-A-358
1300 One Tandy Center
Fort Worth, Texas 76102

NAME _____
STREET _____
CITY _____
STATE _____ ZIP _____


Radio Shack[®]

The biggest name in little computers

A DIVISION OF TANDY CORPORATION

Retail prices may vary at individual stores and dealers.

Computer Advantage!



StarFighter



The
PENULTIMATE
Space War Game
is **HERE!**

TRS-80*
Model 1 & 3
16K and up — Tape
010-0102 \$24.95
32K and up — Disk
012-0102 \$29.95

AI Adventure
INTERNATIONAL
A DIVISION OF SCOTT ADAMS, INC.

BOX 3435 • LONGWOOD, FL 32750 • (305) 862-6917

ORDER FROM YOUR FAVORITE DEALER
or CALL TOLL FREE (800) 327-7172

SHIPPING & HANDLING CHARGES ARE EXTRA
PRICES SUBJECT TO CHANGE WITHOUT NOTICE

GOLDPLUG 80 Card Edge Connectors


E.A.P. Company
PO Box 14
Keller, Texas 76248
Price \$18.95

For Model I TRS-80

The TRS-80 Model I micro-computer is probably the world's most popular. It is extremely reliable considering its complexity and its cost effectiveness. However, like Achilles, it has its weak points. The number one annoyance would have to be keybounce. However, there are several solutions to this problem, including frequent cleaning of the key contacts, loading special software drivers, and using Disk BASIC. There is one problem that is not so easy to solve; namely, frequent disk re-boots and other assorted mayhem caused by oxidation of the card edge connectors between the keyboard and the expansion interface.

These connectors are simply tin and lead surfaces, subject to oxidation and corrosion. When these surfaces become oxidized to the point that there is a loss of signal quality, disks will re-boot, keyboards will lock up, and glitches will cause all sorts of problems.


What are the alternatives? Well, you could sell your Model I and get a



Model III. (I wonder how your wife would like that idea?) You could pull off the cable and clean the contacts every month or so, but that would eventually wear out the contacts. You could invest in an electroplating outfit and gold plate the contacts as an acquaintance of mine has done on 12 of his machines. Or you could send \$18.95 to the E.A.P. Company and solve your re-booting

problems forever. In return, you will receive two gold plated connectors that solder on to the edge connectors of the computer.

How about installation? It is a snap if you have some experience with soldering. No, I definitely would not recommend installation by a novice. Have someone with soldering experience install them. A television repair shop would probably do it for a small charge. Before you begin, make sure that you have the following: a low wattage soldering iron (35 watts maximum) with a 1/8th inch tip, high quality resin-core solder, a medium Phillips screwdriver, and a pink pearl or equivalent eraser to clean the contacts. The instructions guide you step by step on disassembly of both the keyboard and expansion interface. Both contacts are thoroughly cleaned




with the eraser, and then the Goldplugs are soldered in place.

Do the Goldplug 80's work? I installed them about a month ago, and have not had a single glitch, which is unusual for my computer. The friend who gold-plated his machines reports 100% reliability with his method also. In fact, he reports that there was a one-volt increase in signal amplitude on the floppy disk signal lines after gold plating. Gold plating the contacts is apparently the way to go!

Since the edge connectors are soldered surfaces, very little solder has to be applied to the connectors. Before you reassemble the computer, check to make sure that there are no shorts between pins of the connectors.

Are the Goldplugs for everyone? It depends. Before deciding to install the Goldplugs, consider this: if you make a mistake and damage your computer, it is probably going to

cost a lot to have it repaired. Also consider, if you install these connectors, you have voided the limited warranty. It would probably be safe to say that 95% of all Model I keyboards are out of warranty. However, there is another problem with out of warranty repairs. Radio



Shack does not like unauthorized modifications. If your unmodified machine were to develop a severe problem that a simple diagnostic would not detect, the normal practice is to exchange the entire circuit board for a nominal fee. In the case of a modified board, Radio Shack will exchange the board, but at the full replacement cost. Fortunately, the Goldplugs are removable by simply unsoldering them. For me, they were the answer to a problem that had been plaguing me for some time. The company also sells Goldplugs for the disk port, printer port, screen printer port and RS-232 port for \$9.95 each. A complete set of all six plugs is \$54.95 ■

Jim Klaproth

40 INCOME TAX PROGRAMS
For TRS-80 Mod. I/III
On Formatted Disks

- Run on 16K or Larger DOS systems
- Documentation Included.
- Must be converted for Mod. III
- Various program Methods for study
- Check inputs; if OK, print, else easy to correct before printing
- Our Third Year of Tax Service
- Try ONE disk. If OK, 40 other Tax Programs are available.

FIRST DISK contains Form 1040, and Schedules A, B, C, D, SE and TC.
 CAT. NO. TR #1 Price \$24.75 PPD

931 S. Bemiston St. Louis, Mo. 63105

Circle # 37

Hog jowl mansion

A zany adventure for all TRS-80 models

Jon J. Waples, East Greenwich, RI

Did you ever have the desire to escape reality for a while and assume the identity of someone else in another place on a fictitious endeavor? Well, this program can do it all for you. You are a nasty repossessor who commands his puppet (or flunky?) to do his dirty work. Since your puppet is relatively unintelligent, and has a vocabulary of only thirty-eight verbs and ninety-two nouns, you can communicate to him in only one and two word sentences. Some words he knows are: take, drop, look, help, score, inventory, and quit. You can help your puppet carry out his mission by using ordinary common sense.

Now for the nitty-gritty: this adventure makes use of hundreds of variables, most of them arrays. The following is an alphabetized list of them with complete descriptions:

A location of puppet
 A\$ first three characters of E\$
 A\$(n) three character abbreviations of all items in adventure (nouns)
 A(n) locations of all items in adventure
 B number of items puppet is carrying
 B\$ verb (separated from D\$)
 B\$(n) three character abbreviations of all verbs in adventure

B(n)-G(n) transition arrays for all locations in adventure
 C temporary variable used in clearing top of screen
 C\$ line that separates top of screen from bottom
 C\$(n) description of all locations in adventure
 D outside = -1, inside = 0
 D\$ entire command
 D\$(n) description of all items in adventure
 E total number of treasures stored
 E\$ noun (separated from D\$)
 F total percentage of treasures stored
 F\$ obvious exits in present location
 G temporary variable used in throw routine
 G\$ play again = "Y", end = "N"
 H temporary variable used in noun recognition subroutine
 H(n) status of all items in adventure: invisible & immovable = 0, immovable = 1, visible & movable = 2
 I variable used in all FOR . . . NEXT loops


Here's a blow by blow description of the inner workings of "The Adventure of Hog Jowl Mansion":

50-240 Data statements for the 48 locations
 250-460 Data statements for the 83 items



EXTRAORDINARY INTRODUCTORY OFFER

FOR NEW SUBSCRIBERS




\$10⁰⁰



NEVER BOUGHT SO MUCH!!

This is not another computer magazine



FOR JUST \$10⁰⁰ YOU GET

1) a Free copy of current issue
 2) a One Year Subscription!
 3) a Free 25 word White Page Listing!
 4) \$5.00 Credit on a Yellow Page Listing!
 5) \$10.00 Credit towards any size Display Ad!

Total Value = \$28.50

the Computerist's Directory
 Let your fingers do the talking
 PO BOX 405
 FORESTVILLE, CA 95436
 (707) 887-1857

VISA
 MASTER CHARGE
 AMERICAN EXP
 ACCOUNT NO. _____

SIGNATURE _____
 CITY _____ STATE _____ ZIP _____

EXPIRES _____
 Save \$18.50 and Join the Information Revolution.

Send me Display ad rates store order form

ENCLOSED \$ _____

What is the Computerist's Directory?
 It is a national "paper data base" in phone book format dedicated to all computer users including professionals, business people, hobbyists and prospective buyers. It is published twice annually in January and July with quarterly update dates planned for April '82.

Fun-n-games

460-480 Data statement for 36 verbs
 490 Clear all variables, define them as integer
 500 Dimension arrays
 510-530 Read data into arrays
 540 Set up remaining variables
 550 Print "Welcome to . . ." message
 560-640 Main loop
 650-950 Go, walk, run, n, s, e, w, u, d, climb and enter routine
 960-1030 Take, get
 1040-1100 Take inventory, inventory, I routine
 1110-1190 Throw routine
 1200-1220 Drop routine
 1230-1310 Shoot routine
 1320-1340 Turn routine
 1350 Jump routine
 1360-1400 Move routine
 1410-1480 Open routine
 1490 Score routine
 1500-1530 Push routine
 1540-1560 Pick routine
 1570-1590 Break routine
 1600-1620 Insert routine
 1630 Unlock routine
 1640-1650 Unbolt routine
 1660-1670 Drink routine
 1680-1720 Light routine
 1730-1740 Pull routine
 1750-1860 Look routine
 1870-1920 Read routine
 1930-1990 Help routine
 2000-2190 Erase everything above line, print location, visible items, and obvious exits subroutine
 2200-2210 Noun recognition subroutine
 2220 Print "I can't do that . . . yet!"
 2230 Print "I don't see it here."
 2240 Print "I must be stupid, but I don't understand what you mean."
 2250-2270 Print score, check for win
 2280-2330 Death routine

Happy adventuring! Whether you be a novice or a "grand master". Remember, beware of the dog.

Changes required for Model II operation.

```
45 CLS : PRINT CHR$(2);
540 A = 38 : C$ = "<" + STRING$(78, 45) + ">"
550 PRINT@ 722, "WELCOME TO THE ADVENTURE OF HOG JOWL MANSION: VERSION 1.12"
: PRINT@ 824, "BY JON J. WAPLES"
570 GOSUB 2000 : D$ = "" : E$ = "" : A$ = "" : PRINT@ 1840, CHR$(1); : INPUT
" -----> TELL ME WHAT TO DO"; D$ :
PRINT CHR$(2);
1160 G = I : PRINT@ 1840, CHR$(1); : INPUT
" -----> TELL ME WHAT TO DO";
E$
```

```
2000 PRINT@ 0, CHR$(2); : FOR I = 1 TO
8 : PRINT STRING$(80, 32); : NEXT I
2010 PRINT @ 0, "I AM "; : IF LEFT$(C$(A),
1) = "*" THEN PRINT RIGHT$(C$(A),
LEN(C$(A)) - 1); : D = - 1 ELSE PRINT
C$(A); : D = 0
2030 PRINT : PRINT : PRINT "VISIBLE IT
EMS: "
2320 GOSUB 2000 : PRINT@ 1840, CHR$(1)
; : INPUT "DO YOU WANT TO PLAY THIS AD
VENTURE AGAIN"; G$
```

Changes required for Color computer operation.

```
45 CLS
490 CLEAR 200
540 A = 38 : C$ = "<" + STRING$(30, 45) + ">"
550 CLS : PRINT@ 226, "WELCOME T
O THE ADVENTURE OF" : PRINT " HO
G JOWL MANSION: VERSION 1.12" :
PRINT@ 328, "BY JON J. WAPLES"
570 GOSUB 2000 : D$ = "" : E$ =
"" : A$ = "" : PRINT@ 480,, : IN
PUT ">WHAT NOW"; D$
1130 PRINT "IN ONE WORD TELL ME
WHAT AT."
1160 G = I : PRINT@ 480,, : INPU
T ">WHAT NOW"; E$
2000 PRINT @0,, : FOR I = 1 TO 6
: PRINT STRING$(32, 32); : NEXT
I
2010 PRINT @0, "I AM "; : IF LEF
T$(C$(A), 1) = "*" THEN PRINT RI
GHT$(C$(A), LEN(C$(A)) - 1); : D
= - 1 ELSE PRINT C$(A); : D = 0
2030 PRINT : PRINT "VISIBLE ITEM
S: ";
2060 IF 31 - POS(0) < LEN(D$(I))
THEN PRINT
2320 GOSUB 2000 : PRINT@ 480,, :
INPUT "DO YOU WANT TO PLAY THIS
ADVENTURE AGAIN"; G$
```

Main listing, for Models I and III

This program has been renumbered and spaced for clarity. Model I/III 16K owners *must* compress the statements heavily. Color computer owners must have 32K, and the program may require some reformatting of print statements to prevent breaking up words.

```
10 REM * THE ADVENTURE OF *
20 REM * HOG JOWL MANSION *
30 REM * JON J. WAPLES *
```

Color computer owners, 32K PLUS DISKS* \$298.00

Yes, that's right - for as little as \$298.00 you can add 32K of dynamic RAM, and a disk interface, to your TRS-80 Color Computer! If you just want the extra memory it's only \$199.00, and you can add the disk interface later for \$99.00.

Just plug the *Color Computer Interface (CCI)*, from Exatron, into your expansion socket and "Hey Presto!" - an extra 32K of memory. No modifications are needed to your computer, so you don't void your Radio Shack warranty, and Exatron give both a 30 day money-back guarantee and full 1 year repair warranty on their interface.

The *CCI* also contains a 2K machine-language monitor, with which you can examine (and change) memory, set break-points, set memory to a constant and block-move memory.

So what about the *CCI Disk Card*? Well as we said it's only an extra \$99.00, but you'll probably want Exatron's *CCDOS* which is only \$29.95 - unless you want to write your own operating system. The *CCI Disk*

Card uses normal TRS-80 Model I type disk drives, and *CCDOS* will even load Model I TRSDOS disks into your color computer - so you can adapt existing TRS-80 BASIC programs.

As a further plus, with the optional *ROM Backup* adaptor, you can dump game cartridges to cassette or disk. Once the ROM cartridge is on cassette, or disk, you can reload, examine and modify the software. The *ROM Backup* adaptor is only \$19.95.

For more information, or to place an order, phone Exatron on their Hot Line 800-538 8559 (inside California 408-737 7111), or clip the coupon.



excellence in electronics

exatron

DEALER ENQUIRIES INVITED

Exatron,
181 Commercial Street,
Sunnyvale, CA 94086



- Please send a 32K Color Computer Interface for \$199.00
- Please send a CCI Disk Card for \$99.00
- Please include CCDOS and manual for \$29.95
- Also include a ROM Backup adaptor for \$19.95

Please add \$5.00 for shipping to all orders, and 6 percent sales tax in California.

Name

Address

City

State Zip

Charge my:

MasterCard Interbank Code

Visa Expiration Date

Card

Check enclosed for

Ship COD (\$2.00 extra)

Signature

Fun-n-games

40 REM * JULY 14, 1981 *

50 DATA "IN A DUMBWAITER." 0, 0, 2, 0,
21, 0, "IN A LONG HALLWAY." 0, 6, 3
0, 0, 0, "IN A WORKSHOP." 0, 0, 0,
2, 0, 0

60 DATA "AT THE BOTTOM OF A SECRET PASS
AGE." 0, 0, 0, 0, 0, 0, "IN A LABYRI
NTH OF TUNNELS." 0, 9, 0, 0, 0, 0

70 DATA "IN A TORTURE CHAMBER." 2, 0,
7, 0, 0, 0, "IN A LABYRINTH OF TUNNEL
S." 0, 11, 8, 6, 0, 0, "IN A LABYRIN
TH OF TUNNELS." 0, 12, 0, 7, 0, 0

80 DATA "IN A LABYRINTH OF TUNNELS." 5
0, 10, 0, 0, 0, "IN A LABYRINTH OF
TUNNELS." 0, 0, 11, 9, 0, 0, "IN A L
ABYRINTH OF TUNNELS."

90 DATA 7, 0, 0, 10, 0, 0, "IN A LABYRI
NTH OF TUNNELS." 8, 16, 0, 0, 0, 0,
"AT THE LIGHT AT THE END OF THE TUNNE
L." 0, 0, 14, 0, 0, 0

100 DATA "IN A LABYRINTH OF TUNNELS. I
SEE A LIGHT TO THE WEST." 0, 0,
15, 13, 0, 0, "IN A LABYRINTH OF TUNN
ELS." 0, 0, 16, 14, 0, 0

110 DATA "IN A LABYRINTH OF TUNNELS." 12,
20, 0, 15, 0, 0, "IN A LABYRINTH
OF TUNNELS." 0, 0, 18, 0, 0, 0, "IN
A LABYRINTH OF TUNNELS."

120 DATA 0, 0, 19, 17, 0, 0, "IN A LABY
RINTH OF TUNNELS." 0, 0, 20, 18, 0,
0, "IN A LABYRINTH OF TUNNELS." 16,
0, 0, 19, 0, 0

130 DATA "IN A DUMBWAITER." 0, 25, 0,
0, 43, 1, "IN THE TRANSPORTER ROOM OF
THE STARSHIP ENTERPRISE. HEY!
WHERE'S MR. SPOCK?"

140 DATA 0, 26, 0, 0, 0, 0, "IN LORD HO
G JOWL'S DEN." 0, 27, 0, 0, 0, 0, "I
N A SECRET PASSAGE." 0, 0, 0, 23, 0,
0

150 DATA "IN A KITCHEN." 0, 29, 26, 0,
0, 0, "AT THE WEST END OF A HALLWAY."
22, 30, 27, 25, 0, 0, "AT THE EAST
END OF A HALLWAY."

160 DATA 23, 31, 28, 26, 0, 0, "IN A BE
DROOM." 0, 0, 0, 27, 0, 0, "IN A PAN
TRY." 25, 0, 0, 0, 0, 0

170 DATA "IN THE LOBBY." 26, 34, 0, 0,
0, 0, "IN THE LIVING ROOM." 27, 0,
0, 0, 0, 0, "IN A WALK IN CLOSET." 2
8, 0, 0, 0, 0, 0, "*ON AN UN CUT LAWN."
"

180 DATA 0, 0, 34, 0, 0, 0, "*AT THE FR
ONT OF HOG JOWL MANSION." 0, 36, 0,
33, 0, 0, "*ON A NARROW LEDGE." 0, 0
0, 0, 0, 0

190 DATA "*AT THE GATE TO HOG JOWL MANS
ION." 0, 0, 0, 0, 0, 0, "ON A BUS NA
MED 'DESIRE'." 0, 0, 0, 0, 0, 0, "IN
A BUS TERMINAL."

200 DATA 0, 0, 39, 0, 0, 0, "IN A RESTR
OOM." 0, 0, 0, 38, 0, 0, "IN A WATER
CLOSET." 0, 0, 0, 39, 0, 0, "IN HOB
OKEN, NEW JERSEY." 38, 42, 38, 42, 3
8, 42

210 DATA "-- UH OH! THERE'S A GUY HERE
WITH A BIG NOSE AND A SPEECH
IMPEDIMENT. ARRGH! IT'S CARL SAGAN."
0, 0, 0, 0, 0, 0

220 DATA "IN A DUMBWAITER." 0, 0, 44,
0, 0, 21, "IN A ROOM BEARING THE SCEN
T OF ALCOHOL." 0, 0, 45, 0, 0, 0, "I
N A STORAGE ROOM." 0, 46, 0, 44, 0,
0

230 DATA "IN A DUSTY ATTIC." 45, 0, 47
0, 0, 0, "IN AN EVIL SMELLING ROOM."
0, 0, 0, 46, 0, 0

240 DATA "AT THE TOP OF AN ALUMINUM PSE
UDO CHRISTMAS TREE." 0, 0, 0,
0, 0, 0, 31

250 DATA "SIGN SAYS: FLOOR 1", "SIG", 1
1, "PLAQUE", "PLA", 1, 1, "DUMBWAIT
ER", "DUM", 1, 2, "HAMMER", "HAM", 2,
3, "PLIERS", "PLI", 2, 3, "WRENCH"

260 DATA "WRE", 2, 3, "ELECTRIC BUZZ SA
W", "SAW", 1, 3, "PUSHBUTTON SWITCH",
"SWI", 1, 3, "STICK OF DYNAMITE", "D
YN", 2, 3

270 DATA "LOCKED METAL DOOR", "DOO", 1,
3, "LOCKED METAL DOOR", "DOO", 1, 4,
"SPIRAL STAIRCASE LEADING UP", "STA"
1, 4

280 DATA "CORPSE", "COR", 2, 6, "*RICH
ARD NIXON WRISTWATCH*", "WAT", 2, 6, "
PUDDLES OF BLOOD AND GORE", "PUD", 1,
6

290 DATA "DISEMBODIED LIMBS", "LIM", 2,
6, "*DONALD DUCK NITE LITE*", "LIT",
2, 13, "SIGN SAYS: FLOOR 2", "SIG",
1, 21, "PLAQUE", "PLA", 1, 21

300 DATA "*LAVA LAMP*", "LAM", 2, 23, "
BOOKCASE", "BOO", 1, 23, "SECRET PASS
AGE", "PAS", 0, 23, "*SECRET DECODER
RING*", "RIN", 0, 24

310 DATA "DESK", "DES", 1, 24, "DRAWER"
"DRA", 1, 24, "SPIRAL STAIRCASE LEA
DING DOWN", "STA", 0, 24, "REFRIGERAT
OR", "REF", 1, 25

320 DATA "BUTCHER BLOCK", "BLO", 1, 25,
"*GINSU KNIFE*", "KNI", 0, 25, "DUMB
WAITER", "DUM", 1, 25, "PIGGY BANK",
"BAN", 2, 28, "WINDOW", "WIN", 1, 35

Fun-n-games

```

330 DATA "DIME", "DIM", 0, 28, "LARGE B
ED", "BED", 1, 28, "*CEREMONIAL BED P
AN*", "PAN", 0, 28, "WALK IN CLOSET",
"CLO", 1, 28
340 DATA "*BILLY JOWL (SIC) RECORD AL
BUM*", "ALB", 2, 29, "UMBRELLA", "UMB
", 2, 30, "*ALUMINUM PSEUDO CHRISTMAS
TREE*", "TRE", 1, 31
350 DATA "BOLTS", "BOL", 0, 31, "WINDOW
", "WIN", 1, 31, "*DICE EARRINGS*", "
EAR", 2, 32, "SPRINKLER SPRAYING WATE
R", "SPR", 1, 33
360 DATA "*PLASTIC FLAMINGO*", "FLA", 0
, 33, "SIGN SAYS: LOOK SP...", "SIG",
1, 33, "WELCOME MAT", "MAT", 2, 34,
"KEY", "KEY", 0, 34
370 DATA "LARGE DOOR", "DOO", 1, 34, "M
AILBOX", "MAI", 1, 36, "STICK", "STI"
, 2, 36, "SIGN SAYS: BEWARE OF DOG",
"SIG", 1, 36
380 DATA "MANSION", "MAN", 1, 36, "GUAR
D DOG", "DOG", 1, 36, "POSTCARD", "PO
S", 0, 36, "NOTE", "NOT", 0, 36, "PAP
ER CLIP", "CLI", 0, 36
390 DATA "BUS", "BUS", 1, 36, "BUSDRIVE
R", "DRI", 1, 37, "GATE", "GAT", 1, 3
7, "BUS TERMINAL", "TER", 1, 37, "BUS
", "BUS", 1, 38, "BILLBOARD", "BIL",
2, 38
400 DATA "LOCKED WATER CLOSET", "CLO",
1, 39, "SINK", "SIN", 1, 39, "LARGE S
PIGOT", "SPI", 1, 39, "DAISY SADDLEPA
L BB GUN", "GUN", 2, 39
410 DATA "TOILET", "TOI", 1, 40, "SIGN
SAYS: LEAVE *TREASURES* HERE THEN SAY
: SCORE", "SIG", 1, 40, "SIGN SAYS: F
LOOR 3", "SIG", 1, 43
420 DATA "PLAQUE", "PLA", 1, 43, "DISTI
LLERY", "DIS", 2, 44, "*FOGHORN LEGHO
RN JELLY GLASSES*", "GLA", 2, 44, "DU
MBWAITER", "DUM", 1, 44
430 DATA "55 GALLON DRUMS FILLED WITH A
LCOHOL", "ALC", 1, 45, "CLOSED DOOR",
"DOO", 1, 45, "DEAD IRS AGENT", "AGE
", 0, 45
440 DATA "*GOLD FILLINGS*", "FIL", 0, 4
5, "*WING TIPPED PATENT LEATHER SHOES
*", "SHO", 0, 45, "CHEST", "CHE", 2,
46, "MATCH", "MAT", 0, 46
450 DATA "FALSE PANEL IN FLOOR", "FLO",
1, 46, "ELDERLY COW WITH MORNING BRE
ATH", "COW", 1, 47, "DOOR", "DOO", 1,
47
460 DATA "FALSE PANEL IN CEILING", "CEI
", 1, 48, "GO", "WAL", "RUN", "N", "S
", "E", "W", "U", "D", "TAK", "GET",
"INV", "I", "THR", "DRO", "CLI"
470 DATA "ENT", "SHO", "TUR", "JUM", "M
OV", "OPE", "SCO", "PUS", "PIC", "BRE
", "INS", "UNL", "UNB", "DRI", "LIG",
"PUL", "LOO", "EXA"
480 DATA "REA", "HEL", "QUI"
490 CLEAR 200 : DEFINIT A - I
500 DIM A(83), A$(83), B(48), B$(36), C
(48), C$(48), D(48), D$(83), E(48), F
(48), G(48), H(83)
510 FOR I = 1 TO 48 : READ C$(I), B(I),
C(I), D(I), E(I), F(I), G(I) : NEXT
520 FOR I = 0 TO 83 : READ D$(I), A$(I)
, H(I), A(I) : NEXT
530 FOR I = 0 TO 36 : READ B$(I) : NEXT
540 A = 38 : C$ = CHR$(93) + STRING$(62
, 45) + CHR$(94)
550 CLS : PRINT@ 2, "-" : PRINT@ 579, "
WELCOME TO THE ADVENTURE OF HOG JOWL
MANSION: VERSION 1.12" : PRINT@ 664,
"BY JON J. WAPLES"
560 IF A = 42 THEN PRINT "YOU HAVE LOST
ALL *TREASURES*." : GOTO 2310
570 GOSUB 2000 : D$ = "" : E$ = "" : A$
= "" : PRINT@ 960, ; : INPUT " ----
--> TELL ME WHAT TO DO"; D$
580 FOR I = 1 TO LEN(D$) : IF MID$(D$,
I, 1) = " " THEN 590 ELSE NEXT : GOTO
600
590 E$ = RIGHT$(D$, LEN(D$) - I) : A$ =
LEFT$(E$, 3)
600 B$ = LEFT$(D$, I - 1)
610 FOR I = 0 TO 36 : IF B$(I) = LEFT$(
B$, 3) THEN 630 ELSE NEXT
620 PRINT "I DON'T KNOW HOW TO " CHR$(3
4)B$ CHR$(34)" SOMETHING." : GOTO 560
630 ON I + 1 GOTO 650, 650, 650, 650, 6
60, 670, 680, 690, 700, 960, 960, 104
0, 1040, 1110, 1200, 690, 710, 1230,
1320, 1350, 1360, 1410, 1490, 1500, 1
540, 1570, 1600
640 ON I - 26 GOTO 1630, 1640, 1660, 16
80, 1730, 1750, 1750, 1870, 1930, 230
0
650 IF A$ = "NOR" OR B$ = "N" THEN IF B
(A) > 0 THEN A = B(A) : GOTO 950
660 IF A$ = "SOU" OR B$ = "S" THEN IF C
(A) > 0 THEN A = C(A) : GOTO 950
670 IF A$ = "EAS" OR B$ = "E" THEN IF D
(A) > 0 THEN A = D(A) : GOTO 950
680 IF A$ = "WES" OR B$ = "W" THEN IF E
(A) > 0 THEN A = E(A) : GOTO 950
690 IF A$ = "UP" OR B$ = "U" THEN IF F(
A) > 0 THEN A = F(A) : GOTO 950

```

HOW ACCEL2 WORKS, PART 2

TRS-80 Model I/III BASIC Compiler

The ACCEL2 program has worked fine! I used it to compile a BASIC WORD PROCESSOR that was published in 80 MICROCOMPUTING in their MAY 1980 issue. It was necessary to go through all of the for-next loops because of the many jumps out of them and make corrections, but when that job was done the program worked fine. I am using it to write you this letter. The final program fits into a 32K machine.

ACCEL2 is amazing! I had bought an Othello game a couple of years ago, but never played it because of the interminably long time (2-3 minutes) it took the computer to make each move - no fun at all. Just for the heck of it I ran ACCEL2 on it, making NO changes whatsoever to the program, and the whole thing compiled at once with no tinkering! It then took about 10 seconds per move, so I added a single statement at the beginning to DEFINT A-Z, recompiled, and the result is just as good as an assembly-language program - only a couple of seconds per move!

I also wish to state that I think that ACCEL2 is an excellent product. I have modified Scott Adams' Backgammon game to compile under ACCEL2 as an example. The original BASIC program takes 30 to 40 seconds for the average move and can take as much as 4 minutes. The compiled version averages 2 to 3 seconds per move with a maximum move time of 9 seconds (all integer variables). That is significant!!

I'VE BEEN PLAYING WITH ACCEL2 FOR A FEW HOURS NOW AND IT SEEMS TO BE PRETTY GOOD. FOR EXAMPLE, MY LEVEL 2 VERSION OF RADIO SHACK'S CHECKERS GAME DRAWS THE BOARD IN 19 SECONDS AND MAKES THE SECOND MOVE IN 11 SECONDS. THE COMPILED VERSION DRAWS THE BOARD IN 11 SECONDS AND MOVES IN UNDER A SECOND (ABOUT 0.5). A PROGRAM TO GRAPH QUADRATIC EQUATIONS TOOK 8 SECONDS PER PLOT, WHILE THE COMPILED COPY TAKES LESS THAN 2.

I HAVE COMPILED ONE PROGRAM I USE RATHER FREQUENTLY: IT EXTRACTS INFORMATION FROM A LARGE DISK FILE (13" 64-BYTE RECORDS PER DISK) AND PRODUCES A REPORT. THE INTERPRETED VERSION OCCUPIES ABOUT 4600 BYTES AND TAKES 18 MIN TO EXTRACT INFORMATION FROM ONE DISK. THE COMPILED VERSION TAKES JUST OVER 8 MIN TO PERFORM THE SAME TASK. SINCE A TYPICAL REPORT INVOLVES ANYWHERE FROM 5 TO 25 DISKS, THIS IS A SUBSTANTIAL SAVING OF TIME.

ACCEL2: 32K TRS-80 Model I/III. Compiles selected subset in all variable types, local and global compilation options, output save to ES/F wafer, disk under TRSDOS, NEWDOS, NEWDOS/80. New functional improvements in place.

Developed in Britain
by Southern Software

Circle # 41

TRS-80, TRSDOS tm Radio Shack



ALLEN GELDER SOFTWARE
Box 11721 Main Post Office
San Francisco, CA 94101
(415) 387-3131

Stringy/Floppy tm exatron inc. NEWDOS tm Appar, Inc

\$88.95 + \$2.00 shipping

Mastercharge/Visa
CA add 6%



"Aye, check page 55 for a real Adventure!"

LOW-LEVEL CENTER

TRS-80 Model I/III

STRETCH SUPERSTEP: New third generation Z80 simulator is the leading element of the Software CPU design base. Animated Z80 Programming Models. Intelligent RAM Window, scrolling disassembler are now extended. New modules are FLTCUR 2-D byte oriented editor with full floating cursor and auto-repeat plus innovative BUFSIF user-defined buffer/window setup for flexible skeleton program views. Use BUFSIF to view large amounts of disassembled code, isolate all instances of selected instructions in several formats, more Gather instruction frequency counts in straight-line or program-flow order for sophisticated analysis of subject programs and Z80 resource use. Many formatted transparent printer options, including screen pix and instruction-by-instruction tabular listing of all active machine aspects. Pictorial manual gives easy intro to program operation. Nothing newer for byte-entry, debugging and analysis of Z80 machine language programs \$39.95 + \$2.00 shipping

EMU 02e: Detailed instruction-level 6502 simulator with animated before/after 6502 Programming Models (registers, flags and stack) and scrolling instruction stream disassembler active in Single-step and 4-speed TRACE modes, also special high speed interpreter running over 5% actual 1 mhz 6502 processor speed. Have a 6502 without having a 6502, find out why the 6502 brain was picked by Apple, PET, Atari arcade machines, etc \$29.95 + \$2.00 shipping

BALCODE 80A: Highly interesting mid-level language for TRS-80 Model I IBM's BAL (Basic Assembler Language) is an idealized machine instruction set currently in use on the IBM 360/370. BALCODE 80A implements an extended BAL subset via a text editor and macro assembler, you write in BAL with 20 p-registers (16 general purpose, 4 floating point) and powerful addressing modes, then assemble to fast Z80 code. Hands an introduction to BAL, source programs are highly portable to make your TRS-80 an IBM workalike! Includes 106 page IBM reference publication describing BAL. From Balcode Software \$79.00 + \$3.00 shipping

COMPILER WORKSTATION

TRS-80 Model I and III

Your BASIC program development
could go faster...

EDIT: Full-Screen BASIC editor with floating cursor and auto-repeat. More than 30 commands and functions let you variously find, change, insert, delete, replace, replicate, copy, move or position BASIC text at the character, string, line or block level. Developed in Britain by Southern Software. Mod I, III \$40.00 + 1.50 shipping

PACKER: (Cottage Software) Editing tool will unpack, shorten, repack, renumber all or part of your BASIC text. The UNPACK segment is very useful when preparing BASIC source programs for compilation by ACCEL2. Mod I, III \$29.95 + 1.00 shipping

Then your BASIC program
could go faster...

ACCEL2: Compiler for TRS-80 Mod I, Mod III Disk BASIC. New functional improvements in place to give more ease-of-use, quicker compilation of large programs, better chaining of compiled and non-compiled programs. Size read-out helps you monitor code growth during compilation. REM NOARRAY option lets you use variable-bound arrays. Professionals note: Comprehensive instructions show how to organize your compiled programs for resale on tape. ES/F wafer or disk. No royalties! Developed in Britain by Southern Software. Specify Mod I or III. \$88.95 + \$2.00 shipping

TSAVE: Writes compiler output to independent SYSTEM tape. \$9.95 + \$1.00 shipping

EXEC: Command-List Processor for TRS-80 Mod I. Prepare, execute, pass as many as nine parameters to lists of TRSDOS or NEWDOS commands and/or BASIC statements. Simplifies repetitive procedures such as power-up sequences, file set-ups, etc. Compatible with ACCEL2 compiler disk output. Developed in Britain by Southern Software. \$22.00 + \$1.00 shipping

M/C, VISA
CA add 6%

Circle # 104



ALGORIX

(415) 387-3131


P.O. BOX 11721 SAN FRANCISCO, CA 94101

TRS-80 TRSDOS tm Radio Shack ES/F Im Exatron

Fun-n-games

```
700 IF A$ = "DOW" OR B$ = "D" THEN IF G
(A) > 0 THEN A = G(A) : GOTO 950
710 IF A$ = "DUM" AND A = 2 THEN IF B =
0 THEN A = 1 : GOTO 950 ELSE PRINT "
SOMETHING WON'T FIT." : GOTO 560
720 IF A$ = "DOO" AND A = 3 THEN IF LEF
T$(D$(9), 2) = "UN" THEN A = 4 : GOTO
950 ELSE 2220
730 IF A$ = "DOO" AND A = 4 THEN IF LEF
T$(D$(10), 2) = "UN" THEN A = 3 : GOT
0 950 ELSE 2220
740 IF A$ = "STA" AND A = 4 THEN A = 24
: GOTO 950
750 IF A$ = "PAS" AND A = 23 THEN IF H(
21) = 1 THEN A = 24 : GOTO 950 ELSE 2
220
760 IF A$ = "STA" AND A = 24 THEN IF H(
25) = 1 THEN A = 4 : GOTO 950 ELSE 22
20
770 IF A$ = "DUM" AND A = 25 THEN IF B
= 0 THEN A = 21 : GOTO 950 ELSE PRINT
"SOMETHING WON'T FIT." : GOTO 560
780 IF A$ = "REF" AND A = 25 THEN PRINT
"GAG, GASP, COUGH, BELCH... I SUFFOC
ATED!" : GOTO 2280
790 IF A$ = "CLO" AND A = 28 THEN A = 3
2 : GOTO 950
800 IF A$ = "WIN" AND A = 31 THEN A = 3
5 : GOTO 950
810 IF A$ = "TRE" AND A = 31 THEN IF H(
38) = 1 THEN A = 48 : GOTO 950 ELSE P
RINT "I CAN'T. THE TREE'S TOO UNSTABL
E." : GOTO 560
820 IF A$ = "DOO" AND A = 34 THEN A = 3
0 : GOTO 950
830 IF A$ = "WIN" AND A = 35 THEN A = 3
1 : GOTO 950
840 IF A$ = "BUS" AND (A = 36 OR A = 38
) THEN A = 37 : GOTO 950
850 IF A$ = "MAN" AND A = 36 THEN IF LE
FT$(D$(52), 4) = "DEAD" THEN A = 34 :
GOTO 950 ELSE PRINT "THE DOG WON'T L
ET ME." : GOTO 560
860 IF A$ = "GAT" AND A = 37 THEN A = 3
6 : GOTO 950
870 IF A$ = "TER" AND A = 37 THEN A = 3
8 : GOTO 950
880 IF A$ = "CLO" AND A = 39 THEN IF LE
FT$(D$(62), 2) = "UN" THEN A = 40 : G
OTO 950 ELSE 2220
890 IF A$ = "TOI" AND A = 40 THEN PRINT
"AH... I FEEL RELIEVED!" : GOTO 560
900 IF A$ = "DUM" AND A = 44 THEN IF B
= 0 THEN A = 43 : GOTO 950 ELSE PRINT
"SOMETHING WON'T FIT." : GOTO 560
910 IF A$ = "FLO" AND A = 46 THEN IF H(
38) = 1 THEN A = 48 : GOTO 950 ELSE P
RINT "I CAN'T, THERE'S NOTHING ON THE
OTHER SIDE." : GOTO 560
920 IF A$ = "DOO" AND A = 47 THEN PRINT
"COW WON'T LET ME." : GOTO 560
930 IF A$ = "CEI" AND A = 48 THEN A = 4
6 : GOTO 950
940 PRINT "I CAN'T GO IN THAT DIRECTION
." : GOTO 560
950 PRINT "OK." : GOTO 560
960 IF A$ = "INV" THEN 1040
970 GOSUB 2200
980 IF I = 38 AND A = A(I) AND H(I) = 1
THEN PRINT "I CAN'T, IT'S BOLTED TO
THE FLOOR." : GOTO 560
990 IF I = 76 AND A = A(I) AND H(I) = 1
THEN PRINT "I CAN'T, THEY'RE FASTENE
D TO HIS FACE." : GOTO 560
1000 IF B = 6 THEN PRINT "I'M CARRYING
TOO MUCH. I'M NOT A FORKLIFT!" : GOT
0 560
1010 IF A(I) <> A OR H(I) = 0 THEN 2230
1020 IF H(I) = 1 THEN PRINT "I'M TOO WI
MPY TO DO THAT." : GOTO 560 ELSE IF I
= 45 AND H(46) = 0 THEN PRINT "I HEA
R A JINGLE." : H(46) = 2 : A(I) = 0 :
B = B + 1 : GOTO 560
1030 A(I) = 0 : B = B + 1 : PRINT "OK."
: GOTO 560
1040 PRINT : PRINT "I AM CARRYING THE F
OLLOWING:"
1050 IF B = 0 THEN PRINT "NOTHING AT AL
L." : GOTO 560
1060 FOR I = 0 TO 83
1070 IF A(I) > 0 THEN 1100
1080 IF 60 - POS(0) < LEN(D$(I)) THEN P
RINT
1090 PRINT D$(I)". ";
1100 NEXT : PRINT : GOTO 560
1110 GOSUB 2200
1120 IF A(I) > 0 THEN PRINT "I'M NOT CA
RRYING IT." : GOTO 560
1130 PRINT "IN ONE WORD TELL ME WHAT TO
THROW IT AT."
1140 GOSUB 2000
1150 GOSUB 2200
1160 G = I : PRINT@ 960,; : INPUT " --
-----> TELL ME WHAT TO DO"; E$
1170 GOSUB 2200
1180 IF A(I) <> A OR H(I) = 0 THEN 2230
ELSE IF LEFT$(E$, 3) = "DOG" AND H(5
2) = 1 THEN PRINT "DOG CONSUMES IT AN
D BURPS." : A(G) = A : H(G) = 0 : B =
B - 1 : GOTO 560
```

LETTER-PERFECT PRINTER DOUBLES AS DATA CRUNCHER.



Print two ways...correspondence quality and high speed data processing.

The new T-1805 dual purpose serial printer uses a unique 40 x 18 matrix dot pattern for high quality correspondence printing; or, flip a switch, it uses a 7 x 9 matrix for high speed data processing printing. In the high speed mode, it generates reports at time-saving throughput rates reaching 200 lines per minute. In the reduced speed correspondence mode, its pivoting print head lays down overlapping dots to create a letter-perfect character that looks like it came from an office typewriter.

The T-1805 is the latest evolution in the popular and proven T-1000 series of serial printers. As such, the

T-1805 offers the same quality construction, high reliability, ease of operation and operator conveniences. Plus, for the benefit of the office crew, the T-1805 is exceptionally quiet. Its 53 dbA noise level ranks it as the quietest impact printer on the market.

There's much more to tell, so visit or call your Mannesmann Tally sales outlet today.

Mannesmann Tally, 8301 South 180th Street, Kent, WA 98031. Phone (206) 251-5524.

Printers for the long run.

**MANNESMANN
TALLY**



Fun-n-games

```
1190 A(G) = A : B = B - 1 : PRINT "OK."
      : GOTO 560
1200 GOSUB 2200
1210 IF A(I) > 0 THEN PRINT "I'M NOT CA
      RRYING IT." : GOTO 560
1220 A(I) = A : B = B - 1 : PRINT "OK."
      : GOTO 560
1230 GOSUB 2200
1240 IF A(65) > 0 THEN 2220
1250 IF I = 65 THEN 2240
1260 IF I = 81 THEN PRINT "I CAN'T, COW
      S ARE IMMUNE TO BB'S." : GOTO 560
1270 IF A <> A(I) THEN 2230
1280 PRINT "PLINK!"
1290 IF I = 52 THEN D$(I) = "DEAD GUARD
      DOG" : H(I) = 2
1300 IF I = 57 THEN D$(I) = "DEAD BUSDR
      IVER" : H(I) = 2
1310 GOTO 560
1320 GOSUB 2200 : IF A <> A(I) OR H(I)
      = 0 THEN 2230
1330 IF I = 64 THEN PRINT "SQUEAK!" : D
      $(42) = "SPRINKLER" : H(42) = 2 : H(4
      3) = 2 ELSE PRINT "NOTHING HAPPENS."
1340 GOTO 560
1350 IF A = 35 AND (A$ = "" OR A$ = "DO
      W" OR A$ = "LED") THEN PRINT "SPLAT!"
      : GOTO 2280 ELSE PRINT "I CAN'T GO I
      N THAT DIRECTION." : GOTO 560
1360 GOSUB 2200
1370 IF I = 20 AND H(21) = 0 THEN IF A
      = A(I) THEN PRINT "THERE'S A STRANGE
      NOISE." : H(21) = 1 : GOTO 560
1380 IF I = 23 AND H(25) = 0 THEN IF A
      = A(I) THEN PRINT "THERE'S A STRANGE
      NOISE." : H(25) = 1 : GOTO 560
1390 IF I = 45 AND H(46) = 0 THEN IF A
      = A(I) THEN PRINT "I HEAR A JINGLE."
      : H(46) = 2 : GOTO 560
1400 PRINT "OK." : GOTO 560
1410 GOSUB 2200 : IF A <> A(I) AND A(I)
      <> 0 OR H(I) = 0 THEN 2230
1420 IF I = 24 AND D$(24) = "DRAWER" TH
      EN H(22) = 2 : D$(24) = "OPEN DRAWER"
      : GOTO 1480
1430 IF I = 48 AND D$(48) = "MAILBOX" T
      HEN H(53) = 2 : H(54) = 2 : H(55) = 2
      : D$(48) = "OPEN MAILBOX" : GOTO 148
      0
1440 IF I = 74 AND A = 45 THEN IF D$(74
      ) = "CLOSED DOOR" THEN H(75) = 1 : PR
      INT "I HEAR A DULL THUD." : D$(74) =
      "OPEN DOOR WITH BRICK WALL BEYOND" :
      GOTO 560 ELSE PRINT "IT'S ALREADY OPE
      N!" : GOTO 560
1450 IF I = 78 AND D$(78) = "CHEST" THE
      N H(79) = 2 : D$(78) = "OPEN CHEST" :
      GOTO 1480
1460 IF I = 37 AND NOT(D) THEN PRINT "O
      PENING AN UMBRELLA INSIDE IS BAD LUCK
      !" : PRINT "A SECRET DOOR OPENS BELOW
      ME... I SLIDE DOWN A RAZOR BLADE" :
      PRINT "INTO A POOL OF ALCOHOL." : GOT
      0 2280
1470 PRINT "NOTHING HAPPENS." : GOTO 56
      0
1480 PRINT "SOMETHING FALLS OUT." : GOT
      0 560
1490 GOSUB 2250 : GOTO 560
1500 GOSUB 2200
1510 IF I <> 7 THEN 2240
1520 FOR I = 0 TO 83 : IF A(I) = 0 AND
      LEFT$(D$(I), 1) = "*" THEN A(I) = A :
      H(I) = 0 : B = B - 1 : PRINT "WHIRRR
      ! BUZZ SAW RIPS THE "D$(I) : PRINT "
      RIGHT OUT MY HANDS AND DESTROYS IT!"
      : GOTO 560
1530 NEXT : PRINT "BUZZ SAW TURNS ON FO
      R A MOMENT... THEN STOPS." : GOTO 560
1540 IF A$ <> "LOC" THEN 2240
1550 IF A(55) <> 0 OR A <> 4 THEN 2220
1560 PRINT "OK." : D$(9) = "UNLOCKED ME
      TAL DOOR" : D$(10) = "UNLOCKED METAL
      DOOR" : GOTO 560
1570 GOSUB 2200 : IF A(I) <> A AND A(I)
      <> 0 OR H(I) = 0 THEN 2230 ELSE IF I
      <> 30 THEN PRINT "I CAN'T, IT'S UNBR
      EAKABLE." : GOTO 560
1580 IF A(3) = 0 AND (A(30) = 0 OR A(30
      ) = A) AND D$(30) = "PIGGY BANK" THEN
      PRINT "SMASH! I HEAR A JINGLE." : H
      (32) = 2 : A(32) = A : D$(30) = "PIEC
      ES OF BROKEN PIGGY BANK" : A$(30) = "
      PIE" ELSE 2220
1590 GOTO 560
1600 GOSUB 2200 : IF I <> 32 THEN 2240
1610 IF A = 39 AND A(32) = 0 THEN PRINT
      "DOOR FLIES OPEN!" : D$(62) = "UNLOC
      KED WATER CLOSET" : A(32) = 39 : H(32
      ) = 0 : B = B - 1 ELSE 2220
1620 GOTO 560
1630 GOSUB 2200 : GOTO 2240
1640 GOSUB 2200 : IF I <> 38 THEN PRINT
      "IT ISN'T BOLTED." : GOTO 560
1650 IF A = 31 AND A(5) = 0 THEN PRINT
      "OK." : H(38) = 2 : H(39) = 2 : GOTO
      560 ELSE 2220
1660 GOSUB 2200 : IF A(I) <> A AND A(I)
      <> 0 OR H(I) = 0 THEN 2230
```

```

1670 IF I = 73 THEN PRINT "BURP... BOY
    AM I PLASTERED!" : GOTO 560 ELSE PRIN
    T "YUCK!" : GOTO 560
1680 GOSUB 2200 : IF A(I) <> A AND A(I)
    <> 0 OR H(I) = 0 THEN 2230
1690 IF A(79) <> 0 THEN PRINT "I DON'T
    HAVE A MATCH." : GOTO 560
1700 IF I = 8 OR I = 73 THEN PRINT "KAB
    OOM! MY BODY IS BLOWN INTO SMALL UNR
    ECOGNIZABLE PIECES." : B = B - 2 : A(
    I) = A : H(I) = 0 : A(79) = A : H(79)
    = 0 : GOTO 2280
1710 IF I = 79 THEN PRINT "MATCH FLARES
    UP BRIEFLY... THEN DISINTEGRATES." :
    B = B - 1 : A(79) = A : H(79) = 0 :
    GOTO 560
1720 PRINT "IT WON'T BURN." : GOTO 560
1730 GOSUB 2200 : IF A(I) <> A OR H(I)
    = 0 THEN 2230
1740 IF I = 76 THEN PRINT "OK." : H(I)
    = 2 : A(I) = 0 : B = B + 1 : GOTO 560
    ELSE PRINT "NOTHING HAPPENS." : GOTO
    560
1750 GOSUB 2200 : IF A(I) <> A AND A(I)
    <> 0 OR H(I) = 0 THEN 2230
1760 IF I = 1 OR I = 18 OR I = 69 OR I
    = 53 OR I = 54 OR I = 61 THEN PRINT "
    MAYBE I SHOULD READ IT?" : GOTO 560
1770 IF I = 2 OR I = 29 OR I = 72 OR I
    = 9 OR I = 10 OR I = 47 OR I = 82 OR
    I = 11 OR I = 25 OR I = 21 OR I = 26
    OR I = 35 OR I = 62 OR I = 31 THEN PR
    INT "THERE'S SOMETHING THERE... MAYBE
    I SHOULD GO THERE?" : GOTO 560
1780 IF I = 40 OR I = 51 OR I = 58 OR I
    = 56 OR I = 60 OR I = 59 OR I = 38 O
    R I = 80 OR I = 83 OR I = 66 THEN PRI
    NT "THERE'S SOMETHING THERE... MAYBE
    I SHOULD GO THERE?" : GOTO 560
1790 IF I = 75 AND H(77) = 0 THEN H(76)
    = 1 : H(77) = 2 : GOTO 1860
1800 IF I = 33 AND H(34) = 0 THEN H(34)
    = 2 : GOTO 1860
1810 IF I = 27 AND H(28) = 0 THEN H(28)
    = 2 : GOTO 1860
1820 IF I = 30 THEN PRINT "IT LOOKS BRE
    AKABLE." : GOTO 560
1830 IF I = 46 THEN PRINT "IT'S A KEY T
    O AN EDSEL." : GOTO 560
1840 IF I = 42 AND H(43) = 0 THEN 1860
1850 PRINT "I SEE NOTHING SPECIAL." : G
    OTO 560
1860 PRINT "THERE'S SOMETHING THERE." :
    GOTO 560
1870 GOSUB 2200 : IF A(I) <> A AND A(I)
    <> 0 OR H(I) = 0 THEN 2230
1880 IF I = 1 OR I = 18 OR I = 69 THEN
    PRINT "MAXIMUM CAPACITY: 1 PERSON OR
    175 POUNDS." : GOTO 560
1890 IF I = 53 THEN PRINT "DEAR LORD,"
    : PRINT "HAVING A GREAT TIME, WISH YO
    U WERE HERE." : GOTO 560
1900 IF I = 54 THEN PRINT "NOTE FROM TH
    E POST OFFICE:" : PRINT "POSTAGE DUE:
    42 CENTS." : GOTO 560
1910 IF I = 61 THEN PRINT "YOUR MISSION
    IS TO REPOSSESS THE 13 *TREASURES* O
    F LORD HOG" : PRINT "JOWL AND STORE T
    HEM IN A PREDETERMINED PLACE... GOOD
    LUCK!" : GOTO 560
1920 PRINT "I CAN'T, IT'S ILLEGIBLE." :
    GOTO 560
1930 ON A GOTO 1950, 1950, 1960, 1960,
    1950, 1950, 1950, 1950, 1950, 1950, 1
    950, 1950, 1950, 1950, 1950, 1950, 19
    50, 1950, 1950, 1950, 1950, 1950, 197
    0, 1970
1940 ON A--24 GOTO 1950, 1950, 1950, 1
    950, 1950, 1950, 1950, 1950, 1950, 19
    50, 1950, 1980, 1950, 1980, 1990, 195
    0, 1950, 1950, 1950, 1950, 1950, 1950
    , 1980, 1950
1950 PRINT "TRY EXAMINING THINGS." : GO
    TO 560
1960 PRINT "I'M PRETTY GOOD AT PICKING
    LOCKS." : GOTO 560
1970 PRINT "I USED TO BE A -MOVING- MAN
    ." : GOTO 560
1980 PRINT "I'M A PRETTY GOOD MARKSMAN.
    " : GOTO 560
1990 PRINT "IT'S A PAY TOILET." : GOTO
    560
2000 FOR I = 2 TO 962 STEP 64 : C = PEE
    K(I + 15360) : PRINT@ I - 2, CHR$(30)
    ; : IF C = 45 THEN 2010 ELSE NEXT
2010 PRINT CHR$(28)"I AM "; : IF LEFT$(
    C$(A), 1) = "*" THEN PRINT RIGHT$(C$(
    A), LEN(C$(A)) - 1); : D = - 1 ELSE P
    RINT C$(A); : D = 0
2020 FOR I = 0 TO 83 : IF A(I) = A AND
    H(I) > 0 THEN 2030 ELSE NEXT : GOTO 2
    090
2030 PRINT " VISIBLE ITEMS:" : PRINT
2040 FOR I = 0 TO 83
2050 IF A(I) <> A OR H(I) = 0 THEN 2080

2060 IF 60 - POS(0) < LEN(D$(I)) THEN P
    RINT
2070 PRINT D$(I)". ";
2080 NEXT
2090 PRINT

```

Fun-n-games

```

2100 F$ = ""
2110 IF B(A) > 0 THEN F$ = "NORTH "
2120 IF C(A) > 0 THEN F$ = F$ + "SOUTH
"
2130 IF D(A) > 0 THEN F$ = F$ + "EAST "
2140 IF E(A) > 0 THEN F$ = F$ + "WEST "
2150 IF F(A) > 0 THEN F$ = F$ + "UP "
2160 IF G(A) > 0 THEN F$ = F$ + "DOWN "

2170 IF F$ = "" THEN 2190
2180 PRINT : PRINT "SOME OBVIOUS EXITS
ARE: "F$
2190 PRINT C$; : RETURN
2200 FOR I = 0 TO 83 : IF A$(I) = LEFT$(
E$, 3) THEN H = I : IF A(I) = A OR A
(I) = 0 THEN RETURN
2210 NEXT : I = H : IF A$(I) = LEFT$(E$
, 3) THEN RETURN ELSE PRINT "I DON'T
KNOW WHAT " CHR$(34)E$ CHR$(34)" IS."
: GOTO 560
2220 PRINT "I CAN'T DO THAT... YET!" :
GOTO 560
2230 PRINT "I DON'T SEE IT HERE." : GOT
O 560

```


```

2240 PRINT "I MUST BE STUPID, BUT I DON
'T UNDERSTAND WHAT YOU MEAN." : GOTO
560
2250 E = 0 : FOR I = 0 TO 83 : IF A(I)
= 40 AND LEFT$(D$(I), 1) = "*" THEN E
= E + 1
2260 NEXT : F = E * 100/13 : PRINT "YOU
STORED"E"TREASURES. ON A SCALE OF 0
TO 100 THAT RATES"*STR$(F)".";
2270 IF E = 13 THEN PRINT "EXCELLENT!
YOU HAVE COMPLETED THIS ADVENTURE." :
GOTO 2310 ELSE PRINT : RETURN
2280 PRINT "I'M DEAD." : PRINT "MY BODY
TELEPORTS ELSEWHERE."
2290 PRINT "I SINCERELY HOPE I CAN FIND
MY WAY OUT OF HERE. I DON'T" : PRIN
T "THINK I CAN STAND IT MUCH LONGER!"
: A = 41 : GOTO 560
2300 GOSUB 2250
2310 PRINT "THIS ADVENTURE IS OVER."
2320 GOSUB 2000 : PRINT@ 960,; : INPUT
"DO YOU WANT TO PLAY THIS ADVENTURE A
GAIN"; G$
2330 IF LEFT$(G$, 1) = "Y" THEN GOSUB 2
000 : RUN ELSE IF LEFT$(G$, 1) = "N"
THEN CLS : END ELSE 2320

```


Circle # 43

Accessing the TRS-80* ROM...



← or →

It's your choice:
do it the hard way, or
get the information you need from



THE BOOK VOLUME I & II

Comprehensive Guide to TRS-80* Assembly Language Routines

Each Volume Priced At \$14.95 Plus \$1.50 Shipping/Handling
VA residents add 4% tax • Foreign: send U.S. funds, add \$4 ea. for overseas delivery

*Trademark of Tandy Corp.

VOLUME I

The most complete book yet on the math routines of the BASIC ROM, Models I & III. Contains a wealth of detail about integer, single and double precision formats, advanced math, data manipulation, and assembly language interfacing, with examples. Includes commented listing (0708H-1607H), plus a highly detailed map of the ROM and reserved RAM.

INSIDERS SOFTWARE CONSULTANTS, INC.

P.O. Box 7086, Dept. U 3 • Alexandria, VA 22307

Please send THE BOOK: Volume I Volume II

Name _____

Address _____

City _____ State _____ Zip _____

Enclosed is check M.O. for \$ _____

Charge to my VISA MasterCard Bank Code _____

Exp. date: _____ Card No. _____

Signature _____

VOLUME II

Packed full of useful information on the model I input/output routines, with detailed listings to illustrate the commented source code. Learn to control and manipulate the keyboard, video, printer port, and cassette port. Essential for assembly language programmers, you can write your own routines or use the many programming examples included.

Z-subs revisited

Now it's Z-language for all TRS-80 models

Spencer Hall

Z-Language

You may have seen and even (I hope) used my nine Z-Subroutines which appeared in *80-U.S.* a year ago. If you did they you probably realized that there were bound to be more. You were absolutely right. Lazy programmer that I am, I had to have an easy way to do several common but elegant things in my BASIC programs without reinventing the wheel each time. The repertoire has grown to where it has to be called Z-Language because, at this stage of the game, it's like a full scale enhancement of Level II BASIC. Take a quick look at the Z-Language Summary and then come back here to read how they operate.

O.K. Some pretty elegant functions...yes? In case you missed the first article, here's how they work. You load them from tape, Stringy Floppy wafer, etc. when you start to program and statement 0 simply jumps over them to line 200 where your program actually starts. When you need one of the neat things that are described in the "Function" column of the summary, you simply call it with a GOSUB. If the function description mentions one of the Z-variables, you preface your call with a definition of that variable.

To see how this works, just type in the first two lines, number 0 and 1. Now write the following:

```
200 CLS: ZT$="GOOD MORN-
    ING, FOLKS":GOSUB 1
```

Run that and watch subroutine #1 center your message on the top line. If you want to see your centered message hang on the screen until you touch a key, type in statement #9. Now add a line to your program like this:

```
210 GOSUB 9
```

When you run that program your message...which might be something different from what we suggested, of course...will simply hang there on the blank screen until you touch a key. That's just the beginning. After you've run this two liner and come back to BASIC and before you LIST or EDIT anything, enter (in COMMAND mode) ?Z\$. Hey, that's the key you hit...if it was a character and not a control key. If it was a digit from 0 thru 9, try asking ?ZZ. That's a true number, not a string character. See the possibilities? Get fast action on IF Z=type statements. The Z-80 microprocessor will test ten or fifteen of these in a fraction of a second and you can get a different branch with every one...without having to ENTER a response.

We've discussed just one subroutine to give you the general idea. Type yourself a few and try

them with mini-programs or even in the command mode. The results will amaze you. When you test the screen boxes, #31, and #32, be sure to end your mini-program with a GOSUB 9 so you won't ruin the shape you have produced. Several other subroutines return useful information, like ZO which is the address where the centered line was written by #11. Some of the printer subroutines may not work because printers are notoriously non-standardized. Your assignment, if you care to accept it, is to "translate" those that don't work into your printer's "native" language.

Note that some of the Z-variables are mnemonic and get used over and over: ZT\$, ZL, ZT, etc. Make your own subroutines. We've left plenty of room below 200. Define the variables differently in each of them and then call some Z-Language. This multiplies the versatility of your "package" manyfold.

For a good look at Z-Language in action study the program listing for the Exatron Label Writer which is also in this issue. In particular, look at line 910 of that program to see two GOSUB 9 returning a line number touched by the user for instantaneous labeling of the text input box without the use of the ENTER key.

You may want to copy some, but not all, of the subroutines we have

BASIC technique

listed. The first nine are basic (no pun!) and the second nine include several which are needed in order not to mess up the boxes created by #31 and #32...which you really ought to have. The flicker routines, numbers 43 and 44 are useful in teaching programs to signal "RIGHT" or "WRONG" after the student has answered a question. The number conversions, #50 and

#51 are great if you are writing various kinds of monitors with PEEK statements. Type a few at a time and record them. Keep your numbers the same as ours or confusion can easily develop.

The elegant way to do this is to have them on a five-foot Stringy Floppy wafer. When you get the urge to program, ZAP! You're in Z-Language in just a few seconds.

By the time this appears in print, you should be able to get these from the Exatron Stringy Floppy Owners Association for the cost of one wafer. This will save you the trouble of copying them. ESFOA will be on the lookout for other subroutines to fit in all those missing numbers and we'll all be elegant program stylists with no effort at all. Disgusting isn't it? ■

Z-Language Summary

GOSUB 29 does not apply to the Model II or Color Computer.

#	Lines	Function			
1	—	Centers text ZT\$ on current line	23	26, 142	Centers a string of ZN characters ZC\$ on the line
2	—	Centers text ZB\$ on bottom line			
3	142	Prints line of 64 of character ZC\$ on current line	24	23, 26, 141, 142	Centers a string of ZN graphics blocks ZG on the line
4	3, 141, 142	Prints line of 64 of graphics block ZG on current line	25	—	Feeds paper for ZN lines
5	—	Places cursor at start of line ZL	26	—	Sets printers for 64-character line (8 space margins).
6	—	Erases screen below line ZP and returns cursor to start of line ZP+			
7	—	"Freezes" screen for ZS seconds			
8	9	Prints message "HIT ANY KEY TO PROCEED" on current line and "freezes" screen until user responds	29	101-105	Causes printer to reproduce the entire image on the screen.
9	—	"Freezes" screen until user responds until user hits a key. Defines Z\$(key hit). Also, if key is a single digit (0-9), defines ZZ as this number.	31	111-114	Draws a single line box around the extreme outer edge of the screen.
11	—	Centers text ZT\$ on line ZL and defines ZO as the PRINT @ address for the start position of ZT\$	32	106-110 and 114	Draws a double line box around the extreme edge of the screen
12	2, 5	Same as #2 above but returns cursor immediately to start of line ZL.	41	115-119	Prints text ZT\$ at tab position, ZT on line ZL surrounded by a single line box
13	3, 5	Same as #3 above but writes the 64-character string on line ZL.	42	—	Erases the contents of the box drawn by #41 but leaves the box
14	4, 5	Same as #4 above but writes the 64 graphics string on line ZL	43	120-122	Causes text ZT\$ to flicker on and off at the center of the screen. Number of "on" flickers is set by value assigned to ZF and the time of each appearance is set by the value assigned to ZD. Default values are: ZF= and ZD=20.
15	—	Places cursor at tab position ZT on line ZL	44	120-122	Same as #43 except that the text flickers at tab position ZT on line ZL
16	—	Erases the screen from the top thru line ZE and returns cursor to top of the screen	51	124-134	Accepts a decimal value D and returns its hexadecimal equivalent as H\$
18	9	Same as #8 above except that the message appears on the bottom line	52	136-140	Accepts a hexadecimal number H\$ and returns its decimal equivalent as D
17	—	"Freezes" screen for ZS seconds and counts time with the message, "(n) SECONDS" at tab position, ZT on line ZL			
19	—	Prints text ZT\$ at tab position, ZT on line ZL and defines ZO as the PRINT @ address for the start of text ZT\$			

NOTE: The following printer subroutines use the TRS-80 mode control codes native to the Okidata Micro-line 80.


21	26	Centers text ZT\$ on a 64-character line using normal (10 per inch) characters
22	26	Centers text ZT\$ on a 32-character line using large (5 per inch) characters and returns printer to normal (10 per inch) characters

Z-Language listing for Model I and III

```

0 CLEAR 500:CLS:GOTO 200
1 PRINTTAB((64-LEN(ZT$))/2)ZT$:RETURN
2 Z=960+(64-LEN(ZB$))/2:PRINT@Z,ZB$;:RE
TURN
3 GOSUB 142:PRINTTAB((64-ZN)/2)STRING$(
ZN,ZC$);:RETURN
4 GOSUB 141:GOTO 3
5 PRINT@ 64*ZL,;:RETURN

```



More powerful programming tools for the TRS-80.™ Now on disk.

Better results. Microsoft's Level III BASIC and Editor/Assembler-Plus are programming tools that help you write complex programs in less time, with less effort and utilizing less memory. Better programs. No matter what your programming skill. And for the first time these tools are available on disk.

Editor/Assembler-Plus. A powerful editing, assembly and debugging tool with many sophisticated features that make writing TRS-80 assembly language programs easier, faster and more efficient.

- Full disk capabilities.
- Assembly directly into memory. No need to save object code then reload for execution.
- Macro capability that allows you to define macros for commonly used sequences of instructions.
- Conditional assembly that allows you to generate more than one version of a program.
- Eight breakpoints at a time for program debugging.
- The INCLUDE statement that allows you to call additional disk files for assembly.
- Other features include extensive operators, automatic origin, symbol table printout, quash command, hex, decimal and octal constants, single step-through instructions in memory, five type-out modes, four type-in radices, plus extensive edit commands.

A more powerful BASIC. With Level III BASIC, you get power to perform tasks in BASIC that used to require assembly language. Plus, new ease-of-use features for your TRS-80.

- Advanced graphics. Develop charts, graphs, even animation in Level III BASIC. Draw a line, an outline box or

a solid box by specifying just two points. Then save and recall it with BASIC commands.

- MENU. One command that allows you to construct an entire menu.
- CHAIN and COMMON commands allow you to call another program and pass variables to it.
- Powerful editing commands such as COPY/TRANSFER, FIND and CHANGE.
- DUMP command that makes debugging easier.
- Time-limit response. New INPUT # LEN and LINE INPUT # LEN commands allow you to set a time limit on response.
- RS-232 output from BASIC. With a single command.
- More. Level III gives you automatic line numbering, 26 user-definable single stroke instructions, and more.

Disk or cassette. Disk versions of Level III and Editor/Assembler-Plus are brand new. Cassette versions are also available with many of the same capabilities.

Talk to your Microsoft™ dealer. Ask for a demonstration of two of the most powerful tools you can get for your TRS-80: Level III BASIC and Editor/Assembler-Plus. On disk or cassette. From Microsoft.

TRS-80 is a trademark of Radio Shack, a division of Tandy Corporation. Microsoft is a trademark of Microsoft, Inc. Microsoft Consumer Products is a division of Microsoft, Inc.

MICROSOFT

CONSUMER PRODUCTS

400 108th Ave. N.E., Bellevue, WA 98004. (206) 454-1315

BASIC technique

```
6 PRINT@ 64*(ZP+1),,;:FOR Z=1 TO 14-ZP:P
RINTSTRING$(64," ");:NEXT:PRINT@ 64*(
ZP+1),,;:RETURN
7 FOR ZZ=1 TO 345*ZS:NEXT ZZ:RETURN
8 PRINTTAB(21)"TO PROCEED HIT ANY KEY"
9 Z$=INKEY$:IF Z$="" THEN 9 ELSE ZZ=VAL(Z
$):RETURN
10 '-----THE NINE (NEARLY) SIMILAR Z-S
UBROUTINES-----'
11 ZO=64+64*ZL-LEN(ZT$)/2-32:PRINT@ ZO,
ZT$;:RETURN
12 GOSUB 2:GOTO 5
13 GOSUB 5:GOTO 3
14 GOSUB 5:GOTO 4
15 Z=64*(ZL-1)+ZT:PRINT@Z,,;:RETURN
16 PRINT@ 0,,;:FOR Z=0 TO ZE:PRINTSTRING
$(64," ");:NEXT Z:PRINT@ 0,,;:RETURN
17 N=1:FOR Z=1 TO ZS:FOR ZZ=1 TO 300:NE
XT ZZ:PRINT@ZL*64+ZT,N "SECONDS";:N=N
+1:NEXT Z:RETURN
18 PRINT@981,"TO PROCEED HIT ANY KEY";:
GOTO 9
19 ZO=ZL*64+ZT:PRINT@ ZO,ZT$;:RETURN
20 '-----PRINTER Z-SUBROUTINES-----'
21 GOSUB 26:Z=(64-LEN(ZT$))/2:LPRINTTAB
(Z)ZT$:RETURN
22 GOSUB 26:Z=(32-LEN(ZT$))/2:LPRINTCHR
$(31):LPRINTTAB(Z)ZT$:LPRINTCHR$(30):
RETURN
23 GOSUB 26:GOSUB 142:LPRINTTAB((64-ZN)
/2)STRING$(ZN,ZC$):RETURN
24 GOSUB 141:GOTO 23
25 FOR Z=1 TO ZN:LPRINT" ":NEXT Z:RETUR
N
26 LPRINTCHR$(27)CHR$(66):RETURN
29 GOTO 101
30 '-----BOX BORDER Z-SUBROUTINES-----
-'
31 GOTO 111 '-----SINGLE LINE BORD
ER-----'
32 GOTO 106 '-----DOUBLE LINE BORD
ER-----'
40 '-----"SPECIAL MESSAGE" Z-SUBROUTIN
ES-----'
41 GOTO 115
'-----TEXT BOX-----'
42 PRINT@PZ-1,STRING$(Z+2," ");:RETURN
'-----ERASE BOX-----'
43 Z=480-LEN(ZT$)/2:GOTO 120 '-----CE
NTER-SCREEN FLICKER-----'
44 Z=64*(ZL-1)+ZT-1:GOTO 120 '-----
-FLICKER @ ZT ON ZL-----'
50 '-----MATHEMATICAL Z-SUBROUTINES----
----'
51 GOTO 124 '-----CONVERT DECIMAL
TO HEX.-----'
52 GOTO 136 '-----CONVERT HEX. TO
DECIMAL-----'
100 '-----REFERRED ROUTINES BEGIN HERE
-----'
101 GOSUB 26
102 FOR Z=15360 TO 16383
103 IF PEEK(Z)<27 C=PEEK(Z)+64:GOTO 105
104 C=PEEK(Z)
105 LPRINTCHR$(C);:NEXT Z:RETURN
106 TZ$=CHR$(191)+CHR$(131)+STRING$(60,
179)+CHR$(131)+CHR$(191)
107 MZ$=CHR$(191)+CHR$(128)+CHR$(191)+S
TRING$(58,128)+CHR$(191)+CHR$(128)+CH
R$(191)
108 BZ$=CHR$(191)+CHR$(176)+STRING$(60,
179)+CHR$(176)
109 PRINT TZ$;
110 FOR N=1 TO 14:PRINT MZ$;:NEXT:PRINT
BZ$;:GOTO 114
111 PRINTCHR$(191);:PRINTSTRING$(62,CHR
$(131));:PRINTCHR$(191);
112 FOR N=1 TO 14:PRINTCHR$(192);:PRINT
CHR$(191);:PRINTCHR$(254);:PRINTCHR$(
191);:NEXT
113 PRINTCHR$(191);:PRINTSTRING$(62,CHR
$(176));
114 POKE16383,191:RETURN
115 Z=LEN(ZT$):IF Z=0 THEN PZ=64*ZL-Z/
2-32 ELSE PZ=64*(ZL-1)+ZT-1
116 TZ$=CHR$(188)+STRING$(Z+2,140)+CHR$(
188)
117 BZ$=STRING$(Z+4,131)
118 PRINT@ PZ,ZT$;
119 PRINT@ PZ-66,TZ$;:PRINT@ PZ-2,CHR$(
191);:PRINT@ PZ+Z+1,CHR$(191);:PRINT@
PZ+62,BZ$;:RETURN
120 ZJ=LEN(ZT$):IF ZD=0 ZD=20
121 IF ZF=0 ZF=3
122 FOR D=1 TO ZD:PRINT@Z,ZT$;:FOR F=1
TO ZF:NEXT F:PRINT@Z,STRING$(ZJ," ");
:FOR F=1 TO ZF:NEXT F:NEXT D:RETURN
124 DEFINT H
125 H1=D/4096:I=D-H1*4096:H2=I/256:I=I-
H2*256:H3=I/16:H4=I-H3*16
126 IF H1>9 H1=H1+55 ELSE H1=H1+48
127 IF H2>9 H2=H2+55 ELSE H2=H2+48
128 IF H3>9 H3=H3+55 ELSE H3=H3+48
129 IF H4>9 H4=H4+55 ELSE H4=H4+48
132 H$=CHR$(H1)+CHR$(H2)+CHR$(H3)+CHR$(
H4):IF LEFT$(H$,2)="00" H$=RIGHT$(H$,
2)
133 IF LEFT$(H$,1)="0" H$=RIGHT$(H$,3)
134 RETURN
136 N=LEN(H$):M=N+1:FOR J=1 TO N:D$(J)=
MID$(H$(M-J),1):NEXT
```



FED UP WITH PATCHES? THEN MOVE UP TO PROSOFT'S NewScript:

- * Easy-to-use Full Screen Editing
 - * Headings, Page Numbering, Centering
 - * Global Search and Change
 - * Table of Contents, Indexing
 - * All 12 MX-80 fonts + underlining
 - * Italics on GRAFTRAX MX-80
 - * Supports Diablo, Microline, Anadex
 - * Typehead—never loses keystrokes
 - * Form Letters, Big Documents
 - * Double Width, Underlining
 - * Sub-scripts, Super-scripts †
 - * Proportional font right-margin justification on 737, 739, L.P. IV, and now R/S Daisywheel II
 - * 160 pages of excellent documentation includes "EZEDIT", "EZSCRIPT", self-study tutorial, and hundreds of examples
 - * see review in Computronics, July 1981
 - * runs under TRSDOS, NEWDOS, NEWDOS/80, LDOS, DOSPLUS
 - * Requires 48K TRS-80 with one disk drive. Specify Model I or Model III
- †Some features work only if your printer has the mechanical capability.

NewScript
Mailing Labels Option
Special: New Script + Labels


\$ 99.95
\$ 29.95
\$115.00

RPM


RPM measures the rotational speed and variation of your disk drives, and reveals a common cause of unexplained errors. Simple one-key operation, runs under any DOS, interchangeable between Models I and III. Shows current and average speeds, plus fluctuation history. Recovers from severe errors. Documentation explains how to adjust drives. Use RPM monthly for best results.

32-48K Model I or III disk:

\$24.95



FASTER



Monitors your BASIC programs while they run, then displays a simple change (usually one line) that can reduce run-times by as much as 50%. No hardware changes, and handles programs that cannot be compiled! Complex programs benefit the most. See review in Personal Computing, May, 1981.

16-48K Model I or III, tape and disk:

\$29.95

Order from your Software dealer, or from:

PROSOFT

CALL TOLL-FREE FOR ORDERS ONLY:

(800) 824-7888, Operator 422

CALIF: (800) 852-7777, Oper. 422

ALASKA/HAWAII: (800) 824-7919

FOR TECHNICAL INFORMATION CALL:

(213) 764-3131, or write to us.

QUICK COMPRESS

Small (276 bytes), fast (processes 800 lines in under 3 seconds) utility removes blanks and remarks from your BASIC programs.

Produces smaller, faster programs, and doesn't alter the original logic.

16-48K Model I or III, tape and disk:

\$19.95

SPECIAL FASTER + QUICK Compress: **\$39.95**

Dept. B, Box 839

North Hollywood, CA 91603

ORDERING INFORMATION: We accept checks, Mastercard, Visa, Money Orders, C.O.D. (C.O.D. under \$50.00, add \$2.00), and even cash. Please, no purchase orders. California residents add 6% sales tax. Add 15% outside North America.

Circle # 45

BASIC technique

```
137 FOR J=1 TO N:IF ASC(D$(J))>57 THEN
  D(J)=ASC(D$(J))-55:GOTO 139
138 D(J)=VAL(D$(J))
139 NEXT J
140 D=0:F=1:FOR J=1 TO N:D=D+D(J)*F:F=F
  *16:NEXT:RETURN
141 ZC$=CHR$(ZG)
142 IF ZN RETURN ELSE ZN=64:RETURN
```

Z-Language listing for Model II

```
0 CLEAR 500:CLS:GOTO 200
1 PRINTTAB((80-LEN(ZT$))/2)ZT$:RETURN
2 Z=1840+(80-LEN(ZB$))/2:PRINT@Z,ZB$;:
RETURN
3 GOSUB 142:PRINTTAB((80-ZN)/2)STRING$(
ZN,ZC$);:RETURN
4 GOSUB 141:GOTO 3
5 PRINT@ 80*ZL,,:RETURN
6 PRINT@ 80*(ZP+1),,:FORZ=1 TO 23-ZP:P
RINTSTRING$(80," ");:NEXT:PRINT@80*(ZP
+1),,:RETURN
7 FOR ZZ=1 TO 654*ZS:NEXT ZZ:RETURN
8 PRINTTAB(29)"TO PROCEED HIT ANY KEY"
9 Z$=INKEY$:IFZ$=""THEN 9 ELSE ZZ=VAL(
Z$):RETURN
10 '-----THE NINE (NEARLY) SIMILAR Z-
SUBROUTINES-----'
11 ZO=80+80*ZL-LEN(ZT$)/2-40:PRINT@ ZO
,ZT$;:RETURN
12 GOSUB 2:GOTO 5
13 GOSUB 5:GOTO 3
14 GOSUB 5:GOTO 4
15 Z=80*(ZL-1)+ZT:PRINT@Z,,:RETURN
16 PRINT@ 0,,:FOR Z=0 TO ZE:PRINTSTRIN
G$(80," ");:NEXT Z:PRINT@ 0,,:RETURN
17 N=1:FOR Z=1 TO ZS:FOR ZZ=1 TO 650:N
EXT ZZ:PRINT@ZL*80+ZT,N "SECONDS";:N=N
+1:NEXT Z:RETURN
18 PRINT@981,"TO PROCEED HIT ANY KEY";
:GOTO 9
19 ZO=ZL*80+ZT:PRINT@ ZO,ZT$;:RETURN
20 '-----PRINTER Z-SUBROUTINES-----'
21 GOSUB 26:Z=(80-LEN(ZT$))/2:LPRINTTA
B(Z)ZT$:RETURN
22 GOSUB 26:Z=(40-LEN(ZT$))/2:LPRINTCH
R$(31):LPRINTTAB(Z)ZT$:LPRINTCHR$(30):
RETURN
23 GOSUB 26:GOSUB 142:LPRINTTAB((80-ZN
)/2)STRING$(ZN,ZC$):RETURN
24 GOSUB 141:GOTO 23
25 FOR Z=1 TO ZN:LPRINT" ";:NEXT Z:RETU
RN
26 LPRINTCHR$(27)CHR$(66):RETURN
```

```
30 '-----BOX BORDER Z-SUBROUTINES-----
--'
31 GOTO 111 '-----SINGLE LINE BOR
DER-----'
32 GOTO 106 '-----DOUBLE LINE BOR
DER-----'
40 '-----"SPECIAL MESSAGE" Z-SUBROUTI
NES-----'
41 GOTO 115
'-----TEXT BOX-----'
42 PRINT@PZ-1,STRING$(Z+2," ");:RETURN
'-----ERASE BOX-----'
43 Z=920-LEN(ZT$)/2:GOTO 120 '-----C
ENTER-SCREEN FLICKER-----'
44 Z=80*(ZL-1)+ZT-1:GOTO 120 '---
--FLICKER @ ZT ON ZL-----'
50 '-----MATHEMATICAL Z-SUBROUTINES--
-----'
51 GOTO 124 '-----CONVERT DECIMAL
TO HEX.-----'
52 GOTO 136 '-----CONVERT HEX. TO
DECIMAL-----'
100 '-----REFERRED ROUTINES BEGIN HER
E-----'
106 PRINT@81,CHR$(128)STRING$(76,CHR$(
150))CHR$(129);
107 PRINT@ (22,1),CHR$(131)STRING$(76,1
50)CHR$(130);
110 FOR N=2 TO 21:PRINT@ (N,1),CHR$(148
);:PRINT@ (N,78),CHR$(148);:NEXTN
111 PRINT@0,CHR$(128)STRING$(78,CHR$(1
50))CHR$(129);
112 FOR N=1 TO 22:PRINTCHR$(148);:PRIN
T@ (ROW(Z),79),CHR$(148);:NEXT
113 PRINTCHR$(131)STRING$(78,CHR$(150)
)CHR$(130);
114 RETURN
115 Z=LEN(ZT$):IF ZT=0 THEN PZ=80*ZL-Z
/2-40 ELSE PZ=80*(ZL-1)+ZT-1
116 TZ$=CHR$(128)+STRING$(Z+2,150)+CHR
$(129)
117 BZ$=CHR$(131)+STRING$(Z+2,150)+CHR
$(130)
118 PRINT@ PZ,ZT$;
119 PRINT@ PZ-82,TZ$;:PRINT@ PZ-2,CHR$(
148);:PRINT@ PZ+Z+1,CHR$(148);:PRINT@
PZ+78,BZ$;:RETURN
120 ZJ=LEN(ZT$):IF ZD=0 THEN ZD=20
121 IF ZF=0 THEN ZF=3
122 FOR D=1 TO ZD:PRINT@Z,ZT$;:FOR F=1
TO ZF:NEXT F:PRINT@Z,STRING$(ZJ," ");
:FOR F=1 TO ZF:NEXT F:NEXT D:RETURN
124 DEFINT H
125 H1=D/4096:I=D-H1*4096:H2=I/256:I=I
-H2*256:H3=I/16:H4=I-H3*16
```



Rose ©

You've Got TOTAL ACCESS

(specializing in TRS80 *)

TO YOUR COMPUTER HARDWARE & SOFTWARE NEEDS. CALL ROSE TODAY!

I've Got

★ **Disk Drives**

TA400 (40-T).....	\$289
TA 800 (80-T).....	\$419
TA400 Filppy.....	\$319
TA800 Filppy.....	\$439
All with silver case and power supply	

★ **CABLES**

2-Drive.....	\$23.95
4-Drive.....	\$33.95
Extender Cable.....	\$14.95

★ **BARE DRIVES**

TA400B.....	\$259
TA800B.....	\$389
TA400B Filppy.....	\$289
TA800B Filppy.....	\$409

★ **MODEL III DRIVE KIT**

Includes DD disk controller, two-drive power supply, mounting towers, all connectors, cables & hardware and instructions. DO it yourself & save..... \$395

★ **OPERATING SYSTEMS**

TRSDOS 2.3 Disk & Manual ...	\$17.95
LDOS.....	\$129.95
NEWDOS/80.....	\$129.95
DOSPLUS 3.3, 3.3D.....	\$89.95

★ **IRON**

Disk Drive Power Supply, Single.....	\$37
Disk Drive Case (silver) and Base.....	\$19
Memorex Diskettes (bx of 10).....	\$25

90 day warranty on drives. Add \$5.00 freight per drive in Cont. US. UPS COD charge \$1.40. There is also a 15 day FREE TRIAL on TA drives. If not completely satisfied I'll refund your money (less shipping). I'll take exception to improper use or mishandling.

★ **USERS GROUPS**

When your club makes a group buy, be sure to call me for a price.
Rose

TRS80 * COMPUTERS

★ **COMPUTERS**

26-1061 Mod III, LI, 4K.....	\$595
26-1062 Mod III, LII, 16K.....	\$850
26-1063 Mod III, 32K/2 Disk/RS232.....	\$2150
26-4002 Mod II, 64K.....	\$3300
26-3001 Color Computer, 4K.....	\$330
26-3002 Color Computer, 16K.....	\$510
26-3501 Pocket Computer.....	\$212

★ **DISK EXPANSION, MOD II**

26-4160 One Disk.....	\$977
26-4162 Three Disk.....	\$1998
LOBO drive units also available.	

★ **PERIPHERALS**

26-1140 ØK Exp. Interface.....	\$255
26-1141 16K Exp. Interface.....	\$305
26-1142 32K Exp. Interface.....	\$355
26-1172 D.C. Modem II.....	\$135
26-1206 CTR-80 Recorder.....	\$51
26-3503 P.C. Interface.....	\$42

★ **PRINTERS**

26-1165 Line Printer V.....	\$1581
26-1166 Line Printer VI.....	\$986
26-1158 Daisy Wheel II.....	\$1694*

* LIMITED AVAILABILITY

The complete line of Radio Shack products is available through TA with standard RS limited warranty. Call me for price and delivery. Just 'cause you don't see it, don't mean we ain't got it.
ROSE

★ **SOFTWARE**

WE have Adventure, Big 5, Med Systems, SBSC, Snapp, Radio Shack and much more. Call or write. Do It!

Rose's T-SHIRTS

With any order of \$1,000.00 or more, I'll send you one of my **"MINI-FLOPPY" T-shirts!**

**REAL TIME
CLOCK
CALENDER**

T-Timer© \$89.95

Clock continues to run no matter what mode you are in or when system is down with battery back-up*. Not affected by disk I/O. Plugs into screen printer port-has extender.
Sec, min, hr; day of week;
Date, mo, yr.
Mod. I only.

**ORDER NOW!
TOLL FREE
800-527-3582**

Write or call Rose TOLL FREE at 1-800-527-3582 (Texas residents call 214-234-1770). Please use the toll free lines for orders and literature requests only. Technical help or service use the Texas line. You can pay by VISA or MASTERCARD, you can send check or money order (allow a couple of weeks for personal checks to clear) or order COD (we ship COD's cash, certified check or money order only). Rose will take American money in just about any form. Add freight (UPS where possible) on all orders under \$1000. If you buy \$1000 or more Rose eats the freight! Texas residents cough up 5% sales tax. Allow 2-4 weeks for delivery. Order today - I need the money!

TOTAL ACCESS ©

**P.O. BOX 3002
RICHARDSON, TX 75080**

214-234-1770

* TRS80 & Radio Shack are trademarks of Tandy Corp.
© Copyright 1981 TOTAL ACCESS

**ROSE'S
SPECIAL
OF THE
MONTH**

★ **PRINTERS** ★

EPSON MX70... \$369.00

EPSON MX80... \$475.00

STARWRITER 45cps

DAISYWHEEL.. \$1795.00

Parallel Cable for TRS80 for any of the above..... \$29.95

**You can't live
without a bunch
of these!**

BASIC technique

```
126 IF H1>9 H1=H1+55 ELSE H1=H1+48
127 IF H2>9 H2=H2+55 ELSE H2=H2+48
128 IF H3>9 H3=H3+55 ELSE H3=H3+48
129 IF H4>9 H4=H4+55 ELSE H4=H4+48
132 H$=CHR$(H1)+CHR$(H2)+CHR$(H3)+CHR$(H4):IF LEFT$(H$,2)="00" H$=RIGHT$(H$,2)
133 IF LEFT$(H$,1)="0" H$=RIGHT$(H$,3)
134 RETURN
136 N=LEN(H$):M=N+1:FOR J=1 TO N:D$(J)=MID$(H$,M-J,1):NEXT
137 FOR J=1 TO N:IF ASC(D$(J))>57 THEN D$(J)=ASC(D$(J))-55:GOTO 139
138 D$(J)=VAL(D$(J))
139 NEXT J
140 D=0:F=1:FOR J=1 TO N:D=D+D(J)*F:F=F*16:NEXT:RETURN
141 ZC$=CHR$(ZG)
142 IF ZN THEN RETURN ELSE ZN=80:RETURN
```

Z-Language listing for Color computer

```
0 CLEAR 500:CLS:GOTO 200
1 PRINTTAB((32-LEN(ZT$))/2)ZT$:RETURN
2 Z=480+(32-LEN(ZB$))/2:PRINT@Z,ZB$;:RETURN
3 GOSUB 142:PRINTTAB((32-ZN)/2)STRING$(ZN,ZC$);:RETURN
4 GOSUB 141:GOTO 3
5 PRINT@ 32*ZL,,:RETURN
6 PRINT@32*(ZP+1),,:FORZ=1 TO 15-ZP:PRINTSTRING$(32," ");:NEXT:P
RINT@32*(ZP+1),,:RETURN
7 FOR ZZ=1 TO 439*ZS:NEXT ZZ:RETURN
8 PRINTTAB(5)"TO PROCEED HIT ANY KEY"
9 Z$=INKEY$:IFZ$=""THEN 9 ELSE Z=VAL(Z$):RETURN
10 '-----THE NINE (NEARLY) SIMILAR Z-SUBROUTINES-----'
11 ZO=INT(32+32*ZL-LEN(ZT$)/2-16):PRINT@ ZO,ZT$;:RETURN
12 GOSUB 2:GOTO 5
13 GOSUB 5:GOTO 3
14 GOSUB 5:GOTO 4
15 Z=32*(ZL-1)+ZT:PRINT@Z,,:RETURN
16 PRINT@ 0,,:FOR Z=0 TO ZE:PRINTSTRING$(32," ");:NEXT Z:PRINT@ 0,,:RETURN
```

```
17 N=1:FOR Z=1 TO ZS:FOR ZZ=1 TO 420:NEXT ZZ:PRINT@ZL*32+ZT,N "SECONDS";:N=N+1:NEXT Z:RETURN
18 PRINT@485,"TO PROCEED HIT ANY KEY";:GOTO 9
19 ZO=ZL*32+ZT:PRINT@ ZO,ZT$;:RETURN
20 '-----PRINTER Z-SUBROUTINES-----'
21 GOSUB 26:Z=(64-LEN(ZT$))/2:LP RINTTAB(Z)ZT$:RETURN
22 GOSUB 26:Z=(32-LEN(ZT$))/2:LP RINTCHR$(31):LPRINTTAB(Z)ZT$:LPRINTCHR$(30):RETURN
23 GOSUB 26:GOSUB 142:LPRINTTAB((64-ZN)/2)STRING$(ZN,ZC$):RETURN
24 GOSUB 141:GOTO 23
25 FOR Z=1 TO ZN:LPRINT" ":NEXT Z:RETURN
26 LPRINTCHR$(27)CHR$(66):RETURN
30 '-----BOX BORDER Z-SUBROUTINES-----'
31 GOTO 111 '-----SINGLE LINE BORDER-----'
32 GOSUB 31 : GOTO 106 '-----DOUBLE LINE BORDER-----'
40 '-----"SPECIAL MESSAGE" Z-SUBROUTINES-----'
41 GOTO 115 '-----TEXT BOX-----'
42 PRINT@PZ-1,STRING$(Z+2," ");:RETURN '-----ERASE BOX-----'
43 Z=240-LEN(ZT$)/2:GOTO 120 '-----CENTER-SCREEN FLICKER-----'
44 Z=32*(ZL-1)+ZT-1:GOTO 120 '-----FLICKER @ ZT ON ZL-----'
50 '-----MATHEMATICAL Z-SUBROUTINES-----'
51 GOTO 124 '-----CONVERT DECIMAL TO HEX.-----'
52 GOTO 136 '-----CONVERT HEX. TO DECIMAL-----'
100 '-----REFERRED ROUTINES BEGIN HERE-----'
106 TZ$=CHR$(145)+STRING$(28,147)+CHR$(146)
107 MZ$=CHR$(149)+STRING$(28,32)+CHR$(154)
108 BZ$=CHR$(148)+STRING$(28,156)+CHR$(152)
109 PRINT@33, TZ$;
110 FOR ZL=3 TO 14:ZT=1:ZT$=MZ$:GOSUB15:PRINT MZ$;:NEXT ZL=15:GOSUB15:PRINT BZ$;:RETURN
```

Basic technique

```
111 PRINT@0,CHR$(145);STRING$(30
,147);CHR$(146);
112 FOR N=1 TO 14:PRINTCHR$(149)
;TAB(31);CHR$(154);:NEXT
113 PRINTCHR$(148);STRING$(30,15
6);
114 POKE1535,152:RETURN
115 Z=LEN(ZT$):IF ZT=0 THEN PZ=3
2*ZL-Z/2-16 ELSE PZ=32*(ZL-1)+ZT
-1
116 TZ$=CHR$(128)+STRING$(Z+2,12
8)+CHR$(128)
117 BZ$=STRING$(Z+4,128)
118 PRINT@ PZ,ZT$;
119 PRINT@ PZ-34,TZ$;:PRINT@ PZ-
2,CHR$(128);:PRINT@ PZ+Z+1,CHR$(
128);:PRINT@ PZ+30,BZ$;:RETURN
120 ZJ=LEN(ZT$):IF ZD=0 THEN ZD=
20
121 IF ZF=0 THEN ZF=3
122 FOR D=1 TO ZD:PRINT@Z,ZT$;:F
OR F=1 TO ZF:NEXT F:PRINT@Z,STRI
NG$(ZJ," ");:FOR F=1 TO ZF:NEXT
F:NEXT D:RETURN
124 '
125 H1=INT(D/4096):I=D-H1*4096:H
2=INT(I/256):I=I-H2*256:H3=INT(I
/16):H4=I-H3*16
126 PRINT H1,H2,H3,H4:IF H1>9 TH
EN H1=H1+55 ELSE H1=H1+48
127 IF H2>9 THEN H2=H2+55 ELSE H
2=H2+48
128 IF H3>9 THEN H3=H3+55 ELSE H
3=H3+48
129 IF H4>9 THEN H4=H4+55 ELSE H
4=H4+48
132 H$=CHR$(H1)+CHR$(H2)+CHR$(H3
)+CHR$(H4):IF LEFT$(H$,2)="00" T
HEN H$=RIGHT$(H$,2)
133 IF LEFT$(H$,1)="0" THEN H$=R
IGHT$(H$,3)
134 RETURN
136 N=LEN(H$):M=N+1:FOR J=1 TO N
:D$(J)=MID$(H$(M-J),1):NEXT
137 FOR J=1 TO N:IF ASC(D$(J))>5
7 THEN D$(J)=ASC(D$(J))-55:GOTO 1
39
138 D$(J)=VAL(D$(J))
139 NEXT J
140 D=0:F=1:FOR J=1 TO N:D=D+D(J
)*F:F=F*16:NEXT:RETURN
141 ZC$=CHR$(ZG)
142 IF ZN THEN RETURN ELSE ZN=32
:RETURN ■
```

ON SALE NOW! MAKE BASIC PERFORM LIKE A CHAMPION



BASIC is not nearly as slow as most programmers think.

BASIC Faster and Better shows you how to supercharge your BASIC with 300 pages of fast, functions and subroutines.

You won't find any trivial poorly designed 'check-book balancing' programs in this book - it's packed with *useful* programs.

Tutorial for the beginner, instructive for the advanced, and invaluable for the professional, this book doesn't just talk... it shows how! All routines are also available on disk, so that you can save hours of keyboarding and debugging.

The #1 disk *BFBDEM* contains all the demonstration programs, and #2 *BFBLIB* has all the library functions.

BASIC Faster & Better is \$29.95, and the two program disks are \$19.95 each.

Get the book and/or disks from your local IJG dealer and B. Dalton bookstores.



1260 W. Foothill Blvd.
Upland, California 91786

(714) 946-5805

80-U.S. Journal, January, 1982 87

How to find execution points

For Model I and III with tape and TBUG or DEBUG

Glenn W. Collura, Streetsboro, OH

Have you ever wondered how your TRS-80 knows where to go when you type /ENTER after loading a system format tape? Have you ever needed the execution point of a machine language program to make a backup copy but did not have a monitor available that would give you this information? If so, then read on and I'll tell you about two very easy methods of obtaining this information.

Method one

Let's start by loading TBUG into the computer from tape. I chose TBUG because most TRS-80 users own a copy of it even if they have purchased other monitor programs. All references will be made assuming TBUG is in memory. If you don't have a copy, another comparable monitor program will do, although some commands and addresses will differ slightly. If you don't have a monitor program at all, read on because a little later I'll describe a method which can be used without a monitor program at all. When TBUG has finished loading, type /ENTER. How did your TRS-80 know where to start executing TBUG? Here's how.

Using TBUG's M command (display memory), look at locations 40DF and 40E0. Location 40DF will contain A0. Location 40E0 will contain 43. These two locations store the entry point for system format tapes. Remember that the TRS-80 stores addresses with the least significant bit (LSB) first and the most significant bit (MSB) last.

By reading out these two locations we can see that the entry point or execution point for TBUG is 43A0. To prove that this is correct, do the following. Using TBUG's J (jump) command, type J 1A19. This is a jump back to BASIC. You should see the READY prompt. From BASIC type SYSTEM(ENTER). At the "*?" prompt type /17312. How about that!, right back to TBUG. This verifies the address we read at locations 40DF and 40E0. Remember that when we are in BASIC we must use decimal addresses. Address 43A0 hex converts to 17312 in decimal. If you are using a monitor other than TBUG you will have to convert the address you read at 40DF from hex to decimal. The result should be the same.

Why we need entry points

Why do we need to know the execution point? As you can see, we just returned to BASIC and then went back to our monitor without having to reload it. This can be very useful when using a renumbering utility or other machine language routine. If you wanted to renumber several BASIC programs you would only have to load the renumber program once. After each successive BASIC program was loaded you could simply jump (/ entry point) back to the renumber utility as often as needed. Another advantage is the capability of having two or more machine language programs in memory at the same time, providing

they do not overlay each other. I do this quite often when I'm examining somebody's code. Usually I load a monitor, a disassembler and the program I wish to examine into memory together. Without knowing the entry points of the three programs, it would not be possible to jump from one program to the other. Yet another advantage is the ability to make backup copies of machine language programs. Most monitors require start address, end address, execution point and filename to write a section of memory or a program to tape. The list of advantages goes on and on.

Now let's get back to our keyboards and find the execution point for a machine language program.

Method one continued

If you still have TBUG in your machine, do a jump back to BASIC again. If not, load TBUG and return to BASIC. Choose a machine language program for which you need to find the entry point. I will be using Super Nova from Big 5 Software for this demonstration. Any machine language program you happen to have handy will do. Just make sure that your program will load above TBUG. From BASIC type SYSTEM(ENTER). At the "*?" prompt type NOVA(ENTER), or the filename of the program that you are using. When the tape has finished loading *do not* type /ENTER. Instead, type /17312 and ENTER. This is our entry point

DISK III

100% Compatible Model III Disks

Complete Business System includes:
48K TRS-80™ Model III, Disk III™ 2 Drive System, TRSDOS and Manual.



DISK III Single drive assy' \$599.00
DISK III Two drive assy 864.00
DISK III Assy w/out drives 435.00
TRSDOS™ & Manual 21.90
External drives (3 & 4) 299.00

\$1882

DISK III single drive assembly includes: one 40 track 5¼" double density drive, power supply, controller, mounting hardware, and applicable cables.

IMMEDIATE DELIVERY - COMPARE AND SAVE WINCHESTER HARD DISK MODEL III

Integral Winchester Business system includes:
48K Model III, LDOS Disk III™, 6.3 MEG HARD DISK SYSTEM.

\$2895

6.3 MEGABYTE WINCHESTER HARD DISK SUBSYSTEM
With chassis, PS, LDOS™.
9.5 MEG \$3395.00

\$4995

MOD III Options:

9.5 MEG HD (internal) add \$500.00
80 tk 1 side floppy add \$120.00
80 tk 2 side floppy add \$240.00

Winchester Subsystem Options:

2 x 6.3 Meg drives 4495.00
2 x 9.5 Meg drives 5495.00

Peripherals

Epson MX-80 500.00
Epson MX-80 FT 615.00
Epson MX-100 800.00
Centronics 739 700.00
Starwriter 25 (P) 1395.00
RS-232 95.00
Lexicon modem 105.00

MODEL I/III

EXTERNAL DRIVE \$275

W/ PS & ENC
Fully Compatible
120 day warranty
Easy installation
80 tk or 2 sided \$419.00
80 tk & 2 sided 549.00

OTHER PRODUCTS

SUPERBRAIN 64K 2990.00
PARALLEL PORT —
SUPERBRAIN 99.95
DISK & MYSTERIES 22.50
BASIC & MYSTERIES 29.95
NEC Ribbons (min. 6) 5.95
Epson Ribbons 12.50

NEW—
LDOS Operating System 149.00

COMING SOON!!
Internal MODEM for MOD III

IF YOU DON'T SEE IT ADVERTISED CALL US AND ASK FOR IT.

PUBLISHED PRICES REFLECT CASH DISCOUNT.
ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

TRS-80 and TRSDOS are trademarks of Tandy Corp.
DISK III is a trademark of VR Data Corp. Dealership available.

Phone toll free 800-345-8102

• in PA 215-461-5300 Cable address "VRDATA" • TELEX

VR Data

VR Data Corporation
777 Henderson Boulevard • Folcroft, PA 19032



BUILD it yourself —in BASIC!

For Model I disk with TRSDOS

Dan Connors, Harvey, LA

This article describes a BASIC utility which will allow you to operate your TRS-80 disk system as a turn-key system. The concept is similar to the Model III disk command BUILD which creates a program which takes over the computer at DOS READY and loads utilities, BASIC, sets file and memory size and your first BASIC program.

The BUILD/BAS program creates a machine language file identical to one which could have been made by a disk-based editor/assembler. After the program writes the file on diskette, you can call it with the AUTO command. No knowledge of machine of machine language is needed.

Unlike the Model III BUILD command, the file which this program creates will reside in unprotected memory. Since the program will be switched out of control of your keyboard eventually, this space is made free for use by your BASIC programs.

Lines 100 to 320 assemble a string of characters which are, in fact, a machine language program. The assembler listing is shown in the remarks. The program simply intercepts the keyboard scan, returns one character each time the scan is called until the end of file is found, then restores the original keyboard scan. At this point, the program is done and the space it used is free.

Lines 330-410 take your input and add it to the file. Lines 420 to 450 complete the assembly of the routine which will be written on the diskette. Lines 460 to 500 write the disk file. The remainder of the program is just instructions.

Like all programs, this one has limits. The file it creates will be loaded into memory from 6F00H to a maximum of 6FFFH (28416 to 28671 in decimal). This space is not protected. This area was chosen because it is a very unusual place to put a machine language routine, so it probably won't conflict with any other utilities you might have. It does occupy space normally used by BASIC programs, however, it is disabled before the BASIC program is loaded.

You might experience a lockup or reboot should this module load a utility which overwrites this area. Long routines are suspect. For example, BACKUP or COPY may use all of memory.

You also cannot use it to run another utility which interrupts the keyboard scan. Programs such as KBFIX and most macros interrupt this scan. If you want to load one of these programs, you may, but you cannot activate it until the BUILD module has been deactivated.

To do this, you need to load the utility using:

```
LOAD"filename/CMD"
then write a short BASIC program
which changes the return to DOS to
a simple return. You can find this
```

instruction by using DISKDUMP/BAS and looking for the sequence that goes: C3 2D 40 (JP 402DH). Your BASIC program simply needs to poke C9H (201D) into the location the C3H is in, then use a DEFUSR statement to mark the beginning of the utility, and a USR call (A=USR0(B)) to activate it. Follow this with a CLEAR statement, which might be needed to eliminate an erroneous error message, and RUN"whatever" to execute the BASIC program you really wanted to have executed in the first place.

You may need the following information to determine where the utility resides in memory: The third and fourth bytes are the starting address, in hexadecimal, of where the program will be loaded into memory. The order is reversed. The BUILD module, for example, loads at 6F00H, and the third and fourth bytes of the disk file are 00 6F. The first byte of the program goes here, the next in the following byte, etc. Your computer will convert this to decimal very quickly with the following: PRINT&Hnnnn, where nnnn are the four hexadecimal digits. The end of the program will be flagged with two bytes: 02 02. The two bytes following are the start location for this utility. Reverse the order and you have the correct address for your DEFUSR statement. The BUILD module, for example, could be pointed to with: DEFUSR0=&H6F00. A=USR0(B) will activate the utility. ■

```
5 ' DO NOT TYPE IN ANY LINE NUMBERS ENDING IN '5' (REMARKS)
15 ' PROGRAM BUILD/BAS, CREATES MACHINE LANGUAGE DISK FILE
25 ' WHICH CAN BE USED TO EXTEND THE AUTO COMMAND BY
35 ' ALLOWING THE LOADING OF SEVERAL PROGRAMS.
45 ' THIS PROGRAM USES MEMORY LOCATIONS 6FOOH TO 6FFFH
55 ' (28416 TO 28671 DECIMAL) TEMPORARILY. IT IS DUMPED
65 ' BEFORE ANY BASIC PROGRAM IS RUN.
75 ' COPYRIGHTED MAY 15, 1981 BY DAN CONNORS, 2320 HAMPTON DR
85 ' HARVEY, LA 70058
100 CLEAR500:DEFINTB-P:DEFSTRQ-Z:REM BUILD
105 ' INITIALIZE
110 CLS:INPUT"WHAT DO YOU WANT TO CALL THE COMPLETED PROGRAM";X
115 ' INPUT FILENAME OF COMMAND FILE
```

Disk application

```
120 IFRIGHT$(X,4)<>"/CMD"THENX=X+"/CMD"
125 ' MAKE SURE IT ENDS IN /CMD
130 CLS:Y=CHR$(1)+CHR$(0)
135 ' FIRST BYTE INDICATES MACHINE CODE, 2ND IS BYTE COUNT
140 Y=Y+CHR$(00)+CHR$(&H6F)
145 '           ORG   6FOOH
150 Y=Y+CHR$(&H2A)+CHR$(&H16)+CHR$(&H40)
155 ' 6FO0 2A1640 LD   HL,(4016H) ;KEYBOARD VECTOR
160 Y=Y+CHR$(&H22)+CHR$(&H10)+CHR$(&H6F)
165 ' 6FO3 22106F LD   (6F10H),HL ;POKE INTO CALL $-$
170 Y=Y+CHR$(&H21)+CHR$(&H0F)+CHR$(&H6F)
175 ' 6FO6 210F6F LD   HL, 6FOFH ;BEGINNING OF NEW SCAN
180 Y=Y+CHR$(&H22)+CHR$(&H16)+CHR$(&H40)
185 ' 6FO9 221640 LD   (4016H),HL ;POKE INTO KEYBD VECTOR
190 Y=Y+CHR$(&HC3)+CHR$(&H2D)+CHR$(&H40)
195 ' 650C C32D40 JP   402DH ;GO TO DOS READY
200 Y=Y+CHR$(&HCD)+CHR$(0)+CHR$(0)
205 '6FOF CD0000 CALL $-$ ;CALL OLD SCAN
210 Y=Y+CHR$(&H2A)+CHR$(&H26)+CHR$(&H6F)
215 '6512 2A266F LD   HL,(6F26H) ;GET POINTER
220 Y=Y+CHR$(&H7E)
225 '6F15 7E     LD   A,(HL) ;PUT CHAR IN A
230 Y=Y+CHR$(&H23)
235 '6F16 23     INC  HL ;ADD 1 TO POINTER
240 Y=Y+CHR$(&H22)+CHR$(&H26)+CHR$(&H6F)
245 '6F17 22266F LD   (6F26H),HL ;STORE POINTER
250 Y=Y+CHR$(&HFÈ)+CHR$(&HFF)
255 '6F1A FEFF  CP   OFFH ;DOES A= FFH?
260 Y=Y+CHR$(&HC0)
265 '6F1C C0     RET  NZ ;IF NOT, RET CHAR
270 Y=Y+CHR$(&H2A)+CHR$(&H10)+CHR$(&H6F)
275 '6F1D 2A106F LD   HL,(6F10H) ;IF SO GET OLD SCAN
280 Y=Y+CHR$(&H22)+CHR$(&H16)+CHR$(&H40)
285 '6F20 221640 LD   (4016H),HL ;& PUT IT BACK
290 Y=Y+CHR$(&H3E)+CHR$(&H0D)
295 '6F23 3E0D  LD   A,13 ;PUT A CR IN A
300 Y=Y+CHR$(&HC9)
305 '6F25 C9     RET ;RETURN (PROG DISABLED)
310 Y=Y+CHR$(&H28)+CHR$(&H6F)
315 '6F26 286F  DEFW 6F28h ;POINTING TO NEXT BYTE
320 IFLEN(Y)<>44THENPRINT"PROGRAM NOT TYPED IN CORRECTLY":END
325 'MACHINE LANGUAGE PROGRAMS ARE NOT EASY TO GET ALONG WITH
330 J=1
335 'J IS NUMBER OF COMMAND LINES
340 PRINT"TYPE IN WHAT YOU NORMALLY DO TO BRING SYSTEM UP"
345 ' INSTRUCTIONS
350 PRINT"TYPE IN <END> TO END"
355 ' INSTRUCTIONS
360 PRINT"COMMAND :";J
365 ' INPUT LOOP STARTS
370 LINEINPUTZ:IFZ="END"THEN410
375 ' INPUT COMMAND, CHECK FOR END
380 K=INSTR(Z,"RUN"):IFK<>0THEN400
385 'PROGRAM MAY NOT BE RUNNING WITH A BASIC PROGRAM RUNNING
390 Y=Y+Z+CHR$(13)+CHR$(0):J=J+1:GOTO360
395 'APPENDS COMMAND TO Y STRING WHICH IS THE MACH. LANG. PROG
400 Y=Y+Z:GOTO420
```

```

405 'PROGRAM WILL TERM BUILD, NOTE CR & O NOT ADDED
410 Y=LEFT$(Y,LEN(Y)-2)
415 'REMOVE CR AND O FROM LAST LINE
420 Y=Y+CHR$(&HFF)
425 'XXXX FF      DEFB  OFFH      ;FF SIGNALS END
430 Y=Y+CHR$(2)+CHR$(2)
435 'XXXX 0202      ;MARKS END FOR DOS
440 Y=Y+CHR$(0)+CHR$(&H6F)
445 'XXXX 006F      ;TELLS DOS TO JUMP TO 6FOO
450 J=LEN(Y)-6:MID$(Y,2,1)=CHR$(J)
455 ' J IS PROGRAM LENGTH, MAKE SECOND CHARACTER = J
460 OPEN"R",1,X
465 'OPEN FILE WHICH YOU NAMED
470 FIELD1,255ASW
475 'WHOLE THING IS ONE PIECE
480 LSETW=Y
485 'PUT PROGRAM IN BUFFER
490 PUT1,1
495 'WRITE IT ON DISK
500 CLOSE
505 'PROGRAM IS NOW ON DISK
510 CLS:PRINT"RETURNING YOU TO DOS READY."
515 ' SET UP AUTO COMMAND
520 PRINT:PRINT"TYPE IN THE FOLLOWING EXACTLY:"
525 ' INSTRUCTIONS
530 PRINT:PRINT"AUTO ";LEFT$(X,LEN(X)-4)
535 ' INSTRUCTIONS
540 PRINT:PRINT"THEN REBOOT.  PROGRAM TERMINATED":CMD"S"
545 ' RETURN TO DOS READY ■
    
```

ADVENTURES!!!

For TRS-80 and COLOR-80. These Adventures are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are interactive fantasies. It's like reading a book except that you are the main character as you give the computer commands like "Look in the Coffin" and "Light the torch.")

Adventures require 16K. They sell for \$14.95 each.

ESCAPE FROM MARS (by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.

PYRAMID (by Rodger Olsen)

This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough!

TREK ADVENTURE (by Bob Retelle)

This one takes place aboard a familiar starship. The crew has left for good reasons - but they forgot to take you, and now you are in deep trouble.

DEATH SHIP (by Rodger Olsen)

Our first and original ADVENTURE, this one takes place aboard a cruise ship - but it ain't the Love Boat.


VAMPIRE CASTLE (by Mike Bassman)

This is a contest between you and old Drac - and it's getting a little dark outside. \$14.95 each.

QUEST

QUEST - A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time.

16K COLOR-80 OR TRS-80 ONLY. \$14.95



ARCADE AND THINKING GAMES

16K and extended or level II BASIC

TIME TREK, REAL TIME REAL GRAPHICS TREK. See the torpedoes fly and Klingons explode. No more scrolling displays, no more turn taking. - This one has real time and real displays. In BASIC - for 16K level II or extended color BASIC. \$14.95.

STARFIGHTER - This one man space war game pits you against spacecruisers, battlewagons, and one man fighters. You have the view from your cockpit window, a working instrument panel, and your wits. Another real time goody. \$9.95.

BATTLEFLEET - This grown-up version of Battleship is the toughest thinking game available on 80 computers. There is no luck involved as you seek out the 80's hidden fleet. This is a topographical toughie. \$9.95.

SLASHBALL - A two player game of strategy and skill, this is like nothing you have ever seen before. This takes fast fingers, quick wits and concentration. Playable from age 6 to 65, it is a good family game. \$9.95.

MINOS - 8K - Features amazing 3D graphics. You see a maze from the top, the screen blanks, and when it clears, you are in the maze at ground level finding your way through on foot. Realistic enough to cause claustrophobia. \$12.95. (COLOR-80 ONLY)

Please specify system on all orders

This is only a partial listing of what we have to offer. Send for free catalog to:

AARDVARK - 80

2352 S. Commerce, Walled Lake, MI 48088

(313) 669-3110



TRS-80

Circle # 50

COLOR-80

Spacer

The keywords used in the data statements are those used by the Model I/III only. To fully utilize Spacer on your machine, add the keywords unique to your BASIC at the end of the data list. Please note that the "XXXX" must be the last item in the list.

Make your BASIC programs readable

For Models I, II, III and Color computer with disk

Lou Pa, Sacramento, CA

Writing a program in a compressed form (without unnecessary spaces) so it will run in limited memory often makes it impossible to share a readable listing. While it does not "stylize" according to Nevison (*The Little Book of BASIC Style*, Addison-Wesley Publishing Co., 1978), Spacer does create a legible program file from a compressed program.

This program works in a 16K computer with a minimum of one disk drive and any DOS (Disk Operating System). When entering the program, do not enter the remark statements as they will use

more than a 16K disk system can handle. If you have 32K of memory or larger, there will be no problem.

Programs saved in the ASCII format (SAVE "filespec",A) are stored as sequential files. The file input/output commands can be used to manipulate program lines as if they were filed data. The concept is extendable to renumbering, comparing two or more programs, global editing, and a true compactor which concatenates program lines and changes all line references.

Spacer sifts each character of a program line through a series of questions asking, "How does this character fit Spacer's grammar of

BASIC?" It recognizes eight elements: numbers and letters, which also combine into variables; symbols; command words; remarks (REM statements); DATA statements; and strings between quote marks. Blanks are neither added to or deleted from remarks and strings between quotes, and are pretty much ignored in DATA elements, too. Command words are compared to a "token" list just as they are in the BASIC interpreter. Because of its slowness and the fact that I am so used to reading closely typed programs, I use Spacer rarely. Essentially, it is an exercise in using sequential files. ■

```

1 REM *****
2 REM
3 REM   Listing of SPACER/BAS for
4 REM   Models I, II, and III
5 REM       by LOU PA
6 REM       BOX 19358
7 REM       SACRAMENTO CA 95819
8 REM       JANUARY 1980 (C)
9 REM *****

10 CLS: CLEAR1000: DEF STRA-G: DEF INT H-Q: N=
11   34: F=CHR$(N): GOT0250
12 '   SKIP OVER SUBROUTINES TO INITIAL
13   IZATION
14
15 REM STRINGS BETWEEN QUOTES SUBROUTINE
16 REM SEARCHES FOR THE SECOND OF A PAIR OF
17 REM QUOTE MARKS (CHR$(34)), AND RETURNS
18 REM THE STRING PLUS THE QUOTE MARKS
19
20 '   NEW, SPACED PROGRAM LINE. REFERRED
21 REM FROM REGULAR SEQUENCE LINE #360 AND
22 REM FROM WITHIN THE DATA STATEMENT ROUTINE
23 REM LINE #470.
24
25 J=INSTR(K+1,C,F): IF J=0 THEN J=L
26 D=MID$(C,K,J-K+1): RETURN
27
28
29
30
31
32
33
34
35 REM PRELIMINARY SPACING AROUND SYMBOLS.
36 REM SPACER BEGINS BY ADDING SPACES AND
37 REM DELETING THEM.
38
39 IFH=33ORH=35ORH=36ORH=37ORH=44ORH=59
40 ORH=63ORH=64 THEN D=" ": GOT050
41
42 IFH=45ORH=42ORH=43ORH=58ORH=60ORH=61
43 ORH=62 THEN D=" "+D+" "
44
45 REM NEXT TWO LINES SET THE SYMBOL SPACING
46 REM VARIABLES. H1 & H2 REPRESENT THE
47 REM CHARACTERS AT THE RIGHT OF THE NEWLY
48 REM SPACED LINE VARIABLE "E."
49
50 '   H3 & H4 ARE THE LEFT CHARACTERS OF
51 REM PROCESSING CHARACTERS TO BE ADDED.
52 REM D2 & D3 ARE USED TO CHECK SPACING
53 REM AROUND CERTAIN TWO AND THREE LETTER
54 REM COMMAND WORDS (LIST IN LINE #70).
55
56 H1=ASC(RIGHT$(E,1)): H2=ASC(MID$(E,LEN(E)-1,1)):
57 D2="": D3=""
58
59 IF LEN(E)>2 THEN D2=MID$(E,LEN(E)-2,2):
60 IF LEN(E)>3 THEN D3=MID$(E,LEN(E)-3,3)
61
62 H3=ASC(LEFT$(D,1)): IF LEN(D)>1 THEN H4=
63 ASC(MID$(D,2,1)) ELSE H4=130
64
65 REM NEXT LINE PREVENTS REMOVING SPACE
66 REM FROM BETWEEN THE PROGRAM WORDS "AND

```

THE PROGRAMMER'S GUILD MEANS

HARDWARE

NOW — as an introduction to the hardware division of THE PROGRAMMER'S GUILD — the following prices are in effect:

MODEL III 16K LEVEL II — RETAIL \$995.	GUILD PRICE \$839
MODEL III 48K DUAL DRIVE WITH RS-232 - RETAIL \$2495	GUILD PRICE \$2095
COLOR COMPUTER 16K WITH EXTENDED BASIC — RETAIL \$599	GUILD PRICE \$499
DAISY WHEEL II PRINTER — RETAIL \$1995	GUILD PRICE \$1749
LINE PRINTER VII — RETAIL \$399	GUILD PRICE \$329

SUPPLIES

ACC-U-WRITE BLANK MINI DISKETTES 5¼ SINGLE SIDE, DOUBLE DENSITY LIBRARY BOX INCLUDED RETAIL \$48 per 10 **GUILD PRICE \$26.**

SOFTWARE SPECIALS

MODEL III DISK USERS ONLY — THE GRAYLOCK CHRONICLES — an album of model III ADVENTURES featuring excursions into the shadowy oftimes fatal fantasy world of GRAYLOCKLAND. Contains SPIDER MOUNTAIN ADVENTURE, DEADLY DUNGEON, DRAGONQUEST, REVENGE OF THE BALROG and THE FORTRESS AT TIMESEND. Six great classic adventures on disk. A value of nearly \$100. **GUILD PRICE \$39.95.**

all users - the dreadnaught chronicles - now on diskette or tape - the grimy R rated DEATH DREADNAUGHT - together with Alex Kries' bold sequel THE DOMES OF KILGARI. Two high speed machine language adventures that will have you crying in frustration as you try to solve them. They're tough - but not impossible.

GUILD PRICE \$24.95 Tape; \$29.95 Disk

Note: Albums come in handsome leatherette folders for easy storage.

NEWS FROM THE PROGRAMMER'S GUILD

TOWER OF FEAR

Located on the northern steppes of GRAYLOCKLAND is a formidable castle, home to a wizard of awesome powers. And your job is to penetrate this structure and make your way to the Red Warlock's Tower, retrieving objects of immeasurable value, a task no human or Graylock has ever accomplished and lived. Charles Forsythe, whose DRAGONQUEST has become an Adventure classic, now continues the GRAYLOCK SAGA in the format that you have come to expect. No voices or pictures to waste precious memory. Just pure unadulterated adventure, undiluted, a compu-puzzle you may never fully solve.

Tape \$14.95

Disk \$19.95

THE PROGRAMMER'S GUILD

c/o Radio Shack Dealer
Shopping Village
Peterborough, NH 03458

Voice (603) 9246065
Data (603) 9247920
Visa/Mastercard
or Certified Check

Allow Two Weeks for Delivery

Circle # 51

BASIC application


```
,"OR," "IF," OR THE PUNCTUATION MARKS
COMMAS, COLONS, AND SEMI-COLONS AND A
RIGHT PARENS "(" . THIS ALLOWS A STATEMENT
LIKE:
66 ' IF(X=1AND(A=2ORB=3))THEN####, T
O BE SPACED LIKE: IF (X = 1 AND (A =
2 OR B = 3)) THEN####, RATHER THAN:
IF(X = 1 AND(A = 2 OR B = 3)) THEN##
##. THUS IT ALLOWS THE RIGHT PARENS T
O STAY CLOSE TO
67 ' OTHER WORDS LIKE LEFT$(, MID$(,
ETC.
70 IFH1=32ANDH3=40AND(D3="AND"ORD2="OR"
ORD2="IF"ORH2=44ORH2=58ORH2=59)THEN57
O
75 REM REMOVES BLANK AFTER LINE FEED, R
IGHT PARENS, "/", AND BETWEEN THE EQU
ALS/NOT EQUALS SIGNS (<=>).
80 IFH3=32AND((H1=10ORH1=47ORH1=40)OR((
H1=60ORH1=61ORH1=62)AND(H4=60ORH4=61O
RH4=62)))THEND=MID$(D,2):GOTO60
85 REM REMOVES BLANK BETWEEN ANYTHING A
ND THE ASCII CHARS LISTED AS DECIMAL
NUMBERS IN THE LINE. THE PRINTCHR$(8)
IS A SCREEN FORMAT COMMAND THAT ALLO
WS THE NEWLY SPACED LINE TO PRINT COR
RECTLY.
90 IFH1=32AND(H3=47ORH3=10ORH2=40ORH3=4
1ORH3=32ORH3=44)THEN95
91 IFH1=32AND(H3=43ORH3=40ORH3=58ORH3=5
9ORH3=33ORH3=35ORH3=36ORH3=37ORH3=91)
THEN 95
92 GOTO 100
95 E=LEFT$(E,LEN(E)-1):PRINTCHR$(8);:GO
T050
100 GOTO570
105 REM THIS ROUTINE COMPARES THE PROGR
AM LINE POSITION WITH A LIST OF THE C
OMMAND WORDS. THE SEARCH IS IN THE OR
DER OF THE WORDS'S OCCURANCE IN MY PR
OGRAMS. CHANGE THE SEQUENCE TO SUIT Y
OURSELF.
106 ' NOTE, HOWEVER, THAT A SHORT WOR
D THAT IS CONTAINED IN A LONG WORD--P
RINT IN PRINT@, FOR EXAMPLE, MUST FOL
LOW THE LONG WORD IN THE SEARCH OR IT
WILL SPLIT THE WORD--PRINT @, OR PRI
NT USING, ETC.
110 READD0
111 IFD0="XXXX"THEN570
112 IFMID$(C,I,LEN(D0))=D0THEND=" "+D0+
" ":I=I+LEN(D0)-1:GOTO50ELSE110
120 DATA OR,AND,GOTO,IF,THEN,FOR,NEXT,O
N,TO,GOSUB
130 DATA LEFT$,MID$,INSTR,CHR$,ELSE,CLS
,LPRINT
140 DATA PRINT@,PRINT#-1,PRINT#-2,PRINT
USING,PRINT#,PRINT
150 DATA INPUT#-1,INPUT#-2,INPUT#,INPUT
,INT,LEN,STR$
160 DATA RIGHT$,PEEK,POKE,LINEINPUT#,LI
NEINPUT,GET,PUT,LSET,READ
170 DATA ASC,AS,FIELD,RETURN,STRING$,VA
RPTR,CDBL,CINT
180 DATA CSNG,CVD,CVI,CVS,MKD$,MKI$,MKS
$,INKEY$,CLOSE
190 DATA OPEN,LET,STEP,TAB,USR,VAL,USIN
G,LINE,LOAD
200 DATA DIM,LOF,EOF,RUN,MEM,END,CSAVE,
RESTORE,RANDOM
210 DATA DEFINT,DEFSTR,DEFDBL,DEFUSR,RE
SUME,POINT,SET
220 DATA RSET,RESET,ABS,ATN,COS,EXP,FIX
,NOT,RND,SGN,LOC,LOG
230 DATA SIN,SQR,TAN,STOP,FREE,FRE,KILL
,ERROR,ERR,NAME,SAVE
240 DATA CLEAR,TROFF,DEFSNG,TIMES$,OUT,M
ERGE,DELETE,TRON,XXXX
250 ONERRORGOTO5000
255 REM THE MENU IS SHORT AND ERROR TRA
PPED
260 INPUT"PROCESSES:
SELECT:
1 DESPACE FOR COMPACTNESS
2 RESPACE FOR CLARITY
";M:IFM<1ORM>2THEN260
270 INPUT"REMOVE REMARKS Y/N";GA:IFGA<>
"Y"THENGA="N"
280 LINEINPUT"
PROGRAM FILESPEC ==> ";A:IFA=""THEN280
290 LINEINPUT"
PROCESSED PROGRAM FILESPEC ==> ";B
295 REM THE LINE PREVENTS YOUR TRYING T
O OPEN ONE FILESPEC FOR BOTH INPUT AN
D OUTPUT AT THE SAME TIME.
300 IFB=ATHEN280ELSEIFB=""THEN290
310 OPEN"I",1,A:OPEN"O",2,B
315 REM CLEARS SCREEN AND PRINTS THE FI
LESPECS
320 CLS:PRINT@0,"RESPACING ";A;" INTO "
;B
325 REM THE PROGRAM BEGINS BY LINEINPUT
ING A PROGRAM LINE FROM DISK. IF IT I
S A NULL LINE, THE FILE IS CHECKED FO
R THE END OF FILE MARKER AS A PRECAUT
ION.
330 E="" :LINEINPUT#1,C:L=LEN(C):A#=A#+L
:IFC=""THEN610
335 REM THE LINE NUMBER IS STRIPPED AND
PUT INTO THE NEW-LINE VARIABLE "E".
THE SCREEN IS CLEARED FROM POSITION #
128 TO DISPLAY THE NEW LINE AS IT IS
SPACED.
336 PRINTC
```

BASIC application

```
340 I=INSTR(C," "):E=LEFT$(C,I):PRINTE;  
:I=I+1  
345 REM NOW, THE LINE IS PROCESSED CHAR  
ACTER BY CHARACTER. MOSTLY, BY THE AS  
C NUMBER OF THE CHARACTER VARIABLE "H  
".  
350 FORI=ITOL:D=MID$(C,I,1):H=ASC(D)  
355 REM WE NEITHER WANT TO ADD OR DELET  
E SPACES FROM STRINGS BETWEEN QUOTES.  
IF THE CURRENT CHARACTER IS A QUOTE  
MARK, THIS LINE JUMPS TO THE QUOTE SU  
BROUTINE IN LINE 20-30. THE LOOP COUN  
TER INCREMENTS TO THE  
356 ' LENGTH OF THE STRING. IF THERE  
IS NO SECOND QUOTE, AS SOME PROGRAMME  
RS OMIT THE QUOTE MARK AT THE END OF  
A LINE, SPACER ASSUMES THE END OF THE  
LINE IS THE SECOND  
357 ' QUOTE MARK. THE STRING IS IMMEDI  
ATELY CONCATENATED INTO THE NEW LINE  
VARIABLE.  
360 IFH=NTHENK=I:GOSUB20:I=J:GOTO580  
365 REM NUMBERS REQUIRE NO PROCESSING E  
XCEPT CONCATENATING. TO KEEP PROCESSI  
NG TIME DOWN WHILE ALLOWING A DESPACI  
NG OPTION, SPACER CONCATENATES SPACES  
IMMEDIATELY AND THEN REMOVES ANY EXT  
RAS.  
370 IF(H>47ANDH<58)OR(M=2ANDH=32)THEN57  
0  
375 REM WHEN DESPACING BLANKS ARE REMOV  
ED BY JUMPING TO THE LOOPS END. STRIN  
GS WERE PROCESSED IN LINE 360, SO THI  
S LINE JUMPS ON TO CHECK THE SPECIAL  
COMMAND WORDS.  
380 IFM=1THENIFH=32THEN590ELSE420  
385 REM THIS LINE JUMPS TO SYMBOLS PROC  
ESS ROUTINE.  
390 IF(H=33OR(H>35ANDH<65)ORH=91)ANDH<>  
39THEN40  
395 REM IT TAKES THE LONGEST TIME TO SE  
ARCH FOR A LETTER COMBINATION THAT IS  
NOT A COMMAND WORD. SINCE ALL COMMAN  
D WORDS HAVE AT LEAST TWO DIFFERENT L  
ETTERS THIS ROUTINE SKIPS THE WORD SE  
ARCH FOR LETTERS  
396 ' FOLLOWED BY THE SAME LETTER OR  
ANY SYMBOL OR NUMBER. IT ALSO PASSES  
THROUGH THE LAST CHARACTER IN A LINE.  
  
400 IFI<LTHENHB=ASC(MID$(C,I+1,1))ELSE5  
70  
410 IF(H=HB)OR((H>64ANDH<91)ANDHB<65)TH  
EN580  
415 REM THE DATA ROUTINE IS SPACER IN M  
INIATURE. FIRST, "DATA" IS SPLIT OFF  
AND THE COUNTER INCREMENTS.
```

Circle # 52.

EXCUSES, EXCUSES...



IJG would like to apologize to all readers, and dealers, who ordered *The Custom TRS-80* and have been wondering where it is.

Magazine advertisements have to be prepared 2 to 3 months before they actually appear in print. Originally the book was scheduled for printing in early May, just as the first advertisements were to appear, but the Editor must have been in a time-warp when he made the original production estimates!

He completely under-estimated the time needed to prepare and process the dozens of photographs, circuit diagrams, printed circuit layouts, assembly language programs and reams of information that Dennis Kitz had provided.

The book has now been scheduled for printing in early November, and should be available before the end of the month. It will be worth the wait, it's one heck of a book!

Credit card orders are not being processed until the book is back from the printers. If you prepaid by check, and would prefer not to wait, then you can obtain a full refund prior to shipment - or use your credit towards other IJG products.

Sorry about this, thank you for waiting,

Jim Perry

Jim ('What year is it?') Perry, Editor



1260 West Foothill Blvd.,
Upland, California 91786
(714) 946-5805

TRS-80 is a trademark of Tandy

80-U.S. Journal, January, 1982 97

BASIC application

```
420 IFMID$(C,I,4)<>"DATA"THEN520ELSEI=I
+4:DD=" DATA "
425 REM SECOND, ANY BLANKS BETWEEN "DAT
A" AND ITS FIRST ELEMENT ARE STRIPPED
BY INCREMENTING THE COUNTER.
430 IFMID$(C,I,1)=" "THENI=I+1:GOTO430
435 REM THIRD, A CHARACTER BY CHARACTER
LOOP IS INITIATED WITH VARIABLES AS
IN THE MAIN LOOP.
440 FORK=ITOL:D=MID$(C,K,1):H=ASC(D)
445 REM STRIP BLANKS AFTER A COMMA AND
BEFORE AN ELEMENT.
450 IFH=44THENIFMID$(C,K+1,1)=" "THENK=
K+1:GOTO450
455 REM CHECKS FOR COLON--TERMINATOR. I
F PRESENT, JUMPS OUT OF LOOP.
460 IFH=58THENDD=DD+D:GOTO510
465 REM STRINGS BETWEEN QUOTES ROUTINE.
DATA ELEMENTS CAN ALSO BE QUOTED STR
INGS.
470 IFH=NTHENGOSUB20:K=J:GOTO490
475 REM INSERT SPACE AFTER COMMA WHEN R
ESPACING
480 IFH=44ANDM=2THEND=D+" "
485 REM CONCATENATE DATA ELEMENT CHARAC
TERS
490 DD=DD+D

500 NEXTK
505 REM CHANGE DATA STATEMENT VARIABLE
INTO MAIL LOOP CONCATENATING VARIABLE
. INCREMENT MAIN LOOP COUNTER. JUMP T
O CONCATENATE LINE.
510 D=DD:DD="":I=K:GOTO570
515 REM PROCESS REM STATEMENTS
520 IFMID$(C,I,3)<>"REM"ANDH<>39THEN560

525 REM IF REMS ARE NOT TO BE REMOVED,
THEN THE ENTIRE REMARK IS PUT INTO TH
E CONCATENATING VARIABLE, THE LOOP CO
UNTER IS INCREMENTED, AND THE REM IS
CONCATENATED.
530 IFGA="N"THEND=MID$(C,I):I=L:GOTO570

535 REM IF REMS ARE TO BE REMOVED, THE
NEWLY SPACED LINE (E) IS BACK SEARCHE
D FOR A COLON AND ALL FROM THE COLON
TO THE RIGHT IS STRIPPED. IF THE BACK
SEARCH GOES ALL THE WAY TO THE BEGINN
ING OF THE LINE, THE
536 ' ENTIRE LINE IS A REMARK AND THE
LINE IS PASSED OVER.
539 IF H=39 THEN600
540 FORII=LEN(E)TO1STEP-1:H=ASC(MID$(E,
II,1))
550 IFH<>58THENNEXTII:GOTO610:ELSEE=LEF
T$(E,II-1):GOTO600
```

```
555 REM NOW, SEARCH THROUGH THE COMMAND
WORD LIST.
560 IFM=2THENPOKE16553,255:RESTORE:GOTO
110
565 REM REMOVE EXCESS SPACES.
570 IFRIGHT$(E,1)=" "ANDLEFT$(D,1)=" "T
HEND=MID$(D,2)
575 REM CONCATENATE INTO THE NEWLY SPAC
ED LINE.
580 E=E+D:PRINTD;
585 REM END OF MAIN LOOP.
590 NEXTI
595 REM PRINT NEW LINE TO DISK.
600 PRINT#2,E
605 REM CHECK FOR END OF FILE MARKER AN
D GO BACK FOR ANOTHER LINE OR CLOSE T
HE FILES.
610 IF EOF(1) THEN CLOSE ELSE 320
620 END
4995 REM ERROR TRAPPING ROUTINE FOR STR
ING TOO LONG. IF SO, PRINT MESSAGE ON
LINE PRINTER AND RECORD AS MUCH AS P
OSSIBLE.
5000 IF ERR=28 AND ERL=580 THEN LPRINT
LEFT$(E, 10) : RESUME600
5010 ONERRORGOTO0
5020 STOP
```

Model II changes

Note: Add keywords to the token list as needed.

```
560 IFM=2THENRESTORE:GOTO110
620 IF GA="N" THEN END
670 OPEN"I",1,B
680 OPEN"O",2,A
690 IF EOF(1) THEN CLOSE : END
700 LINEINPUT#1,C
710 A%=INSTR(C," ")
720 B%=LEN(C)
730 IF A%=B% THEN 690
740 PRINT C
750 PRINT#2,C
760 GOTO690
```

Color computer version

Note: Add keywords to the token list as needed.

```
1 REM *****
2 REM
3 REM SPACER....
4 REM
5 REM by LOU PA
6 REM BOX 19358
7 REM SACRAMENTO CA 95819
8 REM
9 REM *****
10 CLS: CLEAR1000:N=34:F$=CHR$(N)
:GOTO260
```

BASIC application

```
11 REM SKIP OVER SUBROUTINES TO
    INITIALIZATION.
15 REM STRINGS BETWEEN QUOTES
    SUBROUTINE SEARCHES FOR THE
    SECOND OF A PAIR OF QUOTE
    MARKS (CHR$(34)), AND RETURNS
    THE STRING PLUS THE QUOTE
    MARKS.
16 ' NEW, SPACED PROGRAM LINE.
    REFERRED FROM REGULAR
    SEQUENCE LINE #360 AND FROM
    WITHIN THE DATA STATEMENT
    ROUTINE LINE #470
20 J=INSTR(K+1,C$,F$):IFJ=0 THEN
    J=L
30 D$=MID$(C$,K,J-K+1):RETURN
35 REM PRELIMINARY SPACING
    AROUND SYMBOLS. SPACER BEGINS
    BY ADDING SPACES AND THEN
    DELETING THEM.
40 IFH=33ORH=35ORH=36ORH=37ORH=4
    4ORH=59ORH=63ORH=64 THEND$=D$+"
    ":GOTO50
45 IFH=45ORH=42ORH=43ORH=58ORH=6
    0ORH=61ORH=62 THEND$=" "+D$+" "
46 REM NEXT TWO LINES SET THE
    SYMBOL SPACING VARIABLES. H1
    & H2 REPRESENT THE CHARACTERS
    AT THE RIGHT OF THE NEWLY
    SPACED LINE VARIABLE "E."
47 ' H3 & H4 ARE THE LEFT
    CHARACTERS OF PROCESSING
    CHARACTERS TO BE ADDED. D2 &
    D3 ARE USED TO CHECK SPACING
    AROUND CERTAIN TWO AND THREE
    LETTER COMMAND WORDS (LIST
    IN LINE #70).
50 H1=ASC(RIGHT$(E$,1)):H2=ASC(M
    ID$(E$,LEN(E$)-1,1)):D2$="":D3$=
    ""
55 IFLEN(E$)>2 THEND2$=MID$(E$,L
    EN(E$)-2,2):IFLEN(E$)>3 THEND3$=
    MID$(E$,LEN(E$)-3,3)
60 H3=ASC(LEFT$(D$,1)):IFLEN(D$)
    >1 THENH4=ASC(MID$(D$,2,1)) ELSE
    H4=130
65 REM NEXT LINE PREVENTS
    REMOVING SPACE FROM BETWEEN
    THE PROGRAM WORDS "AND",
    "OR", "IF" OR THE PUNCTUATION
    MARKS: COMMAS, COLONS, AND
    SEMI-COLONS AND RIGHT PARENS:
    "(" . THIS ALLOWS A STATEMENT
    LIKE:
66 ' IF(X=1AND(A=2ORB=3))THEN...
    TO BE SPACED LIKE:
    IF (X = 1 AND (A = 2 OR B =
```

PROGRAMMING TOOLS FOR YOUR TRS-80™

INSTANT ASSEMBLER

The **INSTANT ASSEMBLER** is a new, powerful tape-based assembler and debugger for the TRS-80. Now you can assemble directly to memory and immediately debug your program with the built in single stepping debugger. Quickly switch from assembler to debugger and back again without losing the source code. This feature makes INSTANT ASSEMBLER an excellent learning tool for assembly language programming.

INSTANT ASSEMBLER is absolutely unique among tape based assemblers in that it produces relocatable code modules that can be linked with the separate LINKING LOADER, which is supplied in two versions for loading programs into either high or low RAM. This lets you build long programs with small modules. INSTANT ASSEMBLER also features immediate detection of errors as the source code is entered, a compactly coded source format that uses 1/3 as much memory as standard source, and many operational features including single stroke entry of DEFB and DEFW, pinpoint control of listings, alphabetic listing of symbol table, separate commands for listing error lines or the symbol table, block move function, and verification of source tapes.

INSTANT ASSEMBLER's debugger provides single stepping with full register displays, decimal or hex entry of addresses, forward or backward memory displays, disassembly of object code in memory, memory display in ASCII format, and hex-to-decimal or decimal-to-hex conversion. The single-stepper will step one instruction at a time or at a fast rate to any defined address.

INSTANT ASSEMBLER occupies less than 8400 bytes of memory. In a 16K machine this will leave you enough memory to write assembly language programs of around 2000 bytes. This and its module-linking feature make INSTANT ASSEMBLER ideal for users with only 16K machines. The instruction manual may be purchased separately for \$3, which will apply towards the purchase of the INSTANT ASSEMBLER. Specify Model I or Model III. INTASM.....\$29.95

SINGLE STEP THROUGH RAM OR ROM

STEP80 allows you to step through any machine language program one instruction at a time, and see the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. The top 14 lines of the video screen are left unaltered so that the target program may perform its display functions unobstructed. STEP80 will follow program flow right into the ROMs, and is an invaluable aid in learning how the ROM routines function. Commands include step (trace), disassemble, run in step mode at variable step rate, display or alter memory or CPU registers, jump to memory location, execute a CALL, set breakpoints in RAM or ROM, write SYSTEM tapes, and relocate to any page in RAM. The display may also be routed to your line printer through the device control block so custom print drivers are automatically supported.

Specify Model I or Model III. STEP80.....\$16.95

TELECOMMUNICATIONS PROGRAM

This machine language program may be used as a smart terminal with time share systems or for high speed file transfers between two disk-based micros over modems or direct wire. It is menu driven and extremely simple to use. Functions include real-time terminal mode, save RAM buffer on disk, transmit disk file, receive binary files, examine and modify UART parameters, program 8 custom log-on messages, automatic 16-bit checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers and lowercase characters. With this program you will no longer need to convert machine language programs to ASCII for transmission, and you will know immediately if the transmission was accurate. This program comes on a formatted disk.

Specify Model I or Model III. TELCOM.....\$39.95

PROGRAM INDEX VERSION 2.0

Assemble an alphabetized index of your entire program library from disk directories. Program names and free space are read automatically (need not be typed in) and may be alphabetized by disk or program. The list may also be searched for any disk, program, or extension; disks or programs added or deleted; and the whole list or any part sent to the printer. Printer output may be requested in three different formats including labels. The list itself may also be stored on disk for future access and update. It also includes a PURGE mode for quickly killing unwanted files. Directory reads and alphabetizing is done in machine code for speed. 1,000 programs may be sorted in less than 10 seconds. Works with TRSDOS, NEWDOS, and NEWDOS/80 single or double density. One drive and 32K required.

Specify Model I or Model III. INDEX.....\$24.95

DUPLICATE SYSTEM TAPES WITH CLONE.

Make duplicate copies of any tape written for Level II. They may be SYSTEM tapes or data lists. The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. Model III version allows changing tape speed.

Specify Model I or Model III. CLONE.....\$16.95

Circle # 53

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. All programs (except TELCOM) are shipped on cassette unless \$5 is included for a formatted (no system) disk. Include \$1.50 for postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted. **SPECIFY MODEL I OR MODEL III.** Dealer inquiries invited.

MUMFORD MICRO SYSTEMS

Box 400-D Summerland, California 93067 (805) 969-4557

BASIC application

```
3)) THEN... , RATHER THAN:
IF(X = 1 AND(A = 2 OR B = 3))
THEN... THUS IT ALLOWS THE
RIGHT PARENS TO STAY CLOSE TO
67 ' OTHER WORDS LIKE LEFT$(,
MID$(, ETC.
70 IFH1=32ANDH3=40AND(D3$="AND"O
RD2$="OR"ORD2$="IF"ORH2=44ORH2=5
80RH2=59) THEN570
75 REM REMOVES BLANK AFTER LINE
FEED, RIGHT PARENS, "/" AND
BETWEEN THE EQUALS/NOT EQUALS
SIGNS (<=>).
80 IFH3=32AND((H1=100RH1=47ORH1=
40)OR((H1=60ORH1=61ORH1=62)AND(H
4=60ORH4=61ORH4=62))) THEND$=MID
$(D$,2):GOTO60
85 REM REMOVES BLANK BETWEEN
ANYTHING AND THE ASCII CHARS
LISTED AS DECIMAL NUMBERS IN
THE LINE. THE PRINTCHR$(8)
IS A SCREEN FORMAT COMMAND
THAT ALLOWS THE NEWLY
SPACED LINE TO PRINT
CORRECTLY.
90 IFH1=32AND(H3=47ORH3=100RH2=4
00RH3=41ORH3=32ORH3=44) THEN95
91 IFH1=32AND(H3=43ORH3=40ORH3=5
80RH3=59ORH3=33ORH3=35ORH3=36ORH
3=37ORH3=91) THEN95
92 GOTO100
95 E$=LEFT$(E$,LEN(E$)-1):PRINTC
HR$(8);:GOTO50
100 GOTO570
105 REM THIS ROUTINE COMPARES
THE PROGRAM LINE POSITION
WITH A LIST OF THE COMMAND
WORDS. THE SEARCH IS IN THE
ORDER OF THE WORDS'S
OCCURANCE IN MY PROGRAMS.
CHANGE THE SEQUENCE TO SUIT
YOURSELF.
106 'NOTE, HOWEVER, THAT A SHORT
WORD THAT IS CONTAINED IN A
LONG WORD--PRINT IN PRINT@,
FOR EXAMPLE, MUST FOLLOW THE
LONG WORD IN THE SEARCH OR
IT WILL SPLIT THE WORD--
PRINT @, OR PRINT USING.
110 READDO$
111 IFDO$="XXXX" THEN570
112 IFMID$(C$,I,LEN(DO$))=DO$ TH
EN114 ELSE110
114 D$=" "+DO$+" ":I=I+LEN(DO$)-
1:GOTO50
120 DATA OR,AND,GOTO,IF,THEN,FOR
,NEXT,ON,TO,GOSUB
```

```
130 DATA LEFT$,MID$,INSTR,CHR$,E
LSE,CLS,LPRINT
140 DATA PRINT@,PRINT#-1,PRIT#-2
,PRINTUSING,PRINT#,PRINT
150 DATA INPUT#-1,INPUT#-2,INPUT
#,INPUT,INT,LEN,STR$
160 DATA RIGHT$,PEEK,POKE,LINEIN
PUT#,LINEINPUT,GET,PUT,LSET,READ
170 DATA ASC,AS,FIELD,RETURN,STR
ING$,VARPTR,CDBL,CINT
180 DATA CSNG,CVD,CVI,CVS,MKD$,M
KI$,MK$,INKEY$,CLOSE
190 DATA OPEN,LET,STEP,TAB,USR,V
AL,USING,LINE,LOAD
200 DATA DIM,LOF,EOF,RUN,MEM,END
,CSAVE,RESTORE,RANDOM
210 DATA DEFINT,DEFSTR,DEFDBL,DE
FUSR,RESUME,POINT,SET
220 DATA RSET,RESET,ABS,ATN,COS,
EXP,FIX,NOT,RND,SGN,LOC,LOG
230 DATA SIN,SQR,TAN,STOP,FREE,F
RE,KILL,ERROR,ERR,NAME,SAVE
240 DATA CLEAR,TROFF,DEFSNG,TIME
$,OUT,MERGE,DELETE,TRON,XXXX
255 REM THE MENU IS SHORT AND
ERROR TRAPPED
260 CLS:PRINTTAB(11)"PROCESSES":
PRINT:PRINT"SELECT:":PRINT:PRINT
TAB(5)"1 DESPACE FOR COMPACTNES
S":PRINTTAB(5)"2 RESPACE FOR CL
ARITY ";:INPUTM:IFM<1ORM>2 THEN2
60
270 INPUT"REMOVE REMARKS Y/N";GA
$:IFGA$<>"Y" THENGA$="N"
280 LINEINPUT"INPUT FILESPEC ";A
$:IFAS$="" THEN280
290 LINEINPUT"OUTPUT FILESPEC ";
B$
295 REM THE LINE PREVENTS YOUR
TRYING TO OPEN ONE FILESPEC
FOR BOTH INPUT AND OUTPUT AT
THE SAME TIME.
300 IFB$=A$ THEN280 ELSEIFB$=""
THEN290
310 OPEN"I",1,A$:OPEN"O",2,B$
315 REM CLEARS SCREEN AND PRINTS
THE FILESPECS
320 CLS:PRINT"RESPACING ";A$:PRI
NT" INTO ";B$
325 REM THE PROGRAM BEGINS BY
LINEINPUTING A PROGRAM LINE
FROM DISK. IF IT IS A NULL L
LINE, THE FILE IS CHECKED
FOR THE END OF FILE MARKER
AS A PRECAUTION.
330 E$="":LINEINPUT#1,C$:L=LEN(C
$):A=A+L:IFC$="" THEN610
```

```

335 REM THE LINE NUMBER IS
    STRIPPED AND PUT INTO THE
    NEW-LINE VARIABLE "E". THE
    SCREEN DISPLAYS THE NEW LINE
    AS IT IS SPACED.
336 PRINTC$
340 I=INSTR(C$," "):E$=LEFT$(C$,
I):PRINTE$;:I=I+1
345 REM NOW, THE LINE IS
    PROCESSED CHARACTER BY
    CHARACTER. MOSTLY, BY THE
    ASCII NUMBER OF THE
    CHARACTER VARIABLE "H".
350 FORI=I TOL:D$=MID$(C$,I,1):H
=ASC(D$)
355 REM WE NEITHER WANT TO ADD
    OR DELETE SPACES FROM
    STRINGS BETWEEN QUOTES. IF
    THE CURRENT CHARACTER IS A
    QUOTE MARK, THIS LINE JUMPS
    TO THE QUOTE SUBROUTINE IN
    LINES 20-30. THE LOOP
    COUNTER INCREMENTS TO
356 ' LENGTH OF THE STRING. IF
    THERE IS NO SECOND QUOTE, AS
    SOME PROGRAMMERS OMIT THE
    QUOTE MARK AT THE END OF A
    LINE, SPACER ASSUMES THE END
    OF THE LINE IS THE SECOND
357 ' QUOTE MARK. THE STRING IS
    IMMEDIATELY CONCATENATED
    INTO THE NEW LINE VARIABLE.
360 IFH=N THENK=I:GOSUB20:I=J:GO
T0580
365 REM NUMBERS REQUIRE NO
    PROCESSING EXCEPT
    CONCATENATING. TO KEEP
    PROCESSING TIME DOWN WHILE
    ALLOWING A DESPACING OPTION,
    SPACER CONCATENATES SPACES
    IMMEDIATELY AND THEN REMOVES
    ANY EXTRAS.
370 IF(H>47ANDH<58)OR(M=2ANDH=32
) THEN570
375 REM WHEN DESPACING BLANKS
    ARE REMOVED BY JUMPING TO
    THE LOOPS END. STRINGS WERE
    PROCESSED IN LINE 360, SO
    THIS LINE JUMPS ON TO CHECK
    THE SPECIAL COMMAND WORDS.
380 IFM=1 THENIFH=32 THEN590 ELS
E420
385 REM THIS LINE JUMPS TO
    SYMBOLS PROCESS ROUTINE.
390 IF(H=33OR(H>35ANDH<65)ORH=91
)ANDH<>39 THEN40
395 REM IT TAKES THE LONGEST

```

```

    TIME TO SEARCH FOR A LETTER
    COMBINATION THAT IS NOT A
    COMMAND WORD. SINCE ALL
    COMMAND WORDS HAVE AT LEAST
    TWO DIFFERENT LETTERS THIS
    ROUTINE SKIPS THE WORD
    SEARCH FOR LETTERS
396 ' FOLLOWED BY THE SAME LETTER
    OR ANY SYMBOL OR NUMBER. IT
    ALSO PASSES THROUGH THE LAST
    CHARACTER IN A LINE.
400 IFI<L THENHB=ASC(MID$(C$,I+1
,1)) ELSE570
410 IF(H=HB)OR((H>64ANDH<91)ANDH
B<65) THEN580
415 REM THE DATA ROUTINE IS
    SPACER IN MINIATURE. FIRST,
    "DATA" IS SPLIT OFF AND THE
    COUNTER INCREMENTS.
420 IFMID$(C$,I,4)<>"DATA" THEN5
20 ELSEI=I+4:DD$=" DATA "
425 REM SECOND, ANY BLANKS
    BETWEEN "DATA" AND ITS FIRST
    ELEMENT ARE STRIPPED BY
    INCREMENTING THE COUNTER.
430 IFMID$(C$,I,1)=" " THENI=I+1
:GOTO430
435 REM THIRD, A CHARACTER BY
    CHARACTER LOOP IS INITIATED
    WITH VARIABLES AS IN THE
    MAIN LOOP.
440 FORK=I TOL:D$=MID$(C$,K,1):H
=ASC(D$)
445 REM STRIP BLANKS AFTER A
    COMMA AND BEFORE AN ELEMENT
450 IFH=44 THENIFMID$(C$,K+1,1)=
" " THENK=K+1:GOTO450
455 REM CHECKS FOR COLON--
    TERMINATOR. IF PRESENT,
    JUMPS OUT OF LOOP.
460 IFH=58 THENDD$=DD$+D$:GOTO51
0
465 REM STRINGS BETWEEN QUOTES
    ROUTINE. DATA ELEMENTS CAN
    ALSO BE QUOTED STRINGS.
470 IFH=N THENGOSUB20:K=J:GOTO49
0
475 REM INSERT SPACE AFTER
    COMMA WHEN RESPACING
480 IFH=44ANDM=2 THEND$=D$+" "
485 REM CONCATENATE DATA
    ELEMENT CHARACTERS
490 DD$=DD$+D$
500 NEXTK
505 REM CHANGE DATA STATEMENT
    VARIABLE INTO MAIL LOOP
    CONCATENATING VARIABLE.

```

MICRO IMAGES

SUPER SOFTWARE & HARDWARE BUYS
PRICES INCLUDE SHIPPING WITHIN CONTINENTAL U.S.A.

EPSON **CALL** **OKIDATA**
FOR OUR LOW PRICES

LYNX Mod I/III **259.95**
RS232 Not Req. includes auto dial/answer, cables and terminal software

DISKETTES Verbatim 5 1/4 BOX of 10 D/D **\$30.00**
Datalife

COPYRIGHT KIT - A must for authors who want to learn how to protect their programs. Written by national attorneys. **\$11.95**

AMBER EASE Amber Filter for screen. Easy to install & aids eye fatigue. For all TRS-80 Models **\$19.95**

LDOS ONLY . . . \$144.95
Mod I or III includes manual & latest updates

DOSPLUS - 3.3S/3.3D/3.3III Each **\$89.95**

MAXI MANAGER Mod I/III by Adventure Int'l Latest Version 48K Disk **\$84.95**

LAZYWRITER A BEST BUY IN WORD PROCESSORS
32K Mod I Only **\$118.95** Mod III Only **\$164.95**

Proofreader by Soft-tools Mod I - **49.95** Mod III - **59.95**
Proofedit by Soft-tools Mod I - **28.50** Mod III - **28.50**
Grammatik by Soft-tools Mod I - **45.95** Mod III - **55.95**

We also carry the full line of Adventure Int'l, Acorn, Big Five, Broderbund, Avalon Hill, Microsoft, Datasoft, Misosys, Automated Simulations and most other fine software at discount prices. See our Nov/Dec 80 U.S. ad for partial listing.

SEND FOR YOUR FREE CATALOG
No credit cards at these low prices. Add \$2.00 on all COD orders. Certified Ck/MO/COD shipped immediately. Please allow 2 weeks for personal checks. For extra fast service phone in your COD order. Prices subject to change without notice. New York State residents please add appropriate sales tax.
We Offer Great Values & Prompt Delivery — Why Not Try Us?

146-03 25th Road, Flushing, New York 11354
Mon-Fri 10 AM-9 PM **(212) 445-7124** Sat 10 AM-5 PM

Circle # 54

BASIC application

```

INCREMENT MAIN LOOP COUNTER.
JUMP TO CONCATENATE LINE.
510 D$=DD$:DD$="":I=K:GOTO570
515 REM PROCESS REM STATEMENTS
520 IFMID$(C$,I,3)<>"REM"ANDH<>3
9 THEN560
525 REM IF REMS ARE NOT TO BE
REMOVED, THEN THE ENTIRE
REMARK IS PUT INTO THE
CONCATENATING VARIABLE, THE
LOOP COUNTER IS INCREMENTED,
AND THE REM IS CONCATENATED.

530 IFGA$="N" THEND$=MID$(C$,I):
I=L:GOTO570
535 REM IF REMS ARE TO BE
REMOVED, THE NEWLY SPACED
LINE (E$) IS BACK SEARCHED
FOR A COLON AND ALL FROM THE
COLON TO THE RIGHT IS
STRIPPED. IF THE BACKSEARCH
GOES ALL THE WAY TO THE
BEGINNING OF THE LINE
536 'ENTIRE LINE IS A REMARK AND
THE LINE IS PASSED OVER.
539 IFH=39 THEN600
540 FORII=LEN(E$) TO1STEP-1:H=AS
C(MID$(E$,II,1))
550 IFH<>58 THENNEXTII:GOTO610:
ELSEE$=LEFT$(E$,II-1):GOTO600
555 REM NOW, SEARCH THROUGH THE
COMMAND WORD LIST.
560 IFM=2 THENRESTORE:GOTO110
561 IFMID$(C$,I,4)="THEN" THEND$
=" THEN":I=I+3:GOTO50
562 IFMID$(C$,I,4)="ELSE" THEND$
=" ELSE":I=I+3:GOTO50
563 IFMID$(C$,I,2)="TO"AND(MID$(
C$,I-2,5)<>"MOTOR"ANDMID$(C$,I-3
,7)<>"RESTORE"ANDMID$(C$,I-1,4)<
>"STOP"ANDRIGHT$(E$,2)<>"GO") TH
END$=" TO":I=I+1:GOTO50
565 REM REMOVE EXCESS SPACES.
570 IFRIGHT$(E$,1)=" "ANDLEFT$(D
$,1)=" " THEND$=MID$(D$,2)
575 REM CONCATENATE INTO THE
NEWLY SPACED LINE.
580 E$=E$+D$:PRINTD$;
585 REM END OF MAIN LOOP.
590 NEXTI
595 REM PRINT NEW LINE TO DISK.
600 PRINT#2,E$
605 REM CHECK FOR END OF FILE
MARKER AND GO BACK FOR
ANOTHER LINE OR CLOSE THE
FILES.
610 IFEOF(1) THENCLOSE ELSE320

```

GOSUB

GOSUB'S MX80/70 FRICTION FEED KIT
ONLY \$49.95 ppd

The Gosub MX80/70 Friction Feed Kit for the Epson MX80 printer will give you complete paper control. You get easy to follow instructions and all parts necessary to give your Epson friction feed capabilities. No drilling and it installs in about 15 minutes. Money back guarantee if not satisfied.

PLUS:

- USE SINGLE SHEET PAPER
- USE INEXPENSIVE ROLL PAPER
- USE YOUR OWN LETTER HEAD
- FREE PAPER ROLL RACK INCLUDED WITH KIT
- DOES NOT AFFECT PIN-FEED USE

PRINTERS: EPSON MX80. \$515 ppd MX100..\$850

STRATEGY SIMULATIONS FOR THE TRS-80

<p>MERCENARY FORCE Command a mercenary army. Decide the number of men, type of weapons, armor, air support, medical aid and transports. Battle the enemy in jungles, underwater, on moons and in space. (1-4 players)</p> <p>TRS-80 L2 16K.....\$16.95</p>	<p>SPACE MERCHANT Build an Empire in the stars. Choose your cargo, means of shipping, and security. Risk pirates, ion storms, engine failure and other hazards while you try to become a Space Merchant. (1-6 players)</p> <p>TRS-80 L2/16K.....\$9.95</p>
--	--

KANSAS RES. ADD 3% SALES TAX (TRS-80 IS A TRADEMARK OF TANDY CORP.)
ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE FREE CATALOG UPON REQUEST.

SEND CHECK OR MONEY ORDER TO:

GOSUB Circle # 55 501 E Pawnee, Ste 430
(316) 265-9858 Wichita, KS 67211

System/command

Insertion/deletion in large arrays for Models I and III

James F. Williams

Sometimes it may become necessary to insert or delete elements from large arrays. A prime candidate would be a BASIC word processor. In fact, most BASIC in-memory file systems need it at one time or another. Of course, many file designs include linked-pointers and the like, but using the BASIC arrays directly is usually much simpler.

The BASIC code needed to accomplish insertion/deletion is quite simple, but uncomfortably slow in numeric arrays, and downright painful in string arrays. The insert/delete from the beginning of very large numeric arrays (say in a 48K machine) can take several seconds, and the same operation in a very large string array with memory approaching capacity could take hours or even days to complete. The bugaboo in the string array is, of course, the famous "silent death" or string space re-allocation routine. Inserting or deleting an element requires re-definition of all elements above the insert/delete element (to make room for the newly inserted element, or to get rid of the null element which was deleted.)

The machine language routine included here simply does block moves of the pointers (in the case of string arrays) or values (in the case of numeric arrays), thus avoiding the re-definition hassles. This routine can easily accomplish insertion/deletion in the largest arrays possible in a 48K machine in less than a second (most of that time is BASIC overhead setting up and calling the routine).

Also included here is a BASIC program which demonstrates the use of the routine. Do not be frightened by the complexity of the example. I wanted to construct a quasi-realistic example that used all type of arrays. The actual use of the program is far simpler.

First, type the machine language module in EDTASM and create a system tape. Then load the system tape into memory. Execute this with a /ENTER. It initially occupies memory starting at 7000H, but automatically relocates itself to the top of reserved memory and protects itself. It also automatically sets the USR branch location to its entry point. This means that you do not have to

have the "POKE 16526, (low order byte): POKE 16527, (high order byte)" statement in your BASIC program.

To address this routine from BASIC, you need to pass more than the one integer value that BASIC allows. Therefore, you set up a short integer array (4 elements long) and load it with the information that the machine language routine needs. It expects this format:

M(0)=VARPTR of the insert/delete element
M(1)=VARPTR of the last used element
M(2)=0 (for insert) or 1 (for delete)
M(3)=variable type flag:
2 - integer
3 - string
4 - single precision
8 - double precision

Now, after you load the array with this information, call the machine language routine by passing the VARPTR of the first element in the communication array. This BASIC statement accomplishes that:

X=USR(VARPTR(M(0)))

The machine language routine first checks to see if the insert/delete VARPTR is less than the last element. If so, the move takes place and a 0 is assigned to the variable X. If not, the VARPTR's are invalid and a -1 is returned. You can check this from BASIC so that you know if you did something wrong.

If you performed a delete, then the element whose VARPTR you stored in M(0) will have been written over by the element above it (and all other elements above that moved down one). You should then subtract one from your counter that keeps up with the total number of elements in your array.

If you performed an insert, then the element whose VARPTR you stored in M(0) will be copied into the element above it. That element will also be moved up one and so on. You could then use your BASIC input statement to insert your new element into the array. You should also add one to your total element count variable.

The discussion of the insert routine brings up one very important precaution: The machine language routine does not check to see if any more

Machine language application

elements in a given array are dimensioned. This means if you force an insertion when no more elements are available, the last element will overlay some unknown part of memory. The results could be fatal. Fortunately, there is an easy way to check this from BASIC: simply try to address the current highest element + 1 just before an insertion. If BASIC responds with a "Bad Subscript" error, then you know not to try to perform the insertion. This is the function of the rather obscure $P(M+1)=0$ in line 70 of the BASIC program.

Now a note about deleting in string arrays: the delete routine does not automatically free string space after a deletion has been made. A series of several deletions in a row will leave copies of the last element in the array elements above the last used element. Therefore, to keep from tying up unaddressed string space, it is wise to set the previously highest element to a null string after a deletion. This is the function of the $D(M)=""$ statement in line 80 of the BASIC program.

The use of the VARPTR command deserves one comment. Take care that after the machine language array is loaded with the VARPTR of insert/delete element (line 500, 510, 520, and 530 in the BASIC example), a new variable is not introduced until after USR command is executed. The creation of a new variable can render the old VARPTR's incorrect.

Now that you understand the principles of using this routine, let us look for a moment at the particulars of the BASIC example.

This is an inventory program of rather limited scope. It can handle a part number of up to 16 digits, a quantity of up to 32767 (65535 with a little modification if you need it), a cost of 6 significant figures, and a description. Because you probably would not want to build a large file by hand to test out the insertion and delete routines, it includes a random file generator that fills the arrays. The descriptions are especially implausible (6 repeating letters), but it saves a lot of typing.

You can do three things with the file: 1) List it starting at any line number and exit a list by hitting any key, 2) Insert a record into the file at any point, and 3) Delete any record from the file.

Line 10 DIMensions the arrays and does other housekeeping chores. This program is set to run in 16K (without comments in the BASIC program).

Line 20 builds the random file.

Line 30-90 are the command loop

Lines 50-60 are the (L)ist command.

Line 70 is the (I)nsert command.

Line 80 is the (D)elete command.

Lines 500-900 are the Insert-Delete subroutine. The file is made of 4 parallel arrays, one for each field. So that the records remain parallel, insertion or deletion must be done on all four arrays at the same element.

Line 500 sets up the machine language

communication array for the double precision PART NUMBER.

Line 510, 520, and 530 do the same thing for the integer QUANTITY, the single precision COST, and the string DESCRIPTION.

Line 900 is where the actual interface with the machine language routine takes place. Note that if a -1 is returned from the routine, "ERROR" is displayed to indicate that bad parameters were passed to it.

Now for the machine language routine. The routine is completely relocatable (no JP's, CALL's, or absolute addresses to itself). The only address that must be calculated is the entry point, and is assigned to the USR branch address in line 420.

The code from 400-440 is useful if you hate to set memory size. The rest of the code is fairly straight forward. This routine easily could be combined with other machine language routines you need for BASIC. You could also do the "conversion to DATA statement trick" if you do not like to load separate machine language and BASIC programs. You would set the original USR branch to 7000H, and it would reset it to the entry point of the routine after executing. However, it would take much longer to load.

To fully appreciate how much computer time this routine can save, add BASIC code to the demonstration program to perform an insertion or deletion near the beginning of the array. My tests showed that a BASIC string array insertion took about 10 minutes in this limited 16K application. Using the machine language routine, all 4 insertions took less than one second. As indicated in the beginning of this article, if the CLEAR and DIM statements are set for a 48K application, your computer may become obsolete before it finishes. ■

BASIC program example

```
1  "'INVENTORY" PROGRAM FOR
   INSERT/DELETE DEMO
2  'BY JAMES F. WILLIAMS
3  'VARIABLES:
   M   LAST ELEMENT NUMBER
   X   UTILITY VARIABLE
   Z   CURRENT LINE NUMBER
   P() DOUBLE PRECISION: PART NUMBER
   Q() INTEGER: QUANTITY
4  'C() SINGLE PRECISION: COST
   D() STRING: DESCRIPTION
   D   STRING INPUT FOR COMMANDS
5  '*** CLEAR STRING SPACE, SET UP
   ARRAYS, ETC. ***
10 CLEAR4000:DEFINTM,Q-Z:DEFDBLP:DEFSTR
   D:M=600:DIMM(3),P(M+10),Q(M+10),C(M+1
   0),D(M+10)
```

```

15 '*** BUILD RANDOM FILE ***
20 FORX=0TOM:P(X)=RND(10000)*123:Q(X)=R
ND(10000):
C(X)=RND(1000)/100:D(X)=STRING$(6,CHR$(
RND(26)+64)):NEXT
25 '*** COMMAND LOOP ***
30 D="":INPUT"(L)IST, (I)NSERT, (D)ELET
E";D
40 INPUT"LINE #";Z
45 '*** LIST ROUTINE ***
50 IFD="L"THENPRINT"LINE PART #","QUA
NTITY","COST","DESCRIPTION"ELSE70
60 IFINKEY$<>" "THEN30ELSEPRINTZ;P(Z),Q(
Z),C(Z),D(Z):Z=Z+1:IFZ>MTHEN30ELSE60
65 '*** INSERT ROUTINE ***
70 IFD="I"THENM(2)=0:P(M+1)=0:GOSUB500:
IFX<>-1THENINPUT"PART #";P(Z):
INPUT"QUANTITY";Q(Z):INPUT"COST";C(Z):I
NPUT"DESCRIPTION";D(Z):M=M+1

75 '*** DELETE ROUTINE ***
80 IFD="D"THENM(2)=1:GOSUB500:IFX<>-1TH
END(M)="":M=M-1
90 GOTO30
495 '*** INSERT-DELETE PART NUMBER ***
500 M(0)=VARPTR(P(Z)):M(1)=VARPTR(P(M))
:M(3)=8:GOSUB900
505 '*** INSERT-DELETE QUANTITY ***
510 M(0)=VARPTR(Q(Z)):M(1)=VARPTR(Q(M))
:M(3)=2:GOSUB900
515 '*** INSERT-DELETE COST ***
520 M(0)=VARPTR(C(Z)):M(1)=VARPTR(C(M))
:M(3)=4:GOSUB900
525 '*** INSERT-DELETE DESCRIPTION ***
530 M(0)=VARPTR(D(Z)):M(1)=VARPTR(D(M))
:M(3)=3
895 '*** INTERFACE WITH MACHINE
LANGUAGE ROUTINE ***
900 X=USR(VARPTR(M(0))):IFX=-1THENPRINT
"ERROR":RETURNELSERETURN
    
```

Side by side listing of
Insert-delete routine for Models I and III

```

00100 ;INSERT-DELETE ROUTINE FOR MODEL I AND MODEL III
00110 ;(C) 1981 BY JAMES F. WILLIAMS
00120 ;
00130 ;THIS MACHINE LANGUAGE ROUTINE IS TO BE USED WITH
00140 ;BASIC PROGRAMS THAT REQUIRE INSERTION OR DELETION
00150 ;IN LARGE ONE DIMENSIONAL ARRAYS. IT IS ESPECIALLY
00160 ;TIME SAVING FOR STRING ARRAYS.
00170 ;
00180 ;THIS ROUTINE RELOCATES AND PROTECTS ITSELF AT THE
00190 ;TOP OF PROTECTED MEMORY.
00200 ;
00210 ;CONTROL ARRAY (INTEGER)
00220 ;     M(0) =  VARPTR OF INSERT-DELETE ELEMENT
00230 ;     M(1) =  VARPTR OF LAST ELEMENT
00240 ;
00250 ;
00260 ;     M(2) =  0 INSERT FLAG
00270 ;           1 DELETE FLAG
00280 ;     M(3) =  2 INTEGER FLAG
00290 ;           3 STRING FLAG
00300 ;           4 SINGLE PRECISION FLAG
00310 ;           8 DOUBLE PRECISION FLAG
00320 ;
7000      00330      ORG      7000H
7000 ED5BB140 00340 RELO    LD      DE,(40B1H)      ;TOP OF MEM TO DE
7004 1B      00350      DEC      DE                ;LESS ONE
7005 014F00  00360      LD      BC,LSTB-ENTRY      ;LENGTH OF ROUTINE TO BC
7008 216F70  00370      LD      HL,LSTB-1          ;REAL LAST BYTE TO HL
700B EDB8    00380      LDDR     ;MOVE 'EM UP
700D EB      00390      EX      DE,HL              ;ENTRY -1 TO HL
700E 22B140  00400      LD      (40B1H),HL          ;SET NEW TOP OF MEM
    
```

Machine language application

7011	23	00410	INC	HL	;ENTRY POINT TO HL
7012	228E40	00420	LD	(16526),HL	;SET USR BRANCH
7015	113200	00430	LD	DE,50	;CLEAR 50
7018	CD831E	00440	CALL	1E83H	;BASIC CLEAR ROUTINE
701B	01181A	00450	LD	BC,1A18H	;THIS BASIC RE-ENTRY
701E	C3AE19	00460	JP	19AEH	; WORKS FOR MOD I AND III
7021	CD7FOA	00470	ENTRY CALL	0A7FH	;USR VAR IN HL
7024	E5	00480	PUSH	HL	;BEGINNING OF MACH. ARRAY
7025	DDE1	00490	POP	IX	; TO IX
7027	DD5E00	00500	LD	E,(IX+0)	;INSERT-DELETE ELEMENT
702A	DD5601	00510	LD	D,(IX+1)	; TO DE
702D	DD6E02	00520	LD	L,(IX+2)	;LAST ELEMENT
7030	DD6603	00530	LD	H,(IX+3)	; TO HL
7033	DF	00540	RST	18H	;COMPARE (HL-DE)
7034	3006	00550	JR	NC,OK	;OK IF HL>=DE
7036	21FFFF	00560	LD	HL,-1	;FOR BAD PARAMETERS
7039	C39A0A	00570	RETURN JP	0A9AH	;HL TO USR VAR. IN BASIC
703C	E5	00580	OK PUSH	HL	
703D	ED52	00590	SBC	HL,DE	;LENGTH OF MOVE
703F	E5	00600	PUSH	HL	
7040	C1	00610	POP	BC	; TO BC
7041	E1	00620	POP	HL	;LAST ELEMENT TO HL
7042	AF	00630	XOR	A	;O A REG
7043	DDBE04	00640	CP	(IX+4)	;INSERT-DELETE FLAG
7046	DD7E06	00650	LD	A,(IX+6)	;VARIABLE TYPE FLAG
7049	2811	00660	JR	Z,INSERT	;INSERT?
704B	D5	00670	DELETE PUSH	DE	;NO, DELETE
704C	E1	00680	POP	HL	;1ST ELEMENT TO HL
704D	23	00690	VTYPE INC	HL	;SET HL TO NEXT ELEMENT
704E	3D	00700	DEC	A	;LOOP FOR # BYTES IN
704F	20FC	00710	JR	NZ,VTYPE	; VARIABLE TYPE
7051	78	00720	LD	A,B	;IF BC = 0 THEN
7052	B1	00730	OR	C	; ALLOW DELETION OF
7053	2802	00740	JR	Z,GOODRT	; LAST ELEMENT ONLY
7055	EDB0	00750	LDIR		;MOVE 'EM BACK ONE SET
7057	210000	00760	GOODRT LD	HL,0	;GOOD FLAG RETURN
705A	18DD	00770	JR	RETURN	;TO BASIC JP
705C	3D	00780	INSERT DEC	A	;SET HL TO LAST BYTE
705D	2803	00790	JR	Z,RESET	; OF LAST ELEMENT
705F	23	00800	INC	HL	
7060	18FA	00810	JR	INSERT	
7062	DD7E06	00820	RESET LD	A,(IX+6)	;RESET VAR. TYPE
7065	E5	00830	PUSH	HL	;LAST BYTE
7066	D1	00840	POP	DE	; TO DE
7067	13	00850	VTYPE2 INC	DE	;SET DE TO NEWLY
		00860			; CREATED ELEMENT
7068	03	00870	INC	BC	;ADD ONE ELEMENT LENGTH
7069	3D	00880	DEC	A	
706A	20FB	00890	JR	NZ,VTYPE2	;LOOP FOR # BYTES IN
		00900			; ELEMENT
706C	EDB8	00910	LDDR		;MOVE 'EM UP 1 SET
706E	18E7	00920	JR	GOODRT	;TO GOOD RETURN
7070	00	00930	LSTB DEFB	0	;FOR LENGTH CALC.
7000		00940	END	RELO	
00000	TOTAL	ERRORS			

The Corvus hard disk system

The first of a two-part look at a TRS-80 compatible hard drive...

T. R. Dettmann, Associate Editor

Would you like to have *all* your disks available immediately; every one on-line and ready to go simply by giving a command to the computer?

It doesn't require a special robot, all it takes is a lot of storage. You won't find 10-megabyte floppy disks around, but you will find hard disks.

Corvus Systems (2029 O'Toole Ave., San Jose, California, 95131, (408) 946-7700) has put together a series of hard disk units that put mass storage within the reach of almost anyone.

Radio Shack's Model III with four disk drives is a very good buy when considering cost per byte of storage. It comes in at about 0.342 cents per byte.

Corvus lists a five-megabyte drive which gives a cost per byte of 0.088 cents. That's almost four times better in terms of cost per byte than doing it with a floppy.

The idea of cost savings as well as an expanding need for disk storage space had us looking at hard disk systems. We contacted several companies for information and Corvus was kind enough to put one on loan for some testing.

This issue I'll be taking you through a tour of the Corvus disk system. Next issue, I'll follow up with a report on software available to run on the Corvus. That includes two special versions of TRSDOS, OASIS, and CP/M on the Model II and one special version of TRSDOS and one on NEWDOS80 for the Model I and III.

The Corvus drive used for this evaluation was a 20-megabyte drive. It was equipped with the

Corvus Systems Mirror (Video Tape Backup Hardware) and Constellation Multiplexer (Multiple System Hardware).

The Corvus manual lists the specs for the drive as follows:

Number of platters	3
Number of data surfaces	5
Tracks per surface	448
Data tracks per surface	380
Bytes per track (Unformatted)	10240
Bytes per cylinder (Unformatted)	51400
Data cylinders	380
Bytes per surface (Unformatted)	3.89 MB
Bytes per drive (Unformatted)	19.6 MB
Track density	300 TPI
Bit density	5868 BPI
Rotational speed	3600 rpm
Average latency	8.33 MS
Single track access time	10 MS
Average access time	50 MS
Maximum access time	100 MS
Heads per surface	1
Start/stop times	15 sec

The drives are fixed and in an environmentally sealed container. It includes low load, low mass Winchester type read/write heads with a linear voice coil actuator system for head positioning. This is currently considered the best available system, outdating the step motor drives used in older disks and floppy disks.

A recirculating, filtered air system in a sealed enclosure prevents contamination. The drive motor is a brushless DC type with built-in disk spindle, motor electronics and speed control.

Due to the unit's small size (6.375 x 14.50 x 23.00 inches), it can fit easily on a Model II system desk next to the computer. Because it is

sealed, there is no scheduled maintenance. Despite that, Corvus lists a Mean Time Between Failure (MTBF) as 10,000 hours of operation and Mean Time to Repair (MTR) as 1/2 hour.

The system is set up so that up to four drives can be connected to one computer, giving up to 80-megabytes of storage capacity.

Upon removing the drive from the shipping box, we looked over the instructions for setting the system up. They are readable and remarkably simple. After setting a few switches, plugging the adapter board for the computer, and plugging in the power cord, we were ready to start operation.

That 3600 rpm disk really makes a whine as it starts up. After a few seconds, the noise drops down and the ready light comes on.

We started with the CORDOS system for the Model II by Andy Frederickson. As it turns out, this is the least capable of the systems we will be looking at in the follow-up article next month, but it was the simplest place to start.

First, we carried out system level tests. Setting up the disk as if it were a bunch of floppy disk drives or one big drive was fun. During system level testing the only difficulties were all software related. The hardware worked magnificently.

After transferring some programs from floppy disks to hard disks, we went into BASIC and tried some more tests. I was most interested in some timing comparisons where a program was loaded from a floppy first, and then the same program was loaded from the hard disk. For a 22K program, the hard disk was six times faster than the floppy. This

Product evaluation

was not totally unexpected, but nice anyway.

Then I tried some random access involving large files and small ones. For large files, the difference in time to get a record became noticeable, though I couldn't measure it for small files.

Up to this point in my testing, I haven't run more than one computer at a time through the multiplexer, nor have I run the mirror backup system. We will by next month though, when we also look at the software.

By now your biggest question is probably: Why bother? A hard disk system costs too much to justify. Doesn't it?

The answer to that is both yes and no. For the average home user, a hard disk system is really about as necessary as a third sock per pair. It's nice to have, but doesn't get much use.

The home user (unless money is unlimited or some other need presents itself) can get by very well with floppy disks. The needs in that kind of environment do not require extremely fast access or large capacity.

A business user is another story altogether. If you are running a business which is beginning to outgrow its present computer, you can add new life to your system for much less than you can buy a minicomputer.

A TRS-80 system with a hard disk is a mid-way machine. It's between a micro and a mini. It isn't as fast as a mini, but 20-megabytes is more than some mini's have for storage, and 80-megabytes (4 Corvus units) will let you store just about anything within reason.

A hard disk isn't a solution to all problems. You need to consider the fact that you may be limited by something other than disk access time and storage space. When large amounts of data must be printed frequently the printer would print a line and wait for the floppy disk to access. Printing from the hard disk was faster, but not much. Now the hard disk was faster than the printer so it is the printer which goes continuously and the disk drive waits.

In the final analysis, the Corvus hard disk system is for the intermediate size business. It provides better, more efficient service for someone who is too small for a minicomputer but too big for a microcomputer floppy based

system. The Corvus is an efficient, cost-effective solution to that problem. ■




Photo 1. The Corvus system in operation with a Model II. The constellation controller sits atop the hard drive.




Photo 2. An inside view of the hard drive. Note the seal around the heads and platters.




Photo 3. View of the constellation controller with cover removed. Note space for up to eight unit connections.

Disk Drives

Disk drives are complicated mechanically, but they are really quite simple. A disk is simply a circular platter like a record which is coated with a magnetic material.

When a disk is put into a disk drive, a head is moved close (or even onto) the disk surface. As the disk rotates with the head at a fixed

position, it passes over a narrow portion of the surface called a *track*. By varying the magnetic field of the head as the track passes under it, we can store information on it the same way we store sound on a cassette tape recorder.

If we move the head by a small amount so that its new position doesn't interfere with the old position, we can store more information on the second track. By stepping back and forth over the disk, we can store information on as many tracks as the disk can hold and the read/write head arm can reach.

Each track on the disk is divided into *sectors*. A sector is a logical unit of information that is transferred into memory at one time.

If we have more than one platter, with one read/write head per platter, then the read/write heads normally work together and the tracks directly over one another (where the heads are at any one time) are grouped together and called a *cylinder*. Some people even refer to a single platter disk system's track as a cylinder.

With more than one platter, the heads are tied together on a *comb* which moves all the heads in and out as one unit.

Latency is the time it takes for a disk to come around to a piece of data that has been requested. The *minimum latency* is always zero (if the disk is there when you want it, you get the data immediately).

Maximum latency occurs when the information you wanted just passed the disk head as you called for it. *Average latency* is half the maximum.

Access time is the time it takes to move to any record on the disk. *Minimum access time* is the time it takes to move the head by one track. This is also called the *single track access time*.

We are generally more interested in the average and maximum access times, since they tell us more about the response of the system. ■

What is a Winchester?

There was a time when I used to assume that Winchester Disks were invented by a company named Winchester and that there was nothing really special about them except that it was inconvenient to back them up. Nothing could be further from the truth.

The Winchester disk system arose out of technological limitations in what could be called the traditional disk pack system. David Kalstrom and John Jenkins in a lecture at NCC '80 described the problems with the old disk systems.

To achieve high density, the read/write head had to "fly" over the disk as closely as possible to the surface. This required more and more loading force on the disk head, and led to an increase in the number of "head crashes", where the head actually touches the disk surface while it is rotating.

In 1973, IBM introduced their Model 3340 drive system to alleviate the problem. Originally, the design plan specified a dual drive configuration with each drive having 30 megabytes of storage. Dual drive capacity notation (30-30) led to the name "Winchester" as a pun for the capacity of the system. While the drives eventually evolved to become 35 and 70 megabyte drives, the name stuck, and we now know all drives of this type as "Winchester" drives.

What is so special about them? Kalstrom and Jenkins list seven characteristics of Winchester technology:

1. Read/write heads and disks are in a sealed enclosure.
2. Heads come to rest on the surface when the disk is not rotating.
3. The surface of the disk is lubricated to prevent damage to the heads or disk.
4. The head flying height is 20 microinches compared to 31 for the older IBM 3330 or 120 for the 2311 drives. (This is why the units are sealed.)
5. The head load pressure is decreased to 10 grams from 350 on previous drives.
6. The head assembly is a special "trimaran" structure to make it fly better.
7. The disk surface is coated with only 50 microinches of magnetic oxide compared to 185 on some older drives.

The result of all these features is that Winchester disks are lower in cost than older style disks for a given amount of storage. Also, Winchester disks are less susceptible to errors, more reliable and more suitable for small system operation.

Backup used to be a problem since the only way to do it was either inconvenient or unnecessarily expensive. With the introduction of the Video Tape Recorder, it has now become possible to backup a Winchester disk fully on a single video tape in as little as ten minutes for a tenmegabyte drive. ■

At last!
MOD III
Tape Assembler

Byte Miser Software

ALL PROGRAMS FOR MODEL I and MODEL III TRS-80's
ALL PROGRAMS BY JAMES F. WILLIAMS

ASPTCH 3.2--> Loads behind Radio Shack's EDITOR/ASSEMBLER 1.2 and adds many features while taking only a few hundred bytes from the original text buffer. Reserve memory, dump object code directly to memory and execute, return to BASIC with EDTASM/ASPTCH and source code protected in high memory, verify source dumps, combine EDTASM/ASPTCH for single load, and much more. Selectable baud rate for Model III and complete compatibility with Model I files. For Model I or Model III (please specify) 16K and up. Only \$17.

DATAORG--> Unique file keeping system designed especially for Model I and Model III tape users (Model I Stringy Floppy and Disk versions also available). Use for indexing (magazines, records, coins, etc.), budget-checkbook, mailing list, and almost anything else you can think of. Extremely memory efficient with variable length fields and user definable delimiters (including space compression codes and special tab characters for left justified fields). Control program is in BASIC for easy user modification, and machine language module for high speed sort (48K in less than 1 minute), search (with "wild card" characters), write, read, verify, and merge. Selectable baud rate for Model III and complete compatibility with Model I files. Model I and Model III (please specify) 16K and up and Stringy Floppy ->\$28. Model I Disk version on tape (32K and 48K)->\$25.

ORGAN--> Play your TRS 80 keyboard in real time as if it were a 2 manual, 3 1/3 octave, fully chromatic, electronic organ. Play single note melodies or chords. Listen in real time by connecting aux cable to amp. One version for Model I or Model III 4K and up tape-> \$12, or 32K Model I or Model III Disk version on tape->\$15.

CPYALL--> Make back-up copies of almost any L2 format tape (BASIC, SYSTEM, EDTASM source, data, and many programs with special loaders). Specify Model I or Model III (with selectable baud rate), 4K and up. A mere \$7.

Send check or money order to Byte Miser Software, 728 West Haven Boulevard, Rocky Mount, NC 27801. Circle # 56

ebg
& ASSOC

EMMANUEL B. GARCIA, JR.
& ASSOCIATES
203 N WABASH
CHICAGO, ILLINOIS 60601
PHONE (312) 782-9750

NOW IN ITS THIRD YEAR OF SPECIALIZING IN PRODUCTS RELATED TO THE TRS-80*

- Dealer of quality software and hardware—we sell **only** the best, proven items.
- Sponsor of CHICATRUG—monthly learning sessions for TRS-80 users.
- Publisher of "CHICATRUG News," monthly publication for TRS-80 users.
- ■ Send for sample issue ■ ■
- Sponsor of the FORUM-80 of Chicago, a 24-hour computerized bulletin board.
- Author of "Pensionmaker," the revolutionary defined benefit pension system running on the TRS-80 Model I where other pension actuaries are using mainframes.
- Repair facilities (90-day warranty on new equipment and 30 days on used).

Circle # 57

E.B.G. & Associates is NOT affiliated with Tandy Corporation or Radio Shack.

*TRS-80 is a trademark of Tandy Corporation.

Inside the FOR . . . NEXT loop

For all models

R. C. Bahn

Programmed repetitive computer operations depend upon a programming technique known as the 'loop.' A programmed loop consists of control statements and operational statements. The control statements define the starting and stopping rules of the loop. The operational statements define the repetitive procedure(s) to be performed within the loop.

The control portion of the loop is largely automated by the FOR-NEXT statement of the BASIC language. The following programs illustrate several types of loops, some of which utilize FOR-NEXT statements.

Interactive Programs

The program listing consists of four subprograms which illustrate some principles of the programmed 'loop'. The initial section of the program is a menu driver which allows the user to select one of four options (lines 30-100). The first subprogram (130-180) counts from one to one-hundred. Although the video output is trivial, the few statements of the program illustrate the fundamental parts of a 'loop'. These parts are: initialization (140), incrementing of a counter (150), and testing for exit conditions (170).

Simple counting is a special case of a finite arithmetic series. A finite arithmetic series is a progression of numbers of length N with a constant difference D between successive terms. A finite arithmetic series is usually defined by a first term, a constant difference (D) and the number of terms (N). Alternately, it could be defined by a first term, an approximate last term and a constant difference. The latter are the parameters of a programmed 'loop'.

The second (190-310) and third (320-420) subprograms enable the user to display any finite arithmetic series. The second subprograms (190) implements this task without the use of the FOR-NEXT statement. Note that the logic of the exit decision is more complex (270) but now the loop can be made to run in either an ascending or descending direction with either integer or

fractional differences between terms. These two programs demonstrate that the FOR-NEXT statement is merely an automation of finite arithmetic series for the control of a programmed 'loop'.

The sum of a collection or set of numbers may be computed by first setting a variable equal to zero outside a loop (140, 260, 370, 500, 600) and then incrementing this variable by the proper value during each pass of the loop (150, 280, 390, 530, 630). Note especially the appearance of the previous list of lines (150-630). These lines do not denote mathematical equality. The lines illustrate the assignment role of the equal sign (=) in the BASIC language. In this sense, each of the indicated lines should be interpreted as meaning: assign to the new variable, for example N , a value which consists of the previous value of N plus the indicated increment.

In the second and third subprograms (190-420), the sum of the generated arithmetic series is found by the above method (280, 390). The sum is displayed after adding each new term of the series (290, 400). The sum of a finite arithmetic series of length N may also be computed by the formula: $SUM(N) = ((FIRST\ TERM + NTH\ TERM)/2)*N$

In the fourth subprogram (430-670) the concept of the sum is extended to the computation of the mean (540) and the standard deviation (650). The set of numbers to be studied are entered from the keyboard in a loop extending from line 440 to 490. The mean or average is a measure of the central tendency of the set of numbers. The standard deviation is a measure of a variability or dispersion of the set of numbers. Additional comments concerning the function of each line of the program appear in a latter section.

Discussion

Study the construction of the programs carefully. You should be able to modify the simple counting program so that it can count forwards or backwards by any integer difference.

The outputs of the arithmetic series programs

are identical. Compare the programs and identify the statements in the second subprogram which serve the function of the FOR-NEXT statements of the third sub-program.

The routines for the mean and standard deviation are useful programs. The SUM of this program could be used to balance the checkbook or add the grocery bill. The MEAN might be useful in the analysis of your golf scores or school grades. The functions of several of the loops in the last program can be combined into one loop and the standard deviation can be computed by an alternate formula. These methods can readily be found in any handbook of statistics.

Program Documentation of 'loop'

Line #	Comment
10 - 180	Driver program
30	Label
40 - 100	Menu
110	Check limits of input
120	Branch to appropriate program
130 - 180	Simple counting loop routine
140	Initialize
150	Increment N
160	Output results
170	Test for end of loop
190 - 310	Arithmetic series routine
210 - 230	Input parameters of series
240	Label columns of output
250 - 260	Initialize NUM, N, SUM
270:1	Increment NUM
270:2	Test for end of increasing or decreasing series
320 - 420	FOR-NEXT loop routine
340 - 360	Input parameters of loop
370:1	Initialize N counter needed for auxiliary loop index
370:2	Initialize SUM
375	Print column headings
380 - 410	The loop
390	Increment N and SUM
400	Output results
430 - 670	Mean and standard deviation routines
440 - 460	Initial data collection routine
460	Reconcile length of list with dimensions of X(J)
470 - 490	Interactive keyboard data entry
500	Initialize SUM
510	Print column headings
520 - 570	FOR-NEXT loop to compute SUM and MEAN
530	Accumulate SUM
540	Compute cumulative average
550	Print current results
560	Hold screen every 12 lines for sequential inspection
580 - 590	Save final SUM and AVERAGE

```

600 Initialize SUM of squared
    deviations from mean (SSQ)
610 FOR-NEXT loop to compute
    standard deviation
620 Compute deviation from mean
630 Accumulate sum of squared
    deviations (SSQ)
650 Compute standard deviation
    (root mean square)
660 Print separating graphics line
670 Print results
    
```

Program listing for Models I, II & III

```

5 REM *** BASIC INTERACTIONS ***
6 REM *** LOOPS --- BY RCB ***
10 CLEAR 500 : DIM X(100)
15 REM*** MENU DRIVER ***
20 CLS
30 PRINT " BASIC INTER
    ACTIONS
                                BY R.C.BAHN"
    
```

U.S. POSTAL SERVICE STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION <small>(Required by 39 U.S.C. 3685)</small>			
1. TITLE OF PUBLICATION	A. PUBLICATION NO.	3. DATE OF FILING	
The 80-U.S. Journal	0 1 9 9 1 0 3 5	1 Oct 81	
2. FREQUENCY OF ISSUE	4. NO. OF ISSUES PUBLISHED ANNUALLY		5. ANNUAL SUBSCRIPTION PRICE
Bimonthly	6		\$16.00
4. COMPLETE MAILING ADDRESS OF HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers)			
3838 South Warner Street Tacoma, Washington 98409			
5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers)			
3838 South Warner Street Tacoma, Washington 98409			
6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This form MUST NOT be blank)			
PUBLISHER (Name and Complete Mailing Address): Irvin Mike Schmidt 3838 South Warner Street, Tacoma, Washington 98409			
EDITOR (Name and Complete Mailing Address): Same as 6			
MANAGING EDITOR (Name and Complete Mailing Address): Same as 6			
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (This must be completed)			
FULL NAME		COMPLETE MAILING ADDRESS	
80-Northwest Publishing Inc		3838 S Warner Street, Tacoma, WA 98409	
Irvin M Schmidt, President, Texas		7574 68th Ave West, Tacoma WA 98467	
Kirstine P Schmidt, Vice President		7574 68th Ave West, Tacoma WA 98467	
Helene Schmidt, Sec		7574 68th Ave West, Tacoma WA 98467	
8. ALL OTHER OWNERS (Name, Complete Mailing Address, Title, and Percentage of Ownership) (This must be completed if there are other owners)			
FULL NAME		COMPLETE MAILING ADDRESS	
NONE			
9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS: AUTHORITY TO MAIL AT SPECIAL RATE (Section 413, GPO) (Indicate "For-profit" or "Not-for-profit" and nonprofit status of this organization. If "Not-for-profit," state the date of incorporation and the state in which it is incorporated. Check one)			
<input type="checkbox"/> HAS NOT CHANGED DURING PRECEDING 12 MONTHS <input type="checkbox"/> HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)			
10. EXTENT AND NATURE OF CIRCULATION		AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
a. TOTAL NO. COPIES (Net Press Run)		17800	20000
b. PAID CIRCULATION (1. SALES THROUGH DEALERS AND CARRIERS STREET VENDORS AND COUNTER SALES; 2. MAIL SUBSCRIPTION)		6399	7425
c. TOTAL PAID CIRCULATION (Sum of b. 1 and 2)		7807	9805
d. FREE DISTRIBUTION BY MAIL, CARRIERS OR OTHER MEANS (SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES)		14206	17250
e. TOTAL DISTRIBUTION (Sum of c. and d.)		634	789
f. COPIES NOT DISTRIBUTED (OFFICE USE, LEFT OVER, UNACCOUNTED SPOILED, AFTER PRINTING)		14840	18039
g. RETURNED FROM NEWS AGENTS		2392	1956
h. TOTAL (Sum of e, f, and g) (Should equal net press run shown in a.)		568	5
i. TOTAL (Sum of b, c, and d) (Should equal gross press run shown in a.)		17800	20000
11. I certify that the statements made by me above are correct and complete.			
		SIGNATURE AND TITLE OF PUBLISHER OR BUSINESS MANAGER <i>[Signature]</i>	

Beginning BASIC

```

40 PRINT "      (COUNTING, ARITHMETIC SE
    RIES, FOR-NEXT LOOP, SUMS)": PRINT : P
    RINT
50 PRINT "      1.)SIMPLE COUNTING
    LOOP"
60 PRINT "      2.)ARITHMETIC SERIE
    S"
70 PRINT "      3.)FOR-NEXT LOOP
80 PRINT "      4.)MEAN, STANDARD DE
    VIATION"
90 PRINT : PRINT
100 INPUT "SELECT PROGRAM"; A
110 IF A < 1 OR A > 4 GOTO 20
120 ON A GOTO 130, 190, 320, 430
130 REM*** SIMPLE COUNTING LOOP ***
140 CLS : N = 0
150 N = N + 1
160 PRINT N;
170 IF N <> 100 GOTO 150
180 END
190 REM*** ARITHMETIC SERIES ***
200 CLS
210 INPUT "ENTER BEGINNING NUMBER"; A
220 INPUT "ENTER APPROXIMATE LAST NUMBE
    R"; B
230 INPUT "ENTER INCREMENT"; D
240 CLS : PRINT "INDEX", "VALUE", "SUM"
250 NUM = A - D
260 N = 0 : SUM = 0
270 NUM = NUM + D : IF (D < 0 AND NUM <
    B) OR (D > 0 AND NUM > B) GOTO 310
280 N = N + 1 : SUM = SUM + NUM
290 PRINT N, NUM, SUM
300 GOTO 270
310 END
320 REM *** FOR-NEXT LOOP ***
330 CLS
340 INPUT "ENTER BEGINNING NUMBER"; A
350 INPUT "ENTER APPROXIMATE END NUMBER
    "; B
360 INPUT "ENTER INCREMENT"; D
370 N = 0
375 CLS : PRINT "INDEX", "VALUE", "SUM"
380 FOR I = A TO B STEP D
390 N = N + 1 : SUM = SUM + I
400 PRINT N, I, SUM
410 NEXT I
420 END
430 REM MEAN, STANDARD DEVIATION PRGM
440 CLS
450 INPUT "ENTER NUMBER OF VALUES"; N
460 IF N > 100 GOTO 450
470 FOR J = 1 TO N
480 PRINT "ENTER VALUE #"; J; : INPUT X
    (J)

```

```

490 NEXT J
500 CLS : SUM = 0
510 CLS : PRINT "INDEX", "VALUE", "CUM.
    SUM", "CUM.AV"
520 FOR J = 1 TO N
530 SUM = SUM + X(J)
540 AV = SUM/J
550 PRINT J, X(J), SUM, AV
560 IF 12 *(INT(J/12)) = J THEN INPUT "
    PRESS ENTER TO CONTINUE"; Z$
570 NEXT J
580 TSUM = SUM
590 TAV = AV
600 SSQ = 0
610 FOR J = 1 TO N
620 D = X(J) - TAV
630 SSQ = SSQ + D * D
640 NEXT J
650 SD = SQR(SSQ/N)
660 PRINT STRING$(63, "-")
670 PRINT "SUM="; TSUM, "MEAN="; TAV, "
    STANDARD DEVIATION="; SD

```

Changes required for operation on the Color computer.

```

30 PRINT "      BASIC INTERACT
    IONS":PRINT"      BY R C BA
    HN"
40 PRINT "      (COUNTING, ARITHMETI
    C SERIES,":PRINT"      FOR-NEXT
    LOOP, SUMS)": PRINT : PRINT
50 PRINT "1.)SIMPLE COUNTING LOO
    P"
60 PRINT "2.)ARITHMETIC SERIES"
70 PRINT "3.)FOR-NEXT LOOP
80 PRINT "4.)MEAN, STANDARD DEVI
    ATION"
220 INPUT "ENTER APPROX. LAST NU
    MBER"; B
240 CLS : PRINT "INDEX";TAB(10);
    "VALUE";TAB(20);"SUM"
290 PRINT N;TAB(10);NUM;TAB(20);
    SUM
350 INPUT "ENTER APPR. END NUMBE
    R"; B
375 CLS : PRINT "INDEX";TAB(10);
    "VALUE";TAB(20);"SUM"
400 PRINT N;TAB(10);I;TAB(20);SU
    M
510 CLS : PRINT "INDEX  VALUE
    CUM.SUM  CUM.AV"
550 PRINT J;TAB(8);X(J);TAB(16);
    SUM;TAB(24);AV
660 PRINT STRING$(32, "-")

```

COMPUTERS "N" STUFF

1306 S. 56th Street
Tacoma, Washington 98408
(206) 473-4704

TELEDEX

This is a sophisticated telephone index system capable of manipulating and storing an unlimited number of listings. Uses a fast machine language sort for alphabetized lists. Excellent for business or home use.

Model I/III 32K (2) disks - \$24.95
LIBRARY-10

A collection of ten useful and popular programs which may stand alone or be used as subroutines in a main program. These were chosen for their usefulness and ability to demonstrate certain programming techniques on the Color computer. Excellent as an educational tool.

Model I/III or Color 16K/Ext BASIC - \$14.95
LIBRARY-20

A collection of 20 educational and business applications programs. Solve investment problems involving compound interest, help your child with math homework problems or administer spelling lessons. Many useful programs to solve regular household problems as well.

Model I/III or Color 16K/Ext BASIC - \$19.95
LIBRARY-50

An extensive collection of 50 useful, educational and business programs designed to aid the student, homeowner, business person and educator alike. Includes programs for math, spelling, investment analysis, mail list handling and personal applications. SUPER VALUE.

Model I/III or Color 16K/Ext BASIC - \$39.95
STARFIGHTER from ADVENTURE INTERNATIONAL
STARFIGHTER is a multiple skill level game with razor sharp graphics and sounds that will return its cost a hundredfold in sheer enjoyment. The STARFIGHTER package includes two program tapes or one self-booting diskette, and an extremely detailed 32 page manual.


TRS-80 16K Tape for Models I/III - \$24.95

TRS-80 32K Disk for Models I/III - \$24.95

Please add \$1.50 per order for postage and handling
TRS-80 is a trademark of the Tandy Corporation

VISA MASTERCARD ACCEPTED

Circle # 59



AUTO-WRITER

SCRIPSIT

LAZYWRITER

ELECTRIC PENCIL

MAKE YOUR WORD PROCESSOR DO THE THINGS YOU BOUGHT IT TO DO



SALES MANAGERS: keep a customer list
SECRETARIES: send out customized form letters
BOOKKEEPERS: prepare reports for the boss
WRITERS: maintain, organize and sort bibliographies
BOSSES: create reports and sort data files

- Use **YOUR WORDPROCESSOR** to create and maintain a mailing list or any data base.
- Join that mailing list to a form-letter with a wide range of options.
- Sort your **Name & Address** files by any key, even when the last name or zip code are buried in a line!
- Sort **1000 "NAMES"**. Use up to 20 items per name.
- Insert into the text of a form-letter or report command lines that will change the printing format from one line to the next... in mid run... **EVEN WHEN USING ELECTRIC PENCIL TO CREATE YOUR FILES!**
- Use the built-in Wordprocessor to edit a letter, or, **CREATE** a wholly new letter or report — and — store it in a file that is loadable by your Wordprocessor.
- Personalize form letters as you run! Insert "keys" (words or phrases) **FROM THE MAILING LIST!** Automatically insert a name or title or a comment.
- Insert any phrase from the keyboard.
- **STOP** automatically for manual sheet feed!
- **SET** space for **AUTOMATIC** sheet feeds.
- Create subsets of your **DATA BASE** with powerful **SELECT-IF** software

* Requires 48K
* Lower case MOD required
* Recommend 2 drive system

...Visa and Mastercard accepted...

NOW AVAILABLE FOR \$72.83 (for residents of Minnesota add 5% sales tax)

**** SPECIFY WHEN ORDERING WHETHER MODEL I OR MODEL III ****

Midwest Data Systems

a business communication company

5624 Girard Ave. S. Minneapolis, Minnesota 55419 - (612) 866-9022

Circle # 60

I didn't know that!!
And you won't either
unless you subscribe to
COLOR COMPUTER NEWS



\$9.00 for a 6 issue subscription

Send to:

REMarkable Software
P O Box 1192
Muskegon, MI 49443

Circle # 58

Word Processing? You need a SPELLING CHECKER

This is an example of a text being checked by HEXSPELL. The text scrolls up the screen as it is checked. When an error is detected, you have three choices:

1) REPLACE the incorrect word. The replacement word is INSTANTLY RE-CHECKED for correctness, then inserted in the text.

2) The word is correct, leave it as it is.

3) Leave the word as it is, AND tell HEXSPELL to LEARN this word for future reference, with just one keystroke. Your document is ready to print as soon as HEXSPELL is finished. The word in error: e.g. *

WORD IN ERROR: mistake

CONTINUATION: is shown in context, including continuation

PRESS: R) REPLACE WORD S) LEAVE AS IS L) LEARN WORD

HEXSPELL

sneaky
zaps those *snacky* typos

HEXSPELL shows you the errors right where it finds them, then instantly checks your corrections to make sure they ARE correct! When HEXSPELL is finished the corrected document is ready for printing. HEXSPELL comes with a 20,000 word list, with room for 8000 more! Just one keystroke teaches HEXSPELL a new word. You can even clear the memory and teach HEXSPELL a complete new language.

Programs, wordlist & manual \$69us. Manual only \$12.

Requires 48K TRS-80 Mod 1 with 2 Drive & TRSDOS.

Tested against Scripsit & Electric Pencil, should work with most word processors.

TRS-80, Scripsit are trademarks of Tandy Corp.


Electric Pencil is a trademark of Michael Shrayver Software

Circle # 61

HEXAGON SYSTEMS

P.O. Box 397, Station A
Vancouver, B.C. Canada V6C 2N2
Telephone (604) 682-7646

**We will meet or
beat any price
in the U.S.A. on**



TRS-80 MICROCOMPUTERS

In fact, no matter what price you see advertised by Micro Management, Perry Oil, Pan American, or any authorized Radio Shack dealer for TRS-80 Computers with pure factory installed memory and full warranty, **we'll beat it!**

ATARI®
MICROCOMPUTERS



We have consistently offered the complete TRS-80, ATARI, EPSON, APPLE, and MAXELL lines at the best prices in the U.S.A. And we offer the best delivery from the largest inventory in the Northeast.

If you're looking for the best prices in the U.S.A., check the others but call Computer Discount of America. Circle # 62

TRS-80 and Radio Shack are trademarks of Tandy Co.

**CALL TOLL FREE:
800-526-5313**

**Computer
Discount
of America**

COMPUTER DISCOUNT OF AMERICA, INC.
15 Marshall Hill Road, West Milford Mall
West Milford, New Jersey 07480-2198
In New Jersey Call 201-728-8080

Product evaluation

EXATRON, from page 47 modified and saved on a normal Color Computer diskette. Unfortunately, the process is in one direction and the reverse cannot be accomplished. We even tried several versions of disk track readers with no success. Timing signals and directory formats are different.

File Handling

CCDOS is limited to 11 file buffers rather than the 15 maximum

allowed under TRSDOS. There is no default number set aside. The buffers appear to be held in the upper RAM bank and so do not take away from user memory.

The syntax for sequential files is similar to other disk systems. The commands allowed are:

OPEN "O", *buffer-number*,
filename

PRINT# *buffer-number*,
variable(s)

CCMON Command Chart

Command	Description
A, ssss-eeee	Display memory in ASCII from ssss to eeee
B, aaaa	Set breakpoint at aaaa
D, ssss-eeee	Display memory in hex from ssss to eeee
G, aaaa	Go to memory location aaaa
L,	Load CCDOS
M, aaaa	Modify memory location aaaa
O, ssss-eeee TO aaaa	Move memory (ssss to eeee) to aaaa
Q,	Perform memory test
S, xx-> ssss-eeee	Set memory ssss to eeee to constant xx
X,	Return to BASIC

Color computer memory map with the Exatron CCI and DOS

Hex Addresses	Decimal	4K	16K	32K	CCI	Description
0000	00000	X	X	X	X	System and BASIC stack use
03FF	1023	X	X	X	X	
0400	1024	X	X	X	X	Screen, Graphics & user memory 4K system user RAM limit
0FFF	4095	X	X	X	X	
1000	4096		X	X	X	16K system user RAM limit
3FFF	16383		X	X	X	
4000	16384			X	A	32K system user RAM limit
7FFF	32767			X	A	
8000	32768		X	X	X	Extended BASIC ROM
9FFF	40959		X	X	X	
A000	40960	X	X	X	X	Color BASIC ROM
BFFF	49151	X	X	X	X	
C000	49152				A	CCMON ROM area
C7FF	51199				A	
C800	51200				A	Upper 16K RAM bank
FEFF	65279				A	
FF00	65280	X	X	X	X	Input/Output area
FFFF	65535	X	X	X	X	

Product evaluation

CLOSE

CLOSE *buffer-number*

OPEN "I", *buffer-number*,
filename

INPUT# *buffer-number*,
variable(s)

LINEINPUT# *buffer-number*,
variable\$

where *buffer-number* is 1 to 11, *filename* is a legal file name, *variable(s)* is one or more numeric or string variables, and *variable\$* is a single string variable.

Random, or direct access files are also similar to those used on the other three TRS-80 models. Only five file buffers may be used for this type of file at any one time. Each record will contain 255 characters. There is no provision for shorter record lengths. The commands available are:

OPEN "R", *buffer-number*,
filename

FIELD *buffer-number*, *length*
AS *variable\$*, . . .

LSET *variable\$*=

RSET *variable\$*=

=MKN\$

=CVN (*variable\$*)

PUT# *buffer-number*,
record number

GET# *buffer-number*,
record number

LOF (*buffer-number*)

EOF (*buffer-number*)

LOC (*buffer-number*)

where *buffer-number* refers to a file buffer, *filename* is a legal file name, *record number* is from 1 to 255, *variable\$* is a string and *record number* is the record number within that file. LOF, EOF and LOC stand for length of file, end of file and location, respectively. The MKN\$ and CVN functions are used for number conversion in the Color Computer which does not have separate numeric variable types.

Conclusions

The only real reservations we have concern those already mentioned: diskette density and possible incompatibility with Radio Shack's operating system. Taken by itself as only a disk interface, the price is a bit steep. But in light of the ROM to disk and Model I to Color Computer capabilities, this interface is a winner. ■

CAI AUTHORIZING SYSTEMS

Develop your own COMPUTER ASSISTED INSTRUCTION

With a simple method -

Producing finished courseware for virtually any subject, in less than a day, rather than in weeks as with other methods;

Intermixing text, graphics and multiple-choice or fill-in questions.

And Present it with a DELIVERY SYSTEM -

That allows the student to branch to an alternate point in the learning process;

That can interact with the individual student;

That frees you from much of the record keeping and drudgery work, allowing you to be more creative and attentive to the students individual needs.

CAIWARE:	SUPER-CAI:	CAIWARE-2D:
16K L2	16K L2	32K TRSDOS
Cassette	Cassette	\$125.00
\$42.95	\$64.95	

for the TRS-80*
Model I or III
(Disk/Tape) -

Circle # 63

Order from
MicroGnome,
5843 Montgomery Rd
Elkridge, MD 21227 (301) 796-4165
Add \$2 for shipping and handling in
the U.S. and 5 percent tax for MD residents

If you can learn to operate a TRS-80* microcomputer, then you can produce a CAIWARE lesson in less than one day.


**NO PROGRAMMING
REQUIRED**

* A trademark of Tandy Corp.

TRS-80® DISCOUNT SOFTWARE TRS-80®

MODEL II SOFTWARE

26-4703 Cobol Development.	\$270.00
26-4540 Stat. Analysis.	\$90.00
26-4503 Payroll.	\$360.00
26-4501 General Ledger.	\$180.00
26-4505 Accts. Payable.	\$270.00
26-4504 Accts. Receivable.	\$270.00
26-4507 Mail List II.	\$108.00
26-4508 Medical Off. Syst.	\$675.00
26-4560 Westlaw.	\$225.00
26-4530 Scripsit.	\$265.00
26-4531 Scripsit 2.0.	\$360.00
26-4512 Profile II.	\$162.00
26-4511 Visicalc.	\$265.00



MODEL III SOFTWARE

26-1562 Profile.	\$72.00
26-1592 Profile III Plus.	\$180.00
26-1566 Visicalc.	\$83.00
26-1563 Scripsit.	\$79.00
26-1590 Super Scripsit.	\$180.00
26-1591 Scripsit Dictionary.	\$135.00
26-1580 Project Manager.	\$90.00
26-1581 Personnel Manager.	\$90.00
26-1552 General Ledger.	\$90.00
26-1558 Business Mail List.	\$90.00
26-1584 Check Writer-80.	\$90.00
26-2203 Cobol.	\$180.00
26-2204 Compiler Basic.	\$135.00

COMPLETE LINE
OF TRS-80
MODEL II & III
COLOR COMPUTER
POCKET COMPUTER

ORDER TOLL FREE
1-800-841-0860
WE CARRY THE FULL
LINE OF TRS-80's

WRITE FOR FREE CATALOG
MICRO MANAGEMENT
SYSTEMS, INC.
DEPT. NO. 5
115C SECOND AVE. S.W.
CAIRO, GA. 31728
USA 800-841-0860
GA. 912-377-7120

COMPLETE LINE
OF READY TO RUN
TRS-80
COLOR
COMPUTER PAKS
Circle # 64

LYNX TRS-80 Modem



LYNX features.

- Compatible with both Model I and III
- No separate purchases required
- One-year warranty
- Auto dial / auto answer
- Works with any software, including ST-80 by Micklus
- Active clear, break and control keys
- Half or full duplex, variable word length, parity and stop bits
- Dial from phone, keyboard or memory
- Works with or without Model III RS-232 card
- Can be placed on either side of Model III
- No tools needed to install

POSTPAID
\$239.88
Order #3A1

HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE

CALL TOLL FREE
1-800-228-3900

In Nebraska
1-800-642-8787

12 Johnson Street, Milford NH 03055

Circle # 80

Wall Street Software™

- PORTFOLIO MANAGEMENT SYSTEMS
- OPTION PRICE ANALYSIS PROGRAMS (volatility, time premium, Black-Scholes)
- STOCK PRICE TREND ANALYSIS (volume, price, direction, screens)
- FUNDAMENTAL & TECHNICAL ANALYSIS (P/E, yield, dividend performance, etc.)
- ON BALANCE VOLUME - Granville
- COMMODITIES, BONDS, WARRANTS
- COMPUTER INVESTOR NEWSLETTER AVAILABLE

Over 100 easy-to-use professional investment analysis programs similar to those used by the large investment houses now made affordable. For Apple, TRS-80, ATARI, PET, CP/M and others.

SEND \$3 TODAY FOR OUR CATALOG

Wall Street Software
332 E. 30th Street
New York, NY 10016

Order Toll Free
1-800-528-6050
ext. 1592

Your System No System

Name _____
Address _____
City/State/Zip _____

© Computer Services Corporation of America

Circle # 82

IEEE-488 TO TRS-80* INTERFACE

Everything needed to add powerful BASIC GPIB-488 controller capability to TRS-80 Model 1 or 3, Level 2 or DOS with a minimum of 16K.

488-80B
For Model 1 Operation



488-80C
For Model 3 Operation



Model 488-80B or 488-80C Price: \$325.
+ shipping, insurance & tax

WHEN ORDERING SPECIFY DISK OR TAPE

SCIENTIFIC ENGINEERING LABORATORIES

11 Neil Drive • Old Bethpage, NY 11804
Telephone: (516) 694-3205

*Trademark of Tandy Corp.
There is no affiliation between Scientific Engineering Laboratories and Tandy Corp. or Radio Shack.

Circle # 77

GRAPHICS EDITOR AND PROGRAMMER

Mods I/III

(GEAP) Part text editor, drawing utility, and BASIC program creator best describes GEAP. GEAP's command library allows creation of intricate screen images and formats. When finished, **GEAP will construct a BASIC program that will recreate the image you have drawn.** The program created requires no special operating system. Just type RUN. Program writing options allow ASCII compatible (hand editable, also required by some compilers), compressed or String format. Using GEAP's commands **requires no knowledge of BASIC programming.** However, GEAP's features make it the professional's choice.

GEAP's facilities include over 40 commands. GEAP will **magnify, rotate, shrink,** or move figures to other locations. You may move all or selected portions of the screen, **create one composite drawing from 2 or more drawings,** reverse graphic pixels, shift between graphics, alphanumerics, create your own graphic characters and much more. Most other Basic program drawings may be edited to GEAP's Basic program format. Future **expansion modules** are planned or you can design your own now. Model I, 16K min, I.II. Disk. and stringy are supported. Cassette and 20 page manual \$25.99 / Manual only 2.99 - CA. add 6% - Dealer inquiries invited.

J F CONSULTING - 74355 BUTTWOOD - PALM DESERT, CA 92260

Circle # 71

TOTAL DISKETTE BACKUP



DO NOT TAKE UNNECESSARY RISKS WITH YOUR SOFTWARE.

If your diskette software library is not completely backed up, or, if you are wasting diskettes by making backup copies of all your diskettes, your problem is solved! Using DUMLOAD, the total contents of your diskettes can be safely dumped to tape. The hi-speed tape option allows six 35 or 40 track diskettes to fit on one C60 cassette.

- TRS-80 Model 1 16K - 48K
- TRSDOS or NEWDOS80 Compatible
- May be used to back-up TRSDOS, VTOS 4.0, NEWDOS, MICRODOS, or data disks. (Single Density)

— \$16.95 on Cassette — \$19.95 on Diskette Plus \$1.00 handling (Indiana Res. add 4% tax)

TOLL FREE 24 HR. ORDERING SERVICE
1-800-525-9391 (Ext. 509) (Except Colo.)
1-800-332-9259 (Ext. 509) (Colo. Residents)
or Mail Check or Money Order To:

COMPLETE COMPUTER SERVICES
8188 HEATHER DRIVE
NEWBURGH, INDIANA 47630

Circle # 85

DOSPLUS OWNERS

Our brand-new *expanded* user's manual will provide you with greater in-depth information on *all* versions of DOSPLUS. Over 160 pages of documentation, yours for only \$29.95. To order, call 1-800-348-8558. MasterCard and VISA accepted.

ADVANCED OPERATING SYSTEMS

450 St. John Rd.
Michigan City, Indiana 46360

Circle # 65

TRS-80 MODEL I T.M.* GOLDPLUG - 80

Eliminate disk re-boots and data loss due to poor contact problems at card edge connectors. The GOLD PLUG - 80 solders to the board card edge. Use your existing cables.

CPU/keyboard to expansion interface \$18.95
Expansion interface to disk, printer, RS232, screen printer (specify) \$9.95 ea
Full set, six connectors. . . \$54.95

VISA master charge

EAP COMPANY
P.O. Box 14, Keller, TX 76248
(817) 498-4242

*TRS-80 is a trademark of Tandy Corp.

Circle # 70

DENTAL COMPUTER NEWSLETTER

E.J. Neiburger,
D.D.S., Editor
1000 North Ave
Waukegan, IL 60085


The DCN is an international group of dentists, physicians and office management people who have interests in office computers. Though the emphasis is on micro-computers, many members use minis. We cater to all makes and brand names.

Annual membership dues \$12.00. Membership runs from January to January. If you join mid-year, we will supply you with the years back issues.

Circle # 69

OKIDATA Microline 82A

Serial/Dot Matrix Printer



POSTPAID
\$479.88
Order #2A1

120 cps Bidirectional
80 Column

Microline printers are setting the quality standards for the entire industry. Built on a cast aluminum base and driven by two motors, these rugged units will run all day with no duty cycle limitations. The head warranty equivalent to 200,000,000 characters is unmatched in the industry.

Standard Features

- Operates with TRS-80™, APPLE™, others
- Plain paper—up to 4 parts
- 132 columns with condensed characters
- Full 96 character ASCII set
- Graphics
- Double width characters
- Dual interfaces
- 6 and 8 lines per inch

HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE

CALL TOLL FREE
1-800-228-3900

In Nebraska
1-800-642-8787

12 Johnson Street, Milford NH 03055

Circle # 79

Architectural Engineering

1. Structural Timber Design— eight loading conditions for any lumber species. Also included, plywood web beam design.

2. Concrete Design— beam design, basement wall design, slabs and retaining walls.

For TRS-80 Model I or III
Cassette or ESF
\$95.00 each program
\$150.00 for two

ERIC CLOUGH
Winlaw, B.C.
Canada V09 2J0

Circle # 84

3 NEW PROGRAMS for TRS-80 for Model I or III 16K

STOCK CHART GRAPHER: Create your own bar charts of any stock's trading prices on daily, weekly or monthly basis for up to 60 dates. Chart also shows volume, moving average and price momentum. **\$24.95**

STAR SEARCH ASTRONOMY GUIDE: Obtain an instant map of the skies overhead for the date and time you enter. Over 400 deep-sky objects displayed with scientific data. **\$19.95**

THE RECORD KEEPER: An all-purpose filing system for birthdays, anniversaries and more. Holds up to 100 records of 57 characters each and includes keyword search by any of 3 variable length fields. **\$14.95**

Send check or money order to:
Softbyte Computing
Box 217
Wallingford, Conn. 06492

 softbyte computing

Circle # 78

PLASTIC TRS-80 INFORMATION SHEET
Stop putting all that information about addresses, ROM calls, graphic characters, and scan routines on your wall. Use this bright, durable, easy-to-find yellow plastic sheet. Save time! (8½ x 11" two sided) **\$3.50 ea.**

NEW DISK LABELS—Get Organized!
Utilize your disk directory program; number your disks and save time! 105 Blue Ink Labels that peel off. **\$2.50 per pack.**

BEHAVIOR MODIFICATION MGT.
Written by a Behavioral Psychologist. System consists of 3 interacting programs. Will keep track of 47 different behavior modification programs per disk. Will output to a line-printer progress report. Requires Model I 48K, 2 drives, and GSF by Racet. **\$35.00.**

Send check or MO to:

Psycomp Software
P.O. Box 658
Lapeer, Michigan 48446
(313) 653-5954

Dealer Inquiries Welcome

Circle # 86

STRINGY FLOPPY GENERAL LEDGER

Works like DISK General Ledger

FEATURES:

- UP TO 100 ACCOUNTS!!
- UNLIMITED entries per Accounting Period

PRINTS:

- Journal & Ledger Updates
- Chart of Accounts
- Trial Balance
- Income Statement
- Balance Sheet

Requires 16K Level II, Printer, and Stringy Floppy
Only \$49.95 from:

Maine Data & Financial
Systems Inc.

S.R. 79, Box 103
Orland, ME 04472

Stringy Floppy is a trademark
of the Exatron Corporation

Circle # 72


Micro-Grip™

FRICION FEED FOR YOUR EPSON

MX-70* or MX-80*

*MX-70 and MX-80 are Trade Marks of EPSON, Inc.

- + Converts your printer for friction feed of SINGLE SHEETS or ROLL PAPER.
- + Snap-on Installation (all you need is a screwdriver, no soldering)
- + Tractor feed remains undisturbed.
- + Proven reliability.
- + Available NOW!
- + Only \$39.95 (add \$1.50 for postage)



SATISFACTION GUARANTEED OR YOUR MONEY BACK



VISA & Master Card Accepted
(804) 826-8808

MICRO-GRIP, Ltd.
P.O. BOX 873
LAFB, VA 23665

Circle # 73

C. Itoh Pro Writer letter quality dot matrix printer: Pica & Elite fonts, proportional, enhanced, compressed and expanded print modes....**\$599.00**
P/h \$12.50 continental U.S.

Heating / Ventilation / Air conditioning / electrical / plumbing, Union payroll, covers

- Out of area work rate changes
- Four different job costing categories.
- Very extensive system, prints payroll checks.
- Menu driven.

Model I or III...\$149.00

Hill Engineering
3350 Harvard Street
Santa Ana, CA 92704
(714) 549-7620

Circle # 68

MAGAZINE SAMPLES
FREE listing of over 150 magazines offering a sample copy - 50¢ per sample. Send stamped self-addressed #10 envelope to:

PUBLISHERS EXCHANGE

PO Box 1368, Dept 278
Plainfield, New Jersey
07060

Circle # 75

Soft-R Software

PLAYPEN

A new, exciting game for couples. Put new 'Z' in your life! You won't get tired of this one.

R.S. 2.3 or NEWDOS 80.....Tape
Tape \$18.95
Disk \$17.95

Model I

Paneltech, LTD
P.O. Box 218070 Dept. C
Houston, TX 77218-0070

Visa/MC Welcome

Circle # 74

ALADDIN Software

1001 Colfax Street
Danville, IL 61832

(Model I/III 16K tape)

* SEND FOR FREE CATALOG *

BARGAIN PACK I (5 SOUND programs) including Hangman-Space Lasers-Roulette-Moon Lander & Golf (all programs include graphics. \$19.95)

MUSIC COMPOSER - puts songs into your computer the easy way. Uses graphics of staff for input. Great for learning music also. \$14.95

BIORHYTHM CHARTS - for both printer and screen. \$9.95

WE PUT MAGIC IN YOUR
COMPUTER




Circle # 66

all G systems

P.O. Box 915
105 W. Plant Street
Winter Garden, FL 32787
305-877-2830 (Store)
305-877-2829 (BBS)

AUTHORIZED SOUTH-EASTERN REGION SERVICE
CENTER FOR A.M. ELECTRONICS

* 48K 2-Disk Mod. III \$1825
+ Free DOSPLUS 3.3



A.M. ELECTRONICS

★ ★ Model III 1st 40 TK Drive Kit AM-I \$375.00

5 1/4" BARE DRIVES

40 TK Teac	\$240.00	80 TK Teac	\$325.00
40 TK MPI 51	\$250.00	80 TK MPI 91	\$345.00

5 1/4" COMPLETE DRIVES

Add \$45.00 to Bare Drive price.

PRINTERS

Okidata 82A \$525, 83A \$725, 84 \$1100

VIDEO SCREEN

\$9.95 specify model

5 1/4" FLOPPY DRIVE REPAIR

Pertec • MPI • Tandon • Radio Shack

Single Side \$35 plus parts
Add \$3.00 postage & handling

Warranty: 30 days on parts
Usually 24 Hour Turn-Around

OPEN 3-9 pm (EST) MON—FRI
Technician available after 5 PM.

* Uses ASG memory, disk drives and AM Electronics components.

** All retrofit packages include circuitry, power supplies, mounting brackets, cables and everything required to turn your Model III into a reliable, disk-based system. 100% compatible with Radio Shack hardware.

Call us with an order. We have a connection - 80

(BBS) on line for your use

Prices subject to change without notice.

Circle # 87

Reviews

Tuesday Morning Quarterback Automated Simulations

P.O. Box 4247
1988 Leghorn Street
Mt. View, CA 94040

1-800-824-7888

\$29.95 Disk only 48K + \$2.00
s/h

Machines: Model I and III

Attention all computer widows! If your computer-nut husband happens to also be a football addict, DO NOT even allow him to see Tuesday Morning Quarterback from Automated Simulations. You may never see him again. This latest offering from the dynamic software company that brought you such classics as Invasion Orion, Datestones of Ryn, and Temple of Apshai, is a masterpiece of ingenuity. It is more than a game, it is an actual simulation of each of the teams in both pro leagues. You can pit the Seahawks against the Cowboys or the Steelers against the Saints, or any possible combination of all the pro teams.

Tuesday Morning Quarterback (TMQ) is only available for those of you fortunate enough to own 48K with a disk drive. I can see you now, trying to talk Mama into that expansion interface and drive. There are several modules on the disk and the program uses overlays and the limited chaining capabilities of TRSDOS in order to stay within the bounds of the memory. In other words, this is a very complex, detailed piece of software that occupies 35446 bytes of RAM. It is complete with a full range of sound effects, such as penalty flags, end of play signals, and even a half-time marching band. The graphics are quite clever, with 3 dimensional views of the playing field when punting or attempting a field goal. During regular play, the player is given an aerial view of the field. The players are represented with X's and O's on the field and are lined up in standard formations. The players do not move in real time; however, each play is described in detail by messages that flash on the screen.

Examples of the messages are: "The ball is snapped", "Johnson fades back for the pass", "The press is on", "Incomplete - meant for Smith", "Interception by Perry", "Man down on the play", "Injury - sprained ankle". The action is quite realistic, with each player choosing a team in either the NFL or AFL. A

TRS-80 OWNERS REJOICE!

Our professional quality software development tools let you program your TRS-80 with more ease and power than you ever imagined possible. Programming will become a pleasure when you use our full screen editors. These editors are not just patched up word processors. They have been specially designed to enhance the BASIC and ASSEMBLER programming languages. Our assemblers provide full screen option menus to relieve you of the burden of remembering command names. Combine user oriented features like this with the finest and most extensive documentation in the industry and you will see why programming a TRS-80 is now better than ever.

T-ZAL: TAPE BASED ASSEMBLER: Assemble to memory or tape. Create relocatable SYSTEM tapes! Includes relocating LOADER pgm. 8 character symbols with XREF. Upgrades to disk when you do!
Mod 3 Cat # 1250-20 \$ 49.95

FULL SCREEN PROGRAM TEXT EDITORS: All CAU full screen editors support four way cursor motion and scrolling with user selectable auto repeat and scroll speeds. Totally visual character insert, delete, and change. Block move, copy, delete. Global find and change. Editor for BASIC also provides automatic line renumbering and 26 user-definable macro keys.

For Tape and Disk BASIC:
Mod 1 Cat # 1010-20 \$24.95
Mod 3 Cat # 1210-20 \$29.95

For Mod 1 EDTASM source files:
Tape Cat # 1010-30 \$24.95
Disk Cat # 1010-31 \$34.95
(Disk version shipped on tape.)

M-ZAL: DISK EDITOR/ASSEMBLER: Modular Assembler Language development system includes full screen text editor, multi-pass assembler, and object module linker. Allows 8 character symbols and source file chaining/nesting with *INCLUDE cmd. Full support for relocation and global symbols. Symbol table with cross reference. Req. 32K Disk system.

Mod 1 Cat # 1050-10 \$149.00
Mod 3 Cat # 1250-10 \$149.00

XBUG: DEBUGGING TOOL & MONITOR: Display/Modify memory and regs. Set up to 10 invisible and transparent breakpoints. Multi-speed single step. Load/Copy/Create SYSTEM tapes. Uses only 2.5K and can be dynamically relocated to any address.

Mod 1 Cat # 1020-10 \$19.95
Mod 3 Cat # 1220-10 \$19.95

Note: these products are not available for level 1 machines.

When ordering specify Model, RAM size, # of disks.

Send check, money order, or MC/VISA numbers and expiration date to:

Computer Applications Unlimited
P.O. Box 214, Dept. EEW
Rye, New York 10580

N.Y. State residents add applicable sales tax.

Dealer Inquiries Invited.

 **COMPUTER APPLICATIONS UNLIMITED**
A Div. of CAU, Inc.
Quality • Reliability • Service

*TRS-80 is a TM of Tandy Corp.

Circle # 88

Reviews

single player may also play against the computer. During initialization, a menu of 30 teams is displayed, and the choice is given to each player. Each team's player's names are contained in a disk file along with the characteristics of the team. The 46 page rule book contains information about each team's strengths and weaknesses, their general rating, tips on how to simulate the real team, and strategies for defeating the team.

Several variables determine the outcome of a game. First, the team characteristics determine how strong a particular team is in running, passing, defense, and offense. Second, on every play, the defensive player first discreetly chooses one of six defensive lineups, such as Blitz, Normal, Goal Line, or Butkus. Next, the offensive player chooses one of the 16 offensive plays, such as the Bomb, Draw, Sweep, Quarterback Sneak, Trick Play, Pitchout, Short Curl, etc. The outcome of the play is largely determined by how well you call the shots. Third, an intangible force known as "momentum" determines how a team will fare on a particular

play. A small marker is displayed on the score board indicating the game's momentum. When a team is doing well, the momentum shifts to them, and makes it easier for them to complete passes, make field goals, first downs, and long gains.

The actual play is quite detailed, with every phase of a real football game simulated. The captains toss a coin, which really goes up and comes back down on the screen. The kickoff is shown as a 3D view looking down field. The ball is displayed in a high arc as it travels down field and lands in enemy territory. The same view is shown when attempting a field goal. The ball actually sails over the goal posts in real time. This feature is most entertaining. To aim the kick, a moving dot must be lined up with the ball and the goal post, and the space bar pressed at the right moment. This takes a lot of coordination, especially when kicking out at 40 yards. Penalties are called, as in a real game, mostly on key plays. The captain on the receiving end of the penalty is given the option to accept or decline the penalty. TMQ even displays the


conditions of an accepted penalty before any choice is asked for.

Fumbles are taken care of in a unique manner. When a fumble occurs, each player must scramble to press a certain key first in order to recover the football. The official rules state that "it is not cricket to rest your finger any closer to the R key than 3 and 3/4 inches." Statistics are kept, and can be displayed at any time during the game. Injured players are automatically removed from the game and replacements are called in as needed from a pool of standbys. Time outs are allowed during the game and a real time clock displays the time remaining. To keep the game short, each player is allowed only a total of 30 seconds to determine which play they are going to choose. A penalty of 5 yards is assessed if this limit is exceeded. A half-time show, complete with The University of Texas marching Dots is provided. Sorry guys, it doesn't even come close to the real thing.

Other features include provisions for updating team rosters and substitutes so that the teams will

Reviews

MOD I



TRS-80 MODEL I DISK INTERFACING

\$5.95

\$7.95 Foreign Airmail (U.S. Funds)
Postpaid mailed to you

FIRST CLASS

United States Only

Send To:

80-U.S. Journal
3838 South Warner St.
Tacoma, Washington 98409
(206) 475-2219

A DIVISION OF 80-NORTHWEST PUBLISHING
Dealer Inquiries Invited

Send _____ Copies of the Guide
Check Enclosed _____
 Visa or MasterCard

Exp. Date _____
Signature _____
Name _____
Address _____
City _____ State _____
Zip _____

TRS-80 is a registered trademark of TANDY CORP

80 U.S.

always stay current. Advanced programmers could also possibly change the team ratings to correspond more closely to the actual team performance by updating the disk files of each team. A kicking practice is provided for developing your skills as a punter. The documentation has to be the best in the industry for this type of program. It is done in color, with excellent art work, on quality paper. It is easily understood, with an introduction to football, how to play the game, team rosters, play calling, and a very thorough glossary of football terms for non-jocks.

Overall, TMQ deserves very high marks. This is one of the most requested games around our house. It is extremely well thought out and highly structured; but, more than that, it is a lot of fun to play, even if football is not your passion.

Jim Klapproth

Space War
Acorn Software Products
634 North Carolina Ave. S.E.
Washington, D.C. 20003
Model I and III tape

\$9.95

Machines:

Model I & III, 16K and up

The original spacewar, one of the first computer games, was developed at MIT long before the TRS-80 was a gleam in Tandy's corporate eye. It was the first with high-resolution graphics (about 1K by 1K points). It became a lasting favorite because it gave an even challenge between two players involving action and strategy.

Spacewar is a two-player game in a cat and mouse chase trying to shoot each other. Four keys are assigned to each player to rotate, thrust, fire, and enter the respective player's ship into hyperspace. While the TRS-80 does not have the high resolution graphics, the game is more than challenging enough to make up for this deficiency. In addition to each other, the players must also worry about a star in the center of the screen around which the mages revolve. Because of the star's mass, it has a gravity field which can easily pull a ship into its furnace, giving the opponent a point. On the other side of the coin, the gravity field makes an orbit possible and, incidentally, very difficult to hit the ship.

The game has five preset universes or modes: no gravity or inertia gives the players an

opportunity to learn their controls; inertia (the ships "float") and edgebounce where the players learn to work with thrust but must take into account screen edgebounce); in the third mode, gravity is introduced to the conditions of the second mode; in the fourth universe, edgebounce is eliminated and the screen "wraps around"; finally edgebounce is back and, as an additional challenge, the gravity field of the star is reversed introducing the effects of antigravity. When the universe has edgebounce, missiles don't bounce or wrap around. With no edgebounce, missiles wrap around as the ships do and are not destroyed unless they hit a ship or the central star. Missiles travel at a relative speed to the ship and it is possible through acceleration to run into your own missile and be destroyed.

Spacewar is played in real time against the clock. The players choose game and missile speed and universe mode and then battle it out until time is up. Whoever accumulates the most points is the winner.

Spacewar is an enjoyable game. It is supplied on 16K tape and, like all Acorn products, it accompanied by good, easy to understand documentation.

Pat Perez

BASIC Faster and Better &
Other Mysteries by Lewis
Rosenfelder
IJG Inc.

1260 West Foothill Blvd.,
Upland, CA 91786
(714) 946-5805

288 pages. Soft Cover.
\$29.95 + \$2.00 shipping
For Models I, II, and III

This new book from IJG may very easily become the most popular book in the history of the TRS-80. It is, as the tag line on the cover reads, "A guided tour of BASIC programming tricks and techniques". The book is well-written and has a lot of programming examples. Two disks, containing much of this material, are available for purchase from IJG.

Most of the book is for disk users with the Extended Disk BASIC. Tape and stringy floppy users can glean a great deal from this book if they are willing to spend the time to program around certain disk-only commands.

Model II owners are not left out

either. References to notes contained in chapter 15 constantly flag appropriate routines throughout the book. Even with TRSDOS 2.0a, a Model II user will be able to use almost every routine in the book.

The Pocket computer receives no attention and the machine language routines will not work on the 6809-based Color computer. However, some of the techniques and tricks can be adapted.

Features

After a short introduction, there are four chapters on what could be called standard concepts and routines. These are needed for the rest of the book. You may not agree with Lewis Rosenfelder's variable "standards", but, as he admits, they are arbitrary and do work for him. If you aren't a time-jaded programmer from the early days of computing, then they just might work for you, too.

One of the areas most programmers ignore in BASIC is the Function Definition capabilities of BASIC. Rosenfelder addresses this area throughout the book including packing some pretty

fancy IF...THEN logic into a single function call.

The real power of the book, though, comes from machine language routines and USR calls. Although you don't need them, Bill Barden's *TRS-80 Assembly Language Programming* book from Radio Shack and an Editor/Assembler are recommended companions. Because most of the book deals with diskette use, one of the disk-based Editor/Assembler is appropriate. With these tools and some spare time, one is ready to get the most from this book.

Rosenfelder's "Magic Strings" centers on Leo Christopherson's forte: string packing a machine language routine and then executing the string. "Magic Arrays" covers a concept which is similar: load an integer array with a machine language routine to be executed.

The final section in this "standard concepts and routines" portion of the book covers memory use and concepts. Resetting memory size from BASIC is explained, along with reserving low memory, partially restoring data statements

(moving the pointer to some point in the DATA portion of the program), and an active variable analyzer.

Articles explaining these concepts have appeared in the past in various computer journals, but here, at long last, one book brings these separate ideas together. It makes for heavy reading—something which won't be easily consumed in one or two sittings.

The next eleven chapters and the eleven appendices cover such things as BASIC overlays to save memory (chapter 5); number crunchers, rounding, remainders, print using, arrays and conversions (chapter 6); strings, peeks, pokes, code look-up, string compression and upper case conversions (chapter 7); date and time manipulations (chapter 8); bit manipulation (chapter 9); numeric arrays, searches and sorts (chapters 10 and 11); video and keyboard routines and tricks (chapter 12); data entry routines (chapter 13); some "Useful Utilities" including a "Pretty Printer", a program merge and renumber utility and a DOS address finder (chapter 14); and finally an entire chapter on unique attributes of the Model II. There are

**NEW PROGRAMS
for the TRS-80**

**INCOPROP
Income Property Analysis**

INCOPROP: Based upon standardized methods of property analysis used throughout the real estate industry. Generates a 3 page report containing an annual property operating statement and a comprehensive 10 year cash flow analysis. Contains I.R.S. tax table to project after-tax income stream and investor's I.R.R.

- Handles 5 different methods of tax depreciation
- Handles up to 3 loans & 3 different type loans
- Highly interactive format permits "Sensitivity Analysis"
- Disk files created for permanent storage of data

Minimum system requirements: 32k RAM, 1 drive and printer. Sold with informative 78 page user's manual covering basic aspects of income property investment & 50 data worksheets

Model I & III: on cassette for easy transfer to disk	\$120.00
Model II: on 8-inch diskette	\$145.00
Model II: version available in MBASIC running under CP/M	\$165.00

New!

MAINDEX: An easy-to-use program to aid you in the indexing of your files on disk. Can't find that program you wrote last month? Put your computer to work! Find any program or data file in your system in seconds.

- A Main Index of all your other disk's directories.
- Alphabetizes list of files and gives you names, grants used, dates written, tracks and file descriptions
- Sorts Files by name, disk, and categories
- File descriptions can be searched for key words
- Prints disk labels with disk name and file names
- Uses all the advanced and extremely fast file manipulation capabilities of Apparat, Inc.'s NEWDOS/80.

Requires Level II, 48K, 1 disk drive and NEWDOS/80, on cassette for easy transfer to disk \$20.95



THE MCA A FRANCHISE OF TRIST COPI - NEW YORK & A FRANCHISE OF APPARAT INC - CHICAGO & A FRANCHISE OF DIGITAL RESEARCH INC -



Circle # 89

DEPT EU, PO BOX 591, NOVATO, CA 94947

ELECTRIC SPREADSHEET™

NEW - For Personal or Business Use

ELECTRIC SPREADSHEET does everything you can do with a pencil, paper and calculator. Start with a blank screen. Move the fast cursor to desired location. Enter line or column labels or data. Select preprogrammed operators for line, column, or cell calculations. Run. Results appear on the screen, formatted for your printer. Revise. Run again.

PREPROGRAMMED OPERATORS for mathematics, finance, and statistics. Save data on tape or disk. The screen is your window to a larger spreadsheet. Output features scrolling and split-screen. Variable formats for labels and data.

UNLIMITED APPLICATIONS. P/L forecast. Personal budget. Real estate investment. Net worth forecast. Invoice. Cash flow estimate. Sales analysis. Check record. Business forms:

16K version has 50 operators. 32/48K version has 70 operators plus histogram plot, remote storage of data, global revise spreadsheet layout, alpha entries, and more.

16K Model I or III Tape	\$34.95
32/48K Model I or III Tape	\$64.95
48K Model I or III Disk (Specify Model)	\$67.95

YOU CAN'T LOSE!

Calif. orders add 6½% tax.

Circle # 90

Dan G. Haney & Associates, Inc.
P.O. Box 687, San Mateo, CA 94401
(415) 493-4094

**MMSFORTH VERSION 2.0:
MORE FOR YOUR RADIO SHACK
TRS-80 MODEL I OR MODEL III !**

- ★ **MORE SPEED**
10-20 times faster than Level II BASIC
- ★ **MORE ROOM**
Very compact compiled code plus VIRTUAL MEMORY makes your RAM act larger. Variable number of block buffers, 31-char unique word names use only 4 bytes in header!
- ★ **MORE INSTRUCTIONS**
Add YOUR commands to its 79-STANDARD plus instruction set!
Far more complete than most Forths: single & double precision, arrays, string-handling, clock, more.
- ★ **MORE EASE**
Excellent full-screen Editor, structured & modular programming
Word search utility
THE NOTEPAD letter writer
Optimized for your TRS-80 with keyboard repeats, upper/lower case display driver, full ASCII, single- & double-width graphics, etc.
- ★ **MORE POWER**
Forth operating system
Interpreter AND compiler
8080 Assembler
(Z80 Assembler also available)
Intermix 35- to 80-track disk drives
Model III System can read, write & run Model I diskettes!
VIRTUAL I/O for video and printer, disk and tape (10-Megabyte hard disk available)

MMSFORTH

**THE PROFESSIONAL FORTH
FOR TRS-80**

(Over 2,000 systems in use)

MMSFORTH Disk System V2.0 (requires 1 disk drive & 16K RAM, 32K for Model III) \$129.95*

**AND MMS GIVES IT
PROFESSIONAL SUPPORT**

Source code provided
MMSFORTH Newsletter
Many demo programs aboard
MMSFORTH User Groups
Inexpensive upgrades to latest version
Programming staff can provide advice, modifications and custom programs, to fit YOUR needs

MMSFORTH UTILITIES DISKETTE: includes FLOATING POINT MATH (L2 BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, mod), plus a full Forth style Z80 ASSEMBLER, plus a powerful CROSS-REFERENCER to list Forth words by block and line. All on one diskette (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

FORTHCOM: communications package provides RS-232 driver, dumb terminal mode, transfer of FORTH blocks, and host mode to operate a remote TRS-80 (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

THE DATAHANDLER V1.2: a very sophisticated database management system operable by non-programmers (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$59.95*

MMSFORTH GAMES DISKETTE: real-time graphics & board games w/source code. Includes BREAKFORTH, CRASHFORTH, CRYPTOQUOTE, FREEWAY, OTHELLO & TIC-TAC-FORTH (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

Other MMSFORTH products under development

FORTH BOOKS AVAILABLE

MMSFORTH USERS MANUAL - without Appendices, for non-owners \$17.50*

STARTING FORTH - best companion to our manual \$15.95*

INVITATION TO FORTH - detailed beginner book on figFORTH \$17.50*

THREADED INTERPRETIVE LANGUAGES - advanced, excellent analysis of MMSFORTH-like language, \$18.95*

PROGRAM DESIGN & CONSTRUCTION - intro. to structured programming, good for Forth \$13.95*

FORTH 79 STANDARD MANUAL - official reference to 79-STANDARD word set, etc. \$13.95*

FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980) - we stock this collector's item for Forth users and beginners \$4.00*

* ORDERING INFORMATION: Software prices include manuals and require signing of a single system, single user license. SPECIFY for Model I or Model III. Add \$2.00 S/H plus \$3.00 per MMSFORTH and \$1.00 per additional book; Mass. orders add 5% tax. Foreign orders add 20% UPS COD, VISA & MIC accepted; no unpaid purchase orders, please.

Send SASE for free MMSFORTH information
Good dealers sought

Get MMSFORTH products from your computer dealer or

**MILLER MICROCOMPUTER
SERVICES (U01)**

61 Lake Shore Road, Natick, MA 01760
(617) 653-6136

Circle # 91

Reviews

also extensive notes on how to make the rest of the book work on the Model II TRSDOS 2.0 (chapter 15).

Chapter 16 discusses two disks (available from the publisher at \$19.95 each plus a shipping charge) which contain most of the utilities and demo programs presented in the book.

The eleven appendices cover conversions, addresses (in most of the current disk operating systems), divisors of 255 and 256, graphic characters (Model I and III), and an index of functions, major subroutines, and USR routines.

Shortcomings

As with any work of this type, one needs to be aware of changes in operating systems. While the appendices are a great help in some areas, they don't cover DOSPLUS 3.4, LDOS 5.1, or NEWDOS80 2.0. Like the original book of this series, *TRS-80 Disk and Other Mysteries*, some of the material is going to become out-of-date. But, as long as the user is aware of differences in newer versions of disk operating systems, ROMs and what-not, there shouldn't be many problems getting the most from this book.

I found the contents pages far more useful in locating material than the index and a bit more complete in some respects. Also, this book is not for the beginner. Programming still takes a lot of work to do right. Learning to properly lay out a program is far more important than using one of these techniques to impress your friends.

Conclusions

If you are beyond the raw beginner stage and still don't understand READ and DATA statements, or, many of the programs in the various computer magazines don't work because you can't troubleshoot your own typos, then this book is not for you. But if you type in your own programs, take them apart and modify them for your own use, then this book should be at your fingertips.

Clay Caldwell

**BasicPro
Softworx, Inc
PO Box 9080
Seattle, Washington 98109
16K Level II Models I & III
\$24.95 on cassette**

Softworx's BasicPro utility will give the cassette-based user many of the diagnostics which disk owners

have learned to love, plus a few they should envy. This program includes ten commands which are easily accessible. The program is loaded under the system command and resides in high memory. Once the program is entered, a programmer has a number of useful commands available.

You can move or copy a block of code within the program; renumber a section of code; join two different BASIC programs together from cassette; get a cross reference of all variables which tells where they are defined and used; and even rename the variables if you wish. The find command will search the program for a specific variable and tell where it occurs. The list command will tell you about all the variables and their line references.

The authors of this program have included a command which is worth it all. By entering the command "/P", you can recover a program which you have previously killed with the NEW command. That sure beats saying "Oops".

The utility also includes the ability to compress a program by having all blanks and remark statements removed, joining together lines of code, and automatically renumbering the program lines to 1, 2, 3, etc. The amount of processing time this saves is minimal, but it may help a little. I did find that when the utility went to compress very large lines of code (greater than 240 bytes), errors would result. There is also the reverse command to unpack the program, but don't expect to see the remark statements or the original line numbers come back.

Included with the program is a very straightforward 11-page booklet which describes all the commands and their syntax.

Cameron C Brown

**Typing Tutor
Dick Ainsworth and Al Baker
Microsoft Consumer Products
400 108th Ave. NE suite 200
Bellevue, WA 98004
(206) 454-1315
\$19.95 plus shipping
Models I & III Level II**

Those of you who you have grown weary of the hunt-and-peck style of typing will be glad to hear of a new program from Microsoft called



Typing Tutor. This program, one of the better examples of Computer Aided Instruction, is designed to instruct and drill the novice to real mastery of touch typing.

Although this 16K, Level II program is written in BASIC, it contains a machine-language subroutine that enables it to monitor each key twenty times a second. The resulting interaction with the typist is therefore in real time.

After you've loaded and Run the program, the screen presents this menu of options:

1. Letters
2. Numbers
3. Symbols

Option 1, of course, teaches new letters. Option 2 teaches both number and letters. Option 3 teaches all three categories together.

If you enter 1, the program pauses for a few seconds, then presents this choice:

1. Typing Tutor
2. Practice Paragraph

The Typing Tutor is the part of the program designed to teach you new letter, numbers and symbols. If you select Typing Tutor, the program prints the following headings at the top of the screen: Fast, Lesson Key, and New. Letters that appear under the Fast heading during the course of the program are those over which you have gained mastery. The letters that appear under the Lesson Key heading are those that the program is currently presenting for drill. The letter under New are those yet to be introduced. Each lesson consists of ten sets of two, four-character 'words', separated by a single space. As each letter or symbol is typed in, it is printed on the screen directly below the corresponding character in the lesson 'word'. If a mistake is made, a graphic block is printed below the response.

Option 2, the Practice Paragraph, is actually a set of words and character combinations that test the typist's skill with what has already been learned. These words are drawn from a data list in the program, and are not randomly created combinations. You type these 'words' as quickly as you can. When you are finished, the program informs you of any keys missed, which keys you were slow on, your accuracy in percent, and your speed in words per minute.

After the completion of each lesson in Typing Tutor, you are presented with an evaluation of your performance, such as:

Your accuracy is 94 percent at 16 words per minute.

You then have four further options:

1. Allow Slower Response
2. Same Response
3. Require Faster Response
4. Practice Paragraph

Choosing Option 1 actually results in your being introduced to new letters at a faster rate. This is because the option lowers the required response time criteria by twenty percent. The program normally judges letter proficiency at the rate of twenty words per minute. After Option 1 is chosen, the required rate is lowered to only 16 words per minute. Option 3 presents just the opposite choice, and requires that you type a letter at twenty percent greater speed before you are considered proficient. You can reset these options after every ten lessons. Option 2 presents another lesson at the same speed, while Option 4 allows you to call up a Practice Paragraph.

After the completion of the Practice Paragraph, the only options are:

1. Typing Tutor
2. Another paragraph.

Generally speaking, Typing Tutor is a pleasure to use. There is, of course, room for some improvement. The Practice Paragraph does not subtract errors when it calculates your speed, as do many other typing tests. The diagram of the keyboard presented in the instruction booklet is rather small. A larger diagram removable from the book for ready reference, would have been quite helpful. The word lists for the Practice Paragraph contain many BASIC commands. This is well and good, but this program can obviously serve a much wider audience, not all of it either sophisticated, or even familiar, with programming jargon. Perhaps additional word lists might be entered into the program from data tapes.

My overall impression of this program is excellent. It is modestly priced, well designed, and user-adjustable. Its speed at adjusting to your increased skill is amazing. You will not tire of this program quickly, and it should do wonders for your typing powers.

Dan Cataldo

COMPUTER SUBCONTRACTING

- Hardware Design
- Software Design & Marketing
- System Design & Installation
- Consulting



INQUIRIES INVITED

*Live in Tomorrow's
house today!*

911 N.E. 148th
Seattle, Washington
98155
(206) 771-1422

Circle # 92

HOME COMPUTER
SYSTEMS

Notes

The two functions "&" and "&H" are used to convert an octal or hexadecimal constant to decimal. This is a convenient feature but if you want to use it on a variable within a program, you will find it won't work. It is designed to be used only with a constant.

The constant following the "&" and "&H" is treated as a string but without the normal quotes associated with such. Thus, the function "&HA\$" will give you garbage. The key to fooling the interpreter on the Model II and Color computer (extended BASIC version) is to use the VAL function. Try the following program, limiting the input to two or four digits. Use "FF" and "EA00" for examples.

```
10 INPUT A$
20 A = VAL("&H"+A$)
30 PRINT "Hex value = "; A
40 A = VAL("&" + A$)
50 PRINT "OCTAL VALUE =" + A
60 GOTO 10
```

This trick will only work on the Model II and Color computer. It does not function on the Model I or III.

Thanks to Bill Dickson, New Orleans, LA

In the Model II, the random access memory used for video memory is switched in and out of locations F800 through FF7F. You can do this manually by sending 81 to port FF to switch it in (overlying that portion of memory) and send 01 to switch it out. All figures are expressed in hexadecimal.

Thanks to Gerald Lippey, Los Angeles, CA

When the tape recorder is under computer control the drive is left engaged as long as the play and/or record function is pressed. If left this way for more than a moment, the tape can be physically distorted by the capstan and pinch roller. The resulting dimple may interfere with future use of the tape. With shorter "data" tapes, such as Radio Shack's Certified computer tape, this problem is exaggerated by the thicker base

material. Avoid this difficulty by leaving the third (smallest) plug disconnected. The tape will continue to run until the stop key is pressed which will disengage the drive mechanism.

Thanks to C. W. Evans, Sun City, AZ

Many times in programming, it is useful to print the month name on the screen or printer. One method is with the user defined function:

```
DEFFNM$(M) = MID$(" JanFebMarAprMay
JunJulAugSepOctNovDec",M*3,3)
```

This method does not use up string space, as storing the names in a variable or array, or use time as a FOR...READ...NEXT loop would. Note the two required blanks at the start ("bbJanFeb...").

For the number of days in any month, use this function:

```
DEFFNND(M) = VAL(MID$(" 3128313031303
13130313031",M*2,2))
```

If you want it for leap years as well:

```
DEFFNND(M,Y) = VAL(MID$(" 31283130313
0313130313031",M*2,2)) - (Y/4 = INT(Y
/4)) + (Y=1900)
```

The year 1900 was *not* a leap year. Only the centuries evenly divisible by 400 are leap years. Also note the required blank at the beginning of "b31283130...".

Thanks to C. D. Robertson, Ft. Worth, TX

OMNITERM

What is OMNITERM?

OMNITERM is a professional communications package for the TRS-80 that allows you to easily communicate and transfer files or programs with almost any other computer. We've never found a computer that OMNITERM can't work with. It's a complete package because it includes not only the terminal program itself, but also conversion utilities, a text editor, special configuration files, serious documentation and serious support.

Why do I need it?

You need OMNITERM if you need to communicate efficiently with many different computers, or if you want to customize your TRS-80 for use with one particular computer. You need OMNITERM to SOLVE your communications problems once and for all.

What do I get?

The OMNITERM package includes the OMNITERM terminal program, four conversion utilities, a text editor, and setting files for use with popular computers such as CompuServe, the Source, and Dow Jones — just as samples of what you can

The ULTIMATE TRS-80 Terminal Package

do for the computer you want to work with. The package includes six programs, seven data files, and real documentation: a 76-page manual that has been called "the best in the industry." And OMNITERM comes with real user support. We can be reached via CompuServe, Source, phone, or mail to promptly answer your questions about using OMNITERM.

What do I need to use OMNITERM?

A Model I or Model III TRS-80, at least 32K of memory, one disk, and the RS-232 interface. OMNITERM works with all ROMs and DOSes, and will work with your special keyboard drivers.

What will it do?

OMNITERM allows you to translate any character going to any device: printer, screen, disk, keyboard, or communications line, giving you complete control and allowing you to redefine the character sets of all devices. It will let you transfer data, and run your printer while connected for a record of everything that happens. OMNITERM can reformat your screen so that 80, 32, or 40 column lines are easy to read and look neat on your TRS-80 screen. It even lets you get on remote computers with just one keystroke! The program lets you send special characters, echo characters, count UART errors, configure your UART, send True Breaks and use lower case. It accepts VIDEOTEX codes, giving you full cursor control. It will even let you review text that has scrolled off the screen! Best of all, OMNITERM will save a special file with all your changes so you

can quickly use OMNITERM for any one of many different computers by loading the proper file. It's easy to use since it's menu driven, and gives you a full status display so you can examine and change everything.

"OMNITERM has my vote as the top TRS-80 terminal program available today" Kilobaud Microcomputing, June 1981, pages 16-19.

OMNITERM is \$95 (plus shipping if COD) Call for 24 hour shipment. Manual alone \$15, applied toward complete package. Visa, M/C, and COD accepted. MA residents add 5% tax. Dealer inquiries invited.

Contact Lindbergh Systems for your custom programming needs. We are expert at writing software to work with YOUR hardware, in assembler, high-level language, or Fort.

Lindbergh Systems

41 Fairhill Road, Holden, MA 01520 (617) 852-0233

Source: TCAB16 CompuServe: 70310.267 TRS-80 is a™ of Tandy Corp

Circle # 93

CONVERT YOUR TRS-80 MODEL-I INTO A DEVELOPMENT SYSTEM

Now you can develop Z-80 based, stand-alone devices such as games, robots, instruments and peripheral controllers, by using your TRS-80 as a development system. The DEVELOPMATE plugs into the expansion connector of your TRS-80 and adds **PROM PROGRAMMING** and **IN-CIRCUIT-EMULATION** capabilities to your system (with or without expansion interface).

Complete instructions and sample schematics are included to help you design your own simple stand-alone microcomputer systems. THESE SYSTEMS CAN BE AS SIMPLE AS FOUR ICs: one TTL circuit for clock and reset, a Z-80, an EPROM, and one peripheral interface chip.



When the In-Circuit-Emulation cable is plugged into the Z-80 socket of your stand-alone system, the system becomes a part of your TRS-80. You can use the full power of your editor/assembler's debug and trace programs to check out both the *hardware and the software*. Simple test loops can be used to check out the hardware, then the system program can be run to debug the logic of your stand-alone device.

Since the program is kept in TRS-80 RAM, changes can be made quickly and easily. When your stand-alone device works as desired, you use the Developmate's PROM PROGRAMMER to copy the program into a PROM. With this PROM, and a Z-80 in place of the emulation cable, your stand-alone device will work by itself.

The DEVELOPMATE is extremely compact. Both the PROM programmer and the In-Circuit-Emulator are in one small plastic box only 3 2" x 5 4". A line-plug mounted power supply is included. The PROM programmer has a personality module which defines the voltages and connections of the PROM so that future devices can be accommodated. However, the system comes with a universal personality module which handles 2758, 2508(8K), 2716, 2516(16K), 2532(32K), as well as the new electrically alterable 2816 and 48016(16K EEPROMs).

The COMPLETE DEVELOPMATE 81, with software, power supply, emulation cable, TRS-80 cable, and universal personality module, is ONLY \$329! The PROM PROGRAMMER is available separately for ONLY \$239.



ORION INSTRUMENTS
172 Otis Avenue, Dept. B, Woodside, CA 94062
(415) 851-1172
Master Charge and Visa phone orders accepted
California residents please add 6% sales tax



Circle # 94

Circle # 96

microfusion*



CHROME

- CHROME is the perfect back-up for disk — low cost, very low error rate
- Twice as secure during EMPs, power failures, & other malfunctions
- MICROFUSION* CHROME runs like a champion high baud rate formats like JPC
- Needs no special modification on good cassette decks
- CHROME saves lots of money & time — saves lots of program & data

C-10s — 10 for only \$12.00!

C-20s — 10 for only \$15.00!

Add \$2 per order for P&H; in CT add 7.5% tax. M.O., check, MasterCard, Visa. If paying by card, give card number, expiration date, sign order. Prompt shipment.

Nine CHROME are in black, 5-screw shells; the 10th CHROME (in white) carries a half dozen of Emory Cook's fast-running business-oriented sub-routines with documentation. They're in R/S Level II Basic, some very sneaky.

True digital transfer plus premium tape makes us the acknowledged prime duplicator of software for T.I., OSI, and all the Tandy, Apple, Pet, Atari, & fast formats. Write for further information, or call 203-853-3641.

*TM Reg

COOK LABORATORIES, INC.

375 Ely Avenue Norwalk, CT 06854

Oldest in DIGDUP, newest in SOAP

(If you don't know what SOAP stands for, place an order!)

ASS

MANAGEMENT SYSTEMS SOFTWARE

Business Programs

	TRS-80	
	Model I/III	Model II
Proforma Cash-Budget	\$125	\$175
Proforma Income and Balance Sheet	125	175
Lease-Purchase Decision	100	150
Business Analysis Package (12 individual programs)	100	150
Procurement	100	150

Educational Programs

College Enrollment Projection	100	150
Gradebook	50	100

All programs on disk with extensive documentation. Send for a brochure which fully describes the programs.

MANAGEMENT SYSTEMS SOFTWARE, INC.

5200 Brittany Drive #1006
St. Petersburg, Florida 33715
Phone (813) 864-4347
Circle # 95

AT LAST!

Mass production prices for high quality software. Buy direct and save 50%. Also available for CPM and HDOS.

DATA BASE MANAGER Mod I & III \$69, \$149 (48K) Mod-II \$199
Maintain a data base and produce reports, all without user programming. Define file parameters and report formats on-line. Key random access, fast multi-key sort, field arithmetics, audit log, label. No time-consuming overlays. 500 happy users in one year. Mod-II and 48K versions have over 50 enhancements, including 40 fields maximum. "IDM-M2 is great!" - 80-US.

A/R Mod-I \$69 Mod-II \$149 Mod-III \$69
Handles invoices, statements, aging, sales analysis, credit checking, forms input, and order entry. Unlike other accounts receivable programs, ours can be used by doctors, store managers, etc.

WORD PROCESSOR \$49
Centers, justifies, indents, and numbers pages. Mod-I version features upper/lower case without hardware modification! File merge option available.

MAILING LIST Mod I & III \$59, \$79 (48K) Mod-II \$99
The best! Compare and be selective. Includes forms input, 5-digit selection code, zip code extension, sort on any field, and multiple labels. Who else offers a report writer and merges with word processor?

INVENTORY Mod I & III \$89, \$109 (48K) Mod-II \$149
Fast key random access. Reports include order info, performance summary, EOQ and user-specified reports. Many people have converted to our system! "Next to impossible to damage the file."

GL, A/R, A/P, PAYROLL Mod-II \$129 each
Integrated accounting package. 100+ page manual. As opposed to Osborne's slow binary search and 64 column screen, we use fast ISAM and 80 columns. Dual disk and TRSDOS required.

L216 \$59
A cassette package of 10 business programs for Level II 16 K systems. Includes word processor and data base manager. Poker game \$19.

Most programs are on-line, interactive, random-access, bug-free, documented, and delivered on disks. Mod-I programs require 32K TRSDOS. We're #1 in business software—don't let our low price fool you! Ask for our free 20-page catalog if you're still not convinced. Compiled versions are available.


Circle # 97



MICRO ARCHITECT, INC.

96 Dothan St., Arlington, MA 02174

BIGGEST Discounts Ever On TRS-80™



Computers, Accessories & The Following NEW Items

**Hewlett-Packard®
HP-85
Personal Computer**

**Epson®
MX80 Printer**

**Magnavox®
Odyssey²
Home Video System**

**Magnavox®
Magnavision®
Videodisc Player**

- **FREE SHIPPING** in 48 continental contiguous States.
- **NO SALES TAX** collected on out-of-state orders.
- **FREE Discount Price List** available.

**TOLL FREE ORDER NUMBER
800/531-7466
Texas & Principle Number
512/581-2766
Fort Worth No. 817/625-6333
Telex Number 767339**

Pan American Electronics

**Sales and Main Office
Dept. 49 • 1117 Conway Ave.
Mission, Texas 78572
NEW Fort Worth Branch
Dept. 49 • 2912 N. Main St.
Fort Worth, Texas 76106**

TRS-80 is a Trademark of Tandy Corp.

Advertiser index

RSN Advertiser	Page	RSN Advertiser	Page
* 80-U.S. Books	55	92 Home Computer Systems	123
* 80-U.S. Books	120	14 Howard Industries	25
50 Aardvark-80	93	40 IJG	71
22 Access Unlimited	37	47 IJG	87
13 Acorn Software	23	52 IJG	97
65 Advanced Operating Systems	116	43 Insiders Software	78
11 Advanced Operating Systems	17	71 JF Consulting	116
34 Adventure International .. Centerfold 1		93 Lindbergh Systems	124
36 Adventure International .. Centerfold 4		100 Logical Systems Software	Cover 5
26 Aero Comp	45	72 Maine Data Finance	117
66 Aladin Software	117	95 Management Systems Software	125
41 Allen Gelder Software	73	42 Mannesmann Tally	75
104 Algorix	73	97 Micro Architect	125
87 All Systems Go	118	101 Micro Computer Technology .. Cover 6	
32 All Systems	57	63 Micro Gnome	115
5 Alpha Products	5	54 Micro Images	102
30 AMRAD	54	64 Micro Management Systems	115
27 Apparat	48, 49	3 Micro Systems Software	Cover 4
1 Apparat	Cover 2	73 Micro-Grip	117
18 Aspen Software	29	21 Microperipheral Corp.	36
56 Byte Miser Software	109	44 Microsoft Consumer Products	81
57 Chicatrug News	109	60 Midwest Data Systems	113
99 CMD Micro	127	20 Mikeangelo	35
85 Complete Computer Service	116	91 Miller Microcomputer Services	122
62 Computer Discount of America	114	49 Misosys	90
59 Computers N Stuff	113	53 Mumford Micro Systems	99
28 Computer Shopper	51	24 Omega Sales	40, 41
67 Computer Plus	128	94 Orion Instruments	125
88 Computer Applications Unltd.	119	98 Pan American Electronics	126
38 Computerists Directory	67	74 Panel Tech	117
96 Cook Labs Inc	125	51 Programmer's Guild, The	95
10 Cornucopia Software	15	12 Program Store, The	21, 22
2 Corvus Systems	Cover 3	45 Prosoft	83
33 Creative Software	61	86 Psycomp Software	117
15 Crystal Computer	26	75 Publishers Exchange	117
16 Crystal Computer	27	35 Radio Shack .. Centerfold 2 & 3	
90 Dan Haney & Associates	121	102 Radio Shack	Cover 7
69 Dental Computer Newsletter	116	76 Realty Software	128
8 Designatron	11	58 Remarkable Software	113
89 E-Z Software	121	17 S-80 Systems	28
70 EAP Co.	116	77 Scientific Engineering Labs	116
4 Epson America	1	19 Simutek	31
84 Eric Clough	117	6 Snapp Incorporated	7
103 Exatron Corp	Cover 8	29 Soft Sector Marketing	52, 53
39 Exatron Corp	Page 69	78 Softbyte	117
25 FSI	44	31 Software Affair	56
9 Galactic Software	12	83 Software Magic	127
55 Gosub	102	23 Spectral Associates	39
37 Gooth Software	65	7 Syzygy	9
61 Hexagon Systems	113	80 The Bottom Line	116
68 Hill Engineering	117	79 The Bottom Line	116
		81 The Rainbow	128
		46 Total Access	85
		48 V-R Data	89
		82 Wall Street Software	116

* Please contact these advertisers directly.

Circle # 98

Back issue availability

The following back issues of 80-U.S. Journal are still available: **May/Jun 1979, Nov/Dec 1979, May/Jun 1980, Nov/Dec 1980, Jan/Feb 1981, May/Jun 1981, Jul/Aug 1981, Sep/Oct 1981 and Nov/Dec 1981.**

The price per copy is \$4.00 postpaid in the United States, Canada and Mexico, other foreign buyers please add appropriate additional air or surface postage.

Unclassified ads

NEW QUARTERLY NEWSLETTER FOR VisiCalc® users. Disks too. \$7.50. Micro-Calc Business Users Group, PO Box 12039, Salem, OR 97309 (012)

PRINTER INTERFACE - LETS YOU connect the MX-80 to your CPU without the Exp. Interface. Illinois Custom Computers, 110½ N. Vine, Harrisburg, IL 62946 (618) 252-4050 or send \$85.00+ 3.00 s/h. (012)

WE'LL INSTALL YOUR SPEEDUP Small Business Systems Group Inc is offering to install an 'Archbold' speedup for your TRS-80. This feature will improve the performance by 100%, automatically returns to normal speed during disk and cassette operation. No software mods are required. All speedups are installed by trained personnel and are guaranteed for 30 days. This feature is ideal for systems running hard disk, or double density or 8" drives. The cost is \$125 + shipping. All systems will be checked out before any work is done to insure proper operation. Call or write: Small Business Systems Group, 6 Carlisle Road, Westford, MA 01886 (617) 692-3800 (012)

FOR TRS-80: RS-232 BOARD. Fix intermittent problems due to PC board connector with a connector brace. Easy to install. Only \$4.95. Gunn Industries 704B Franklin, Austin TX 78751 (052)

TRS-80 COLOR "BRICKAWAY" GAME. Fast action machine language video game; destroy bricks with bouncing ball. Sold on cassette, joystick required. Runs on any configuration machine. Only \$7.00 post paid. From Britt Monk, CPD PO Box, Elyria, OH 44036 (022)

WORD PROCESSING IN BASIC. YOU GET two programs, one for disk one for Level II BASIC. \$14.95 on cassette. Send SASE for further information. Jerry Lee, 6953 Waldo, Detroit, MI 48210 (012)

TRS-80 VOICE SYNTHESIZER, CABLE, Manual, Demonstration tape. 4 months old. \$150 or best offer. Randy Rosier, 714 Brown St., Iowa City, IA 52240; (319) 338-5097. (012)

OKIDATA MICROLINE 80 - TRS-80 graphics printer uses fan-fold or roll paper. 200 million character head. 3000 hours MTBF. Quiet running. Compare to MX-80-FT1 \$450 Canadian, \$400 US. Phone Walter, collect (604) 986-0866 (012)

TRS-80 SOFTWARE FOR SALE. I BOUGHT A new Model III so some of my Model I Level-II software is for sale cheap. Examples: NEWDOS80 (disk) \$95, Editor/Assembler Plus (tape) \$25, Adventures 7-8-9 (disk) \$25, Space Warp (tape) \$10. All programs are almost new and guaranteed to run. Write for complete list to Jeff Metzner, 100 State St., Room 900, Albany, NY 12207 (022)

Unclassified Advertisements

Effective with this issue, the "Unclassified" advertising space is available free to individuals with single or unusual items for sale. 80-U.S. Journal reserves the right to reject any commercial advertising in this section and suggests using our display advertising for commercial purposes.

These notices are free of charge and will be printed one time only on a space available basis. Notices will be accepted from individuals or bona fide computer user clubs only. All these unclassified advertisements must be typed, contain 75 words or less and include complete name and address information.

PART-TIME BUSINESS OPPORTUNITY - Need dealers for my TRS-80 based business. Initial investment \$500 to \$1000. Tremendous potential. Minimum system required Model I 48K 1-disk with Epson MX-80 or equivalent. For details and product sample send date, time and place of birth to Bob's Charts, 405 E. Third St., Suite 206, Long Beach, CA 90802. Include detailed description of your system. (022)

Software Potions

24 Exciting Programs
for only \$2.50 each

Subscribe to **Software Potions** and receive a cassette with 4 superb machine code programs every other month. Comparable programs would sell for \$8 to \$15 each elsewhere.

6 issues \$59.95 US
Sample issue \$18.95 US

Software Magic

Box 2184, Bramalea Postal Stn.
Bramalea, ONT
Canada L6T 3S4
Tel. (416) 451-9452
Circle # 83

CANADIANS

NOW IN STOCK

**ACORN SOFTWARE
BIG FIVE
INSTANT SOFTWARE
CREATIVE COMPUTING
ADVENTURE
INTERNATIONAL
APPARAT INC.
EPSON PRINTERS
MANY MORE**

MOD I • MOD III • COLOR

Excellent 5¼" Diskettes
S. Den. or D. Den.
Fully Guaranteed

Lower Case Mod - Mod I
One IC \$29.95

IBM Selectric Printer
Conversion Kit \$825.00

VISA

Phone or Write for Info.
(403) 423-3919

CMD MICRO
10546 - 106 Street
Edmonton, Alberta
T5H 2X6

Circle # 99

*"I liked it better
when all they wanted
were dolls and
trains."*



THE COLOR COMPUTER'S OWN MAGAZINE

- Game Programs
- Useful Utilities
- Honest Product Reviews
- Hints and Tips
- Software discounts

The RAINBOW is the only monthly magazine devoted exclusively to the TRS-80 Color Computer. It will make your computer more useful than ever before.

"If I could make only one purchase for my Color Computer, it would be the RAINBOW. Its fantastic!"
—G. S. Houston (a subscriber)

Subscribe to the RAINBOW today. A 12-month subscription is only \$12.



the RAINBOW

5803 Timber Ridge Dr. • Prospect KY 40059

Trademark of Tandy Corp

Circle # 81

REAL ESTATE SOFTWARE

for APPLE, TRS-80 • PET

- PROPERTY MANAGEMENT SYSTEM: \$325
 - Tenant History
 - Late Rent Report
 - Vacancy Report
 - Income Report
 - Auto Late Charge
 - Returned Checks
 - Ownership Files
 - Building Reports
 - Utilities Report
 - Tax Expense Report
 - Prints Checks
 - Prints Receipts

- PROPERTY LISTINGS/COMPARABLES: \$325

— SCREEN BY —

- 22 Items/Listing
- 1000 Listing/Disk
- Listing Memo Field
- Max/Min Price
- Units/Zone/City
- Max Price/Income
- Max Price/Sq Foot
- Min Cashflow

- REAL ESTATE ANALYSIS MODULES: \$40/Module

- Home Purchase
- Income Prop. Analysis
- Property Sales
- Construction Cost/Profit
- Tax Deferred Exchange
- APR Loan Analysis
- Loan Amortization
- Depreciation Analysis

- WORD PROCESSOR — MAGIC WAND: \$295




All Computer Stores Everywhere
or Order CDD Direct
Cal Residents add 6% Sales Tax
(213) 372-9419

Sullie F. Dept. U. 1116 9th Street, Manhattan Beach, CA 90266

Circle # 76

You can pay more —
But you can't get more!



Model III 16K
\$839
Model III 48K
2 disc & RS232C
\$2100



Color Computer 4K
\$310
w/16K Ext. Basic
\$459

BUY DIRECT. These are just a few of our great offers which include Printers, Modems, Computers, Peripherals, Disc Drives, Software and more. call TOLL FREE 1-800-343-8124

We have the lowest possible fully warranted prices and a full complement of Radio Shack Software.

computer plus

Write for your free catalog.
245A Great Road
Lilleton, MA 01460
617 • 486 • 3193

Circle # 67

LDOS DEALERS

Arizona

- Simutek
Tucson 85712 (602) 323-9391

Arkansas

- Micro Computer Systems, Inc.
Hot Springs 71901 (501) 623-5209

California

- B.G.L. Technology
Van Nuys 91409 (213) 787-0535
- Berkeley Microcomputers
Berkeley 94701 (415) 848-7122
- Byte Shop of Placentia
Placentia 92670 (714) 524-5380
- Byte Shop of San Diego
San Diego 92111 (714) 565-8008
- Central Campbell Computers
Campbell 95008 (408) 370-0199
- Computer Forum
Santa Fe Springs 90670 (213) 921-2111
- Computerland of 1000 Oaks
Thousand Oaks 91360 (805) 495-3554
- Dimensional Software
San Diego 92117 (714) 275-4243
- Hobby World
Northridge 91328 (213) 886-9200
- Howard Industries
Anaheim 92806 (714) 778-3443
- J & R Inventory
Santa Ynez 93460 (805) 688-8781
- Jim's Computer Service
Laguna Nigel 92677 (714) 831-8063
- Laredo Systems
Santa Clara 95051 (408) 980-1888
- Lobo Drives International
Goleta 93117 (805) 683-1576
- Micro Computer Tech., Inc.
Santa Ana 92704 (714) 979-9923
- Micro Doc
San Gabriel 91776 (213) 285-0534
- Patio Computer Sales
North Hollywood 91605 (213) 762-0020
- R.B.I. Comment
Riverside 92505 (714) 359-6884
- Santigo Technology
Irvine 92713 (714) 551-2610
- Team Quest
Palm Desert 92260 (714) 340-5331
- Wholesale Technology, Inc.
Santa Ana 92704 (714) 979-1700

District of Columbia

- The Program Store
Washington, DC 20016 (202) 363-9797

Florida

- Adventure International
Longwood 32750 (308) 830-8194
- All Systems Go
Wintergarden 32787 (305) 877-2830
- Computer Junction
Ft. Lauderdale 33310 (305) 791-0580
- H.I.S. Computeration
Melbourne 32901 (305) 254-9399

Idaho

- Idaho Micro Computer
Buhl 83316 (208) 543-6292
- Thompson Sporting Goods
Rexburg 83440 (208) 356-9245

Illinois

- The Byte Shop, Incorporated
La Grange 60525 (312) 579-0920
- C.M.S.
Chicago 60657 (312) 327-7550
- Garcia & Associates
Chicago 60601 (312) 782-8750
- Information Concepts
Richton Park 60471 (312) 748-2426

Kansas

- Cottage Software
Wichita 67208 (316) 668-3481

Kentucky

- Computer Magic
Louisville 40207 (502) 893-9334

Louisiana

- The Computer Shoppe
Metairie 70002 (504) 454-6600

Maryland

- The Program Store
Baltimore 75710 (301) 944-0200

Massachusetts

- Miller Micro Computer Service
Natick 01760
- Omnitek Systems
Tewksbury 01876 (617) 851-4580
- Small Business Systems Group
Westford 01886 (617) 692-3800

Michigan

- The Alternate Source
Lansing 48910 (517) 485-0344
- A.M. Electronics, Inc.
Ann Arbor 48106 (313) 973-2312
- Breeze Computing
Berkeley 48072 (313) 288-9422
- Computer Center
Garden City 48135 (313) 425-2470
- Computerland of Kentwood
Kentwood 49508 (616) 942-2931
- Soft Sector Marketing, Inc.
Garden City 48135 (313) 425-4020
- The 8 Bit Corner
Muskegon 49440 (616) 722-0050
- Tri County Electronics
Fenton 48430 (313) 629-5767

Nevada

- Hurley Electronics
Las Vegas 89114 (702) 384-5666

New Hampshire

- Portsmouth Computer Center
Portsmouth 03801 (603) 431-7438
- TSE Hardside
Milford 03055 (800) 258-1790

New Jersey

- Computer Madness
Englishtown 07726 (201) 462-9696
- Crowley's Radio Shack
Whitehouse Station 08889
(201) 534-2722
- J & J Electric/Radio Shack
Hackettstown 07840 (201) 852-6976
- M-T Electronics
Sparta 07871 (201) 729-5719
- The Computer Forum
Redbank 07701 (201) 530-9103

New Mexico

- Autel Electronics
Albuquerque 87108 (505) 255-6451
- Data Base, Inc.
Albuquerque 89112 (505) 881-5362

New York

- A World of Computers
Port Chester 10573 (914) 937-6662
- B.T. Enterprises
Centereach 11720 (516) 981-8568
- Computerland of Nassau
Carle Place 11514 (516) 742-2262
- Computerland of New York City
New York 10036 (212) 840-3223
- Computerland of White Plains
White Plains 10603 (914) 328-0144
- Computronics
Spring Valley 10977 (800) 431-2818
- Digibyte Computers Center
New York 10016 (212) 889-8130
- Future Visions Computer Store
Melville 11747 (516) 423-7820
- Integral Business Systems
Jackson Heights 11370 (212) 695-6300
- JFA Electronics
Troy 12180 (518) 273-8411
- Micro Images
Flushing 11352 (212) 445-7124
- Mini Micro Mart
Syracuse 13203 (315) 422-4467
- John D. Owens Associates, Inc.
Staten Island 10305 (212) 448-6283
- Programs Unlimited
Jerico 11753 (516) 997-8668

Ohio

- Micro Mini Computer World, Inc.
Columbus 43213 (614) 235-5813

Oklahoma

- The Computer Store
Tulsa 74105 (918) 747-9333
- Teel Electronics/Radio Shack
Claremore 74017 (918) 341-0987
- Vern Street Products/Radio Shack
Sapulpa 74066 (918) 224-4260

Pennsylvania

- Computer Analyst
New Briton 15066 (412) 846-9336
- Erie Computer
Erie 16505 (814) 454-7652
- I.O. Systems
Edinboro 16412
- Stevens Electronic/Radio Shack
Phoenixville 19460 (215) 933-3441
- V.R. Data
Folcroft 19032 (215) 461-5300

Texas

- Access Unlimited
Richardson 75080 (214) 690-0206
- Aerocomp
Dallas 75232 (214) 337-4346
- AT-80
Dallas 75211 (214) 339-0498
- Computer Sales and Service
Fort Worth 76101 (817) 244-8052
- Computer Shack
Tyler 75702 (214) 595-4216
- Computers To Go
Austin 78705 (512) 472-8926
- Computex
Webster 77598 (713) 486-8022
- Corsair Computer
Fort Worth 76101 (817) 344-8051
- Quality Software Distributors
Dallas 75229 (214) 484-5783
- Texas Computer Services
Arlington 76010 (817) 265-1524
- Total Access
Richardson 79408 (214) 234-1770

Virginia

- Misosys
Alexandria 22303 (703) 960-2998

Washington

- 80-US Journal
Tacoma 98409 (206) 475-2219

Wisconsin

- Galactic Software, Ltd.
Mequon 53092 (414) 241-8030
- Omega Micro
Milwaukee 53208 (414) 342-9080
- Petted Micro Systems
Milwaukee 53221 (414) 282-4181

Belgium

- Micro 2000
Brussels

Canada

- Cesco Electronics, Ltd.
Montreal H4P 1W1
- Microwest Distributing, Ltd.
North Vancouver, B.C. V7P 1M6

England

- Computer Shop
London
- Croydon Computer Center
Thornton, Heath, Surrey
- Calisto Computers, Ltd.
Birmingham B1 1BE
- Molimerx, Ltd.
Sussex
- O & J House L.T.D.
Dorset
- Q-Tek Systems L.T.D.
Stevenage, Herts
- P.J. Equipment L.T.D.
Guildford, Surrey
- Thomas Wright Bradford, Ltd.
Bradford, West York BD4 8B2

France

- Graphie
93100 Montreuil

Holland

- Software Import Brabant
Endoven

Netherlands

- Computer Collectief
1017 AP Amsterdam

IF YOU CAN RECOGNIZE VALUE, YOU CAN SAVE;


\$500⁰⁰

M.T.I. MOD III PLUS

Now You Can Save
\$500 over comparable model.

\$1998

We have taken the basic 16K Model III expanded the memory to 48K and added our MTI Double Density, Dual Disk Drive system. System is fully compatible with Radio Shack DOS and peripherals.



MOD III/EXPANDED

Same as above but has double storage capacity (708 storage). Your choice of 2 dual headed 40 track drives or 2 single headed 80 track disk drives

\$2499

MOD III/280

Our largest MOD III, approximately 1.5 mega bytes of storage, utilizes 2 dual headed 80 track, double density disk drives. Complete with manuals and professional operating system. Microsystems DOS plus 3.3.

\$2799

MTI MOD III, SALES, PARTS & SERVICE CENTERS-INDEPENDENT DEALERS

PHOENIX, AZ	(602) 244-9739	WALNUT, CA	(714) 594-8311	MANHASSET, NY	(516) 869-8335
SIERRA VISTA, AZ	(602) 458-2479	FORT COLLINS, CO	(303) 221-1776	NEW ROCHELLE, NY	(914) 235-4444
TEMPE, AZ	(602) 839-0546	GROTON, CT	(203) 445-5166	TROY, NY	(518) 273-8411
TUCSON, AZ	(602) 323-9391	HOLLYWOOD, FL	(305) 981-1011	N & S DAKOTA	(701) 594-5674
ANAHEIM, CA	(714) 773-0240	GEORGIA	(404) 449-8982	CLEVELAND, OH	(216) 779-6040
COVINA, CA	(213) 332-4088	KAILUA, HI	(808) 261-6596	MAUMEE, OH	(419) 893-4288
HOLTVILLE, CA	(714) 356-5185	IDAHO	(208) 785-1497	DALLAS, TX	(214) 247-6679
INGLEWOOD, CA	(213) 673-3295	SHREVEPORT, LA	(318) 865-7189	CHEYENNE, WY	(307) 632-9132
LANCASTER, CA	(805) 942-5747	JOPLIN, MO	(417) 781-1748	MEXICALI, BC	(714) 357-4717
OXNARD, CA	(805) 486-5837	MIDWEST	(618) 345-5068	OVERSEAS	
SAN DIEGO, CA	(714) 275-4243	MISSOULA, MT	(406) 549-9715	AUSTRALIA	3877-6946
SAN JOSE, CA	(408) 946-1265	RALEIGH, N.C.	(919) 755-1175	BELGIUM	1663-2452
SANTA CRUZ, CA	(408) 427-0836	JERICHO, NY	(516) 997-8668	REP. OF SOUTH AFRICA	2145-1047



MICROCOMPUTER TECHNOLOGY INC.

3304 W. MACARTHUR, SANTA ANA, CA 92704
• (714) 979-9923 • TELEX 6780401 TABIRIN •



U.S. PRICES
F.O.B. SANTA ANA,
CALIFORNIA

Now for the TRS-80™ Models I & III

LDOS

VERSION 5.1 THE TRS-80™ OPERATING SYSTEM MODEL I AND III

- * **DOUBLE** Sided & **DOUBLE** Density support.
- * **AUTOMATIC** Density recognition.
- * 35, 40, 77, 80 and any other track counts are supported.
- * All available drive stepping rates are supported.
- * Hard Drive support, can be **HANDLED AS A SINGLE DRIVE**.
- * Hard drive partitioning, one drive can act as up to six.
- * Intermix 5", 8" and Hard drives, up to a total of 8 drives.
- Compatible with the Model I Radio Shack Expansion Interface.
- Upward compatible with **TRSDOS** (2.3 & 1.2 as documented).
- Fully supports Microsoft language products for the **TRS-80**.
- Complete media compatibility Model I to Model III and back.
- Full support for **LOBO's LX-80** interface.
- Full support for **AEROCOMP LC** double density controller (DDC).
- Full support for **PERCOM's DOUBLER II**.
- Complete documentation (well over 250 pages).
- Complete technical information.
- A **TOLL-FREE** 800 number for customer service.
- An **LDOS** users bulletin board on MicroNET.
- A Quarterly **LDOS** users magazine (The **LDOS QUARTERLY**).
- A liberal update policy.
- An enhanced **BASIC (LBASIC)** including:
 - > Upward compatible with Microsoft Basic.
 - > High speed **LOAD** and **SAVE**.
 - > Run multiple programs with common variables.
 - > **BLOCKED** (variable length) files are supported.
 - > **DOS** commands may be executed from **LBASIC**.
 - > Built in string array. **SORT**.
 - > Single stepper for debugging.
 - > Several new statements and file modes.
- A compiled **JOB CONTROL LANGUAGE (JCL)**.
- **CONVERT** utility to move files from Model III **TRSDOS**.
- An Extended Debugging and Monitor program (with disk access).
- **CMDFILE** for movement of disk and/or tape system (**/CMD**) files.
- Device independent operation.
- Full **LINKing**, **ROUTEing**, **FILTERing** and **SETting** are supported.
- **MiniDOS** feature for constant access to certain **DOS** commands.
- **RS-232 DRIVER** for serial support.
- Sophisticated communications software included.
- Wildcard characters and partial Filespecs are supported.
- **DATED FILES**, show when a file was last written to.
- Backup: Mirror, by Class, if Modified, by Date, by Extension, etc.
- Selectable **PURGE** for fast disk "cleanup" of unwanted files.
- Print formatter, for control of printer output.
- Built in printer **SPOOLER**, to both disk and ram.
- Joblog to record all system operations with time stamps.
- **UPPER** and *lower* case support, throughout the system.
- Blinking cursor with selectable cursor character.
- 128 character **TYPE AHEAD** buffering for keyboard input.
- Assign strings to individual keys with Key Stroke Multiply (**KSM**).
- **SUPER FAST** operation with the **SYSRES** feature.
- Extensive user control and system feedback.
- Advanced **PATCH** utility for easy maintenance.
- Complete transportability of software among all **Z-80 LDOS** systems through the use of the **LDOS** high ram supervisory call system (**SVC**).
- Dealers to serve users Nationwide and in the Common Market.
- The only **DOS** with a limited **ONE YEAR WARRANTY!**
- Enjoy a professional operating system on **YOUR TRS-80!**

* Specific hardware is required to use these features.

The Ultimate In
Operating Systems
For Model I & III

Only \$**169**⁰⁰

Version 5.1

- * Model I LDOS provided on 35 track single density media.
- * Model III LDOS provided on 40 track double density media.
- * LDOS can be provided on special media configurations at an additional charge.
- * Prices & Specifications are subject to change without notice.
- † Although not required, LSI recommends two or more drives when using LDOS.

For Further Information Contact The Distributor Or Dealer Nearest You:

(West)
LOBO DRIVES INT'L
354 S. Fairview Ave.
Goleta, CA 93117
(805) 683-1576

(Central)
GALACTIC SOFTWARE LTD.
11520 N. Port Washington Rd.
Mequon, WI 53092
(414) 241-8030

(East)
MISOSYS
5904 Edgehill Dr.
Alexandria, VA 22303
(703) 960-2998

(The Common Market)
MOLIMERX LTD.
1 Buckhurst Rd., Bexhill
Sussex, England
(0424)-220391

DEALER INQUIRIES WELCOME. LDOS is a product of LSI. TRS-80 & Radio Shack are trademarks.

**LOGICAL
SYSTEMS
INC.**

Mequon, WI 53092
(414) 241-3066

Radio Shack Has Everything You Need for Your TRS-80[®]



A File Boxes for Your Diskettes. Two open and shut cases for protecting 5¼" or 8" floppies. Holds 50-60, with index dividers. Durable acrylic.

For 5¼" Diskettes. #26-1453, **\$29.95**

For 8" Diskettes. #26-4953, **\$39.95**

B Disk Drive Head Cleaning Kit. Helps prevent read/write errors. Easy and safe—just apply solution to a cleaning diskette (two included) and run it in drive for 30 seconds.

For 5¼" Drives. #26-407, **\$29.95**

For 8" Drives. #26-4909, **\$29.95**

C Genuine TRS-80 Diskettes. Best you can buy. Certified error-free. Extra-long life, double density, soft sector.

5¼" Single Diskette. #26-305, **\$4.95**

5¼" Three-Pack. #26-405, **\$13.95**

5¼" Ten-Pack. #26-406, **\$39.95**

8" Single Diskette. #26-4905, **\$7.50**

8" Ten-Pack. #26-4906, **\$59.95**

D Diskette Library Cases. Protection against dust and curling. An easel insert pops-up for easy selection. Holds ten floppies. Polystyrene.

For 5¼" Diskettes. Gray. #26-1452, **\$3.95**

For 8" Diskettes. Brown. #26-4952, **\$4.95**

E Anti-Glare Mask. Solves reflection problems. No loss of resolution. For TRS-80 Models I, II and III. Not for color monitors. #26-511, **\$16.95**

F Anti-Static Spray. Prevents static electricity build-up that can attract dust and damage equipment. Apply to accessories, video display and carpet. 16 ounces. #26-515, **\$5.95**

G Printviewer. Magnifies and highlights a single line of your printout. Reduces errors. Clear plastic with yellow "line window." Includes 10 and 12 cpi scales. #26-1313, **\$2.95**

H Logic Flowchart Template. This durable, clear-plastic "stencil" with ANSI flowchart symbols and ¼" layout grid makes it easy to draw pro-quality charts. #26-1312, **\$3.95**

I Stacking Data Trays. For standard 14⅞"-wide printouts. Eliminates damage to paper caused by using an undersized tray. #26-1309, **each \$6.95**


FREE 1982 TRS-80 Catalog. 48 full-color, fact-filled pages. Ask for your copy, wherever you see this sign:

Radio Shack[®]
The biggest name in little computers[™]

A DIVISION OF TANDY CORPORATION

Prices may vary at individual stores and dealers. Some items may require special order.

TIRED OF WAITING?



Frustrating isn't it! No matter how much you speed up your program it still seems to take forever to save data onto a cassette. Wouldn't it be great if someone could design a mass storage system with the speed of a disk, but at half the cost? Exatron did, the Exatron Stringy Floppy (ESF).

Totally self-contained, the ESF is an extremely fast, reliable, and economical alternative to cassette or disk storage of programs or data. All of the ESF's operations are under the computer's control, with no buttons, switches, knobs or levers to adjust or forget.

The ESF uses a miniature tape cartridge, about the size of a business card, called a wafer. The transport mechanism uses a direct drive motor with only one moving part. Designed to read and write

digital data only, the ESF suffers from none of the drawbacks of cassettes - without the expense of disks.

Several versions of the ESF are available, for the TRS-80, Apple, PET, OSI and an RS 232 unit. Even the slowest of the units is 15 times faster than a cassette, and all are as reliable as disk drives - in fact a lot of users say they are *more* reliable!



excellence in electronics

exatron

To get further information about the ESF give Exatron a call on their Hot Line 800-538 8559 (inside California 408-737 7111).

If you can't wait any longer then take advantage of their 30 day money-back guarantee, you've nothing to lose but time!

181 Commercial Street
Sunnyvale, CA 94086

