

RSM-1: A MACHINE LANGUAGE MONITOR FOR THE RADIO SHACK COMPUTER

RSM-1 is a powerful program that allows you to interact directly with your Radio Shack computer at the machine language level. It will require a certain amount of time to become familiar with RSM-1, but don't be afraid to experiment. Load the program using the RADIO SHACK CLOAD command. If a satisfactory load is achieved, the screen will be cleared, the copyright notice will be displayed, and the screen will respond with:

COMMAND?

This means the monitor is awaiting input from the keyboard. Entries will be written from top to bottom on the screen, and will scroll off the top when the screen is full. You may clear the screen with the CLEAR key. Now type D followed by ENTER. The screen will fill with lines of hex characters, representing memory starting at location 0. Hit the space bar to stop the scroll. Step through several lines with the space bar. Type any other key and the scrolling will continue. Type BREAK (or shift C) and COMMAND? will reappear. Try the same thing but use A instead of D. Allow the dump to continue until you see addresses in the 01B0 range. Stop the scroll and step line by line with the space bar. You are now looking at the error messages in your BASIC ROM's. You will find the BASIC command table up around 0250. Now read the following detailed description to find out what else RSM-1 can do. Experiment as you go, you can't hurt your computer from the keyboard. At worst, you may have to reload your RSM-1 cassette.

COMMAND FORMAT

All commands are single letter commands, and may have up to three 16-bit hex addresses following the command. Addresses are separated by spaces. The first space is optional. The following commands are all valid commands:

A	No addresses are required.
A 31A0	31A0 is starting address.
D243F 4024	First space is optional.
M 1234 4365 E080	Three fields are maximum.
D 1 10	Leading zeros are optional.
Z 433621543A 8876680	Equivalent to Z 543A 6680.

Several points are illustrated in the above sequence:

- 1) Commands do not require addresses.
- 2) Leading spaces are optional.
- 3) Leading zeros are optional.
- 4) If more than 4 hex address characters are entered, only the last four are valid.

The following command features are not readily illustrated:

- 5) For most commands, if addresses are not entered, default values will be assumed.
- 6) All commands must be started with a valid letter. If an invalid letter is entered, it will be ignored.
- 7) All addresses are in hex. If a non-hex character is entered in an address field, it will be ignored.
- 8) Spaces are used to separate the address fields. Only one space is allowed; additional spaces are ignored.
- 9) Any command may be aborted by the BREAK key.
- 10) Any character may be erased by a LEFT-ARROW.

PAUSE - Any command that might use a significant amount of time may be interrupted by entering a space. This is usually used in conjunction with commands that dump memory onto the screen. A second space will cause one line of text to be dumped, with a pause again at the end of the line. Typing any character except a space will cause the dump to continue without interruption. The BREAK key will abort any routine and return control to the monitor.

COMMAND EXECUTION

All commands are executed by the ENTER key. Commands may be edited by backspacing (LEFT-ARROW) or may be aborted with the BREAK key up until the time ENTER is typed.

DETAILED COMMAND DESCRIPTION

Commands may be separated into three groups: Control, Tape, and Memory. They may also be assigned a number corresponding to the number of address fields that are effective. If a command needs more addresses than are input, default values will be assigned. If more addresses are input than required, the first addresses will be used; extras will be ignored.

CONTROL COMMANDS

G - GOTO: 1 address. Transfers control to specified address. If no addresses are entered, control returns to BASIC.

I - INITIALIZE: 0 addresses (See INPUT command below). Clears screen and initializes all scratchpad locations. This command is accessed automatically after loading RSM-1, and thereafter when I is typed, or if RSM-1 is re-entered at address 4200 hex.

I - INPUT FROM PORT: 1 address. If I is typed followed by a hex address, the input port at the specified address will be read, and the hex value displayed on the screen. The stock Radio Shack computer has one input port (cassette) at address FF.

O - OUTPUT TO PORT: 2 addresses. The O command will output a specified hex byte to a specified output port. The first address is the output port, and the second is the byte that will be output. If no addresses are typed, RSM-1 will output a 0 to port 0. If only one address is typed, RSM-1 will output a 0 to the specified port.

U - USER COMMAND: 0-3 addresses. The U command allows the executive routines of RSM-1 to be used in conjunction with custom commands or programs. When U is executed, program control is transferred to address 4880 hex, where the user's program should be located. If a normal return is encountered at the end of the user routine, control will revert to RSM-1. If addresses are entered with the U command, the first address will be found in the D,E registers, the second in H,L and the third in B,C. During RSM-1 initialization, a return instruction (C9 hex) is placed at 4880. Thus if U is typed accidentally, no harm is done as control returns to RSM-1.

K - KEYBOARD ECHO: 0 addresses. Allows characters to be typed directly from the keyboard to the screen.

B - BINARY ARITHMETIC: 1-2 addresses. This utility routine is useful for converting hex addresses to decimal. If one address is input, the decimal equivalent is output. If two addresses are input, a title line, both addresses, A+B, A-B, and B-A are printed both in hex and in decimal.

TAPE COMMANDS

Cassette tapes read in two modes, one allowing entry of tape length and starting address, and a second mode with self-locating capabilities. The 'standard' format is used to read in tapes written by programs other than RSM-1, such as BASIC tapes. Header tapes, which are written by RSM-1, contain the tape length and starting location as the first four bytes on the tape, thus it is not necessary to keep track of this information after tapes are written. Header tapes may be loaded into their original locations by a single letter command, or may be located anywhere in memory since a single input address will override the header starting location. Header tapes use checksum error detection and may be checked without disturbing memory.

Both read and write operations commence with the ENTER key. After reading and writing operations are complete, the tape checksum is output onto the screen and the COMMAND? string is output again. Either operation may be aborted with the BREAK key.

TAPE WRITE COMMAND

W - WRITE TAPE: 2 addresses. Writes cassette tape with header format. Writes checksum at end of tape. Addresses are start and end memory locations. Tape writing may be aborted by use of the BREAK key. After tape writing is complete, the checksum will be written onto the screen. Note: Tapes written by RSM-1 will not load using CLOAD, but must be read using the RSM-1 R or L commands.

TAPE INPUT COMMANDS

R - READ TAPE: 0-2 addresses. Loads either of two tape formats into memory, controlled by input addresses. If no addresses are input, the monitor assumes a header tape and reads the first four bytes from the tape as the length and start locations. If one address is input, the header format is assumed, but only the length is used; the typed address is used for the start location. If two addresses are input, the monitor will read the tape in using the first address as the tape length and the second address as the starting location in memory. If a tape error is detected, the monitor outputs CHECKSUM ERROR followed by two hex bytes, the checksum from the tape and the computed checksum.

L - LOAD AND GO: 0-2 addresses. Operates the same as R, but program control is transferred to the start address of the loaded program at end of load. If an error is detected, the CHECKSUM ERROR message is output and control is not transferred.

C - CHECK TAPE: 0-2 addresses. Operates the same as R, but the program is not loaded into memory. Used primarily after writing a tape to verify accuracy. Computes checksum from information read from tape and compares it with checksum recorded on tape.

MEMORY COMMANDS

Memory may be displayed, modified, moved, exchanged, or tested. All memory display commands may be stepped through one line at a time by using the space bar, or terminated by use of BREAK.

A - ASCII DUMP: 0-2 addresses. Interprets and displays memory as ASCII characters. Non-ASCII characters and control characters are displayed as periods. Each line starts with the address of the first location displayed, followed by 48 characters, unless a carriage return is encountered, which will cause a new line to be started. This feature formats ASCII files for easy reading.

Addressing: The first and last addresses are the starting and ending locations respectively. If no addresses are input, dump will start at 0 and continue until aborted. One address will cause a continuous dump starting at the typed address. Two addresses will dump memory from the first address through the second address. Space bar will stop dump at the end of the current line; additional spaces will output single lines. Any other character will cause the continuous dump to resume.

A SSSS 0 - FORMATTED ASCII DUMP. If two addresses are input and the second is 0, a formatted ASCII dump is output. This command lists memory with 16 characters per line, starting at address SSSS. Printable ASCII characters are listed normally. If the 8th bit of a printable character is set, the character will be followed by a period. If the character is non-printing, the hex value of the character will be printed.

D - HEX DUMP: 0-2 addresses. Interprets and displays memory as two hex characters per byte. Start address is displayed at the beginning of each line; 16 bytes are displayed per line. Addressing and pause routines as in "A" command.

E - EDIT MEMORY: 1 address. Displays address and hex value of input address followed by a dash (-). This location may be modified by entering two hex characters. If more than two characters are entered, the last two will be used (the back-arrow is not active for this command). Thus errors may be corrected by retyping the correct values. Entering a space will transfer the screen entry to memory and display the following memory location. If nothing is typed after the dash, the spacebar will step to the next location without changing the memory location. The ENTER key will have the same effect, but a new line and new address will be displayed on the screen. Typing an up-arrow will back up one byte, and a new line with the new address will be output. Exit the routine with BREAK, which will also transfer the last displayed byte into memory.

F - FIND 1 BYTE: 3 addresses. Searches through memory block defined by the first two addresses and finds all locations with the byte specified in the third address field. Writes address, the located byte, and the following byte (in hex) on the screen. This command is designed to locate input/output commands with their arguments. It can also be used for other searches, of course, with the proper interpretation of the output arguments.

H - HUNT 2 BYTES: 3 addresses. Searches memory from first to second address for two-byte combinations specified by third address. Address is interpreted in 'reverse' notation (low byte first). Address of location preceding the found address is output, followed by the code and finally followed by the address. This command is designed to locate references to memory locations and to identify the referencing command, but may be used for other searches, provided 'reverse' entry is used for the desired two-byte combination.

M - MOVE MEMORY: 3 addresses. Moves a block of memory between the first and second addresses to a similar block starting at the third address. There are no restrictions on addressing - overlap from either end is allowed.

Q - CHECKSUM: 2 addresses. Computes and displays checksum for memory block between two addresses. Used to determine if program has been 'bombed' during operation.

T - TEST MEMORY: 2 addresses. Uses random numbers to test memory between two specified addresses. Writes address, expected value and actual value for locations where errors occur. Writes number of tests completed as they are finished; 256 checks of each location is defined as 1 test.

V - VERIFY MEMORY: 3 addresses. Compares block of memory from first address to second address with block starting at third address. Writes address and both values where differences occur.

X - EXCHANGE MEMORY: 3 addresses. Exchanges block of memory between first and second addresses with block starting at third address.

Z - ZERO MEMORY: 2-3 addresses. Writes code in third address into block of memory between first two addresses. For two addresses, 00 is written into the block between the addresses. As with all commands, addresses are inclusive.

ADDITIONAL FEATURES

JUMP TABLE

RSM-1 has three jumps located at the beginning of the program at addresses 4203, 4206, and 4209 (the first three bytes at 4200 are set to 00 during initialization). The first jump is to the initialization routine and is used for re-entering RSM-1. The second jump, at 4206, is to the CRT output routine. You may use this location to write directly to the screen, with normal scrolling, etc. The character to be output should be in the A register. If you use a form feed (hex 0C) character, the screen will be cleared. The third jump at 4209 is to the keyboard routine. If you call this location, the keyboard routine will not return until a key has been pressed. The typed character will be returned in the A register.

SOURCE LISTING

There are many other routines in RSM-1 that might be useful for machine language programs. A source listing (using INTEL 8080 mnemonics) is available for \$5.00. You may order the source when you send in the registration form, which will also place you on our mailing list for further announcements of Radio Shack compatible products, or you may order the source at a later date. However, only registered RSM-1 owners may purchase the source listing.

SMALL SYSTEM SOFTWARE
BOX 483 Newbury Park
California 91320

RADIO SHACK MONITOR "RSM-1" COMMAND SUMMARY

The following list of commands is included in the monitor. Many commands have several variations, depending upon the number of address fields following the command letter.

- A - ASCII DUMP: Display ASCII equivalent of memory block.
- B - BINARY ARITHMETIC: Add/subtract in hex and decimal.
- C - CHECK TAPE: Check cassette tapes for proper checksum.
- D - HEX DUMP: Display Hex equivalent of memory block.
- E - EDIT: Enter, examine, or modify memory in hex code.
- F - FIND 1 BYTE: Find and display single-byte hex codes.
- G - GOTO: Go to and execute program at specified address.
- H - HUNT 2 BYTES: Find and display two-byte addresses.
- I - INITIALIZE/INPUT: Initialize or input data from port.
- K - KEYBOARD ECHO: Type directly to screen or terminal.
- L - LOAD AND GO: Load cassette tape and execute program.
- M - MOVE: Move any block of memory to specified location.
- O - OUTPUT: Output hex value to specified output port.
- Q - CHECKSUM: Compute checksum of specified memory block.
- R - READ TAPE: Read cassette tape (header or standard).
- T - TEST MEMORY: Test memory block and display errors.
- U - USER: Allows user to write and execute new commands.
- V - VERIFY MEMORY: Compare any two blocks of memory.
- W - WRITE TAPE: Write any memory block to cassette tape.
- X - EXCHANGE: Interchange any two blocks of memory.
- Z - ZERO MEMORY: Write zero or any hex code into memory.

4200	0010	*	* * * * *	*
4200	0020	*	* RSM-1	VERSION 1.0 *
200	0030	*	* SMALL SYSTEM SOFTWARE	*
4200	0040	*	* TOM NUSSMEIER	*
4200	0050	*	* GARY THURMOND	*
4200	0060	*	* COPYRIGHT (C) FEB. 1978	*
4200	0070	*	* ALL RIGHTS RESERVED	*
4200	0080	*	* * * * *	*
4200	0090	*		
4200	0100	*		
4200	0110	*		
4200	0120	*	BASIC DEFINITIONS FOR ASSEMBLY	
4200	0130	*		
4200	0140	MONI	EQU \$+3	MONITOR LOC.
4200	0150	SCPAD	EQU \$-100H	SCRATCHPAD
4200	0160	RAM	EQU 4880H	USER LOCATION
4200	0170	*		
4200	0180	*		
4200	0190	*		
4200	0200	*	DEFINITIONS AND CONSTANTS	
4200	0210	*		
4200	0220	STAT	EQU 387FH	KEYBOARD PORT
4200	0230	SCAN	EQU 0B55H	
4200	0240	RLESE	EQU 0B4CH	
4200	0250	CIN1	EQU 0F81H	TAPE LINKS
4200	0260	CIN8	EQU 0FA1H	
4200	0270	COUT8	EQU 0FA9H	
1200	0280	BUFL	EQU 62	BUFFER LENGTH
4200	0290	*		
4200	0300	*		
4200	0310	*		
4200	0320		ORG SCPAD	SCRATCHPAD
4100	0330	*		
4100	0340	STAK	EQU \$+100H	
4100	0350	IBUF	DS 48	INPUT BUFFER
4130	0360	IFLAG	DS 1	INITIALIZATION FLAG
4131	0370	FLGP	DS 1	PAUSE FLAG
4132	0380	TCNTR	DS 1	MEMORY TEST COUNTER
4133	0390	DECNB	DS 1	MEMORY TEST NUMBER
4134	0400	YTEMP	DS 2	HEX MATH STORAGE
4136	0410	RDPTR	DS 2	MEMORY READ POINTER
4138	0420	WRPTR	DS 2	MEMORY WRITE POINTER
413A	0430	GOLOC	DS 2	GO COMMAND STORAGE
413C	0440	*		
413C	0450	*		
413C	0460	*		
413C	0470		ORG MONI	PROGRAM START POINT
4203	0480	*		
4203	0490	*		
4203	0500	*	JUMP TABLE FOR I/O LINKAGE	
4203	0510	*		
4203 C3 16 43	0520		JMP INIT	MONITOR ENTRY
1206 C3 7C 44	0530		JMP CRT	DISPLAY CHARACTER
,209 C3 83 42	0540		JMP KEYB	READ KEYBOARD
420C	0550		DS 9	JUMP RESERVE
4215	0560	*		

4215 2C	0570 CMSG	DB	44	SIGN-ON MESSAGE
4216 52 53 4D 2D 31	0580	ASC	'RSM-1 V-1.0	(C) 1978'
20 56 2D 31 2E				
30 20 20 28 43				
29 20 31 39 37				
38				
422B 0D	0590	DB	13	
422C 53 4D 41 4C 4C	0600	ASC	'SMALL SYSTEM SOFTWARE'	
20 53 59 53 54				
45 4D 20 53 4F				
46 54 57 41 52				
45				
4241 0D	0610	DB	13	
4242	0620 *			
4242 3A 7F 38	0630 KEYBG	LDA	STAT	KEYBOARD ROUTINE,
4245 B7	0640	ORA	A	NO STATUS WAIT
4246 C8	0650	RZ		
4247 D9	0660	DB	0D9H	
4248 CD 55 0B	0670	CALL	SCAN	
424B D9	0680	DB	0D9H	
424C CD 4C 0B	0690	CALL	RLESE	
424F E6 7F	0700	ANI	7FH	
4251 C9	0710	RET		
4252	0720 *			
4252 CD 42 42	0730 KEYBC	CALL	KEYBG	KEYBOARD WITH
4255 C8	0740	RZ		BREAK CHECK
4256 FE 03	0750	CPI	3	
4258 C0	0760	RNZ		
4259 C3 38 43	0770	JMP	PRMPT	
425C	0780 *			
425C CD 74 42	0790 CIN	CALL	PAUSE	TAPE SUBROUTINES
425F C5	0800	PUSH	B	
4260 CD A1 0F	0810	CALL	CIN8	
4263 C1	0820	POP	B	
4264 C9	0830	RET		
4265	0840 *			
4265 06 80	0850 PREP	MVI	B, 80H	
4267 AF	0860	XRA	A	
4268 CD 71 42	0870	CALL	COUT	
426B 05	0880	DCR	B	
426C C2 67 42	0890	JNZ	PREP+2	
426F 3E A5	0900	MVI	A, 0A5H	
4271 CD A9 0F	0910 COUT	CALL	COUT8	
4274 3A 31 41	0920 PAUSE	LDA	FLGP	MONITOR PAUSE
4277 FE 20	0930	CPI	' '	
4279 CA 83 42	0940	JZ	KEYB	
427C CD 52 42	0950	CALL	KEYBC	
427F C8	0960	RZ		
4280 FE 20	0970	CPI	' '	
4282 C0	0980	RNZ		
4283 CD 52 42	0990 KEYB	CALL	KEYBC	KEYBOARD WITH
4286 CA 83 42	1000	JZ	KEYB	STATUS WAIT
4289 32 31 41	1010	STA	FLGP	
428C C9	1020	RET		
428D	1030 *			
428D FE 30	1040 HEXC	CPI	'0'	HEX CHECK
428F D8	1050	RC		
4290 FE 3A	1060	CPI	'9'+1	

4292 3F	1070	CMC		
4293 D0	1080	RNC		
4294 FE 41	1090	CPI	'A'	
4296 D8	1100	RC		
297 FE 47	1110	CPI	'F'+1	
4299 3F	1120	CMC		
429A C9	1130	RET		
429B	1140 *			
429B 29	1150 AHEX	DAD	H	ASCII TO BINARY
429C 29	1160	DAD	H	
429D 29	1170	DAD	H	
429E 29	1180	DAD	H	
429F D6 30	1190	SUI	48	
42A1 FE 0A	1200	CPI	10	
42A3 DA A8 42	1210	JC	\$+2	
42A6 D6 07	1220	SUI	7	
42A8 85	1230	ADD	L	
42A9 6F	1240	MOV	L,A	
42AA C9	1250	RET		
42AB	1260 *			
42AB 46	1270 STRNG	MOV	B,M	PRINT STRING
42AC 23	1280	INX	H	
42AD 7E	1290	MOV	A,M	
42AE CD 7C 44	1300	CALL	CRT	
42B1 05	1310	DCR	B	
42B2 C2 AC 42	1320	JNZ	STRNG+1	
42B5 C9	1330	RET		
42B6	1340 *			
42B6 3E 0D	1350 CRLF	MVI	A,13	
42B8 CD 7C 44	1360	CALL	CRT	
42BB 3E 0A	1370	MVI	A,10	
42BD C3 7C 44	1380	JMP	CRT	
42C0	1390 *			
42C0 FE 03	1400 DLMT	CPI	3	DUMP LIMIT
42C2 DA C8 42	1410	JC	\$+3	
42C5 21 FF FF	1420	LXI	H,-1	
42C8 EB	1430 LENG	XCHG		LENGTH COMPUTATION
42C9 7B	1440	MOV	A,E	
42CA 95	1450	SUB	L	
42CB 5F	1460	MOV	E,A	
42CC 7A	1470	MOV	A,D	
42CD 9C	1480	SBB	H	
42CE 57	1490	MOV	D,A	
42CF C9	1500	RET		
42D0	1510 *			
42D0 06 05	1520 ERR	MVI	B,5	OUTPUT "ERROR"
42D2 21 A5 47	1530	LXI	H,CERR+9	
42D5 C3 AC 42	1540	JMP	STRNG+1	
42D8	1550 *			
42D8 CD B6 42	1560 ADRO	CALL	CRLF	OUTPUT ADDRESS
42DB CD EB 42	1570	CALL	HLOUT	
42DE 3E 3A	1580	MVI	A,':'	
42E0 CD 7C 44	1590	CALL	CRT	
42E3 CD E6 42	1600 SP2	CALL	SPI	
42E6 3E 20	1610 SPL	MVI	A,'	
42E8 C3 7C 44	1620	JMP	CRT	
42EB	1630 *			
42EB 7C	1640 HLOUT	MOV	A,H	OUTPUT H,L REGISTERS

42EC CD F4 42	1650	CALL	OUTH	
42EF 7D	1660	MOV	A,L	
42F0 C3 F4 42	1670	JMP	OUTH	
42F3	1680 *			
2F3 7E	1690 OUTM	MOV	A,M	OUTPUT HEX FORMAT
42F4 F5	1700 OUTH	PUSH	PSW	
42F5 0F	1710	RRC		
42F6 0F	1720	RRC		
42F7 0F	1730	RRC		
42F8 0F	1740	RRC		
42F9 CD FD 42	1750	CALL	BIASC	
42FC F1	1760	POP	PSW	
42FD E6 0F	1770 BIASC	ANI	15	BINARY TO ASCII
42FF FE 0A	1780	CPI	10	
4301 DA 06 43	1790	JC	NUMB	
4304 C6 07	1800	ADI	7	
4306 C6 30	1810 NUMB	ADI	'0'	
4308 C3 7C 44	1820	JMP	CRT	
430B	1830 *			
430B 32 30 41	1840 INITC	STA	IFLAG	HOT INITIALIZATION
430E 3A 30 41	1850 START	LDA	IFLAG	PROGRAM START
4311 FE C3	1860	CPI	0C3H	
4313 CA 38 43	1870	JZ	PRMPT	
4316 21 02 42	1880 INIT	LXI	H,STAK+2	INITIALIZATION
4319 36 00	1890 INIT2	MVI	M,0	
431B 2B	1900	DCX	H	
431C 7C	1910	MOV	A,H	
431D FE 40	1920	CPI	<STAK-101H	
431F C2 19 43	1930	JNZ	INIT2	
1322 31 00 42	1940	LXI	SP,STAK	
4325 3E C9	1950	MVI	A,0C9H	
4327 32 30 41	1960	STA	IFLAG	
432A 32 80 48	1970	STA	RAM	
432D 3E 0C	1980	MVI	A,0CH	
432F CD 7C 44	1990	CALL	CRT	
4332 21 15 42	2000	LXI	H,CMSG	
4335 CD AB 42	2010	CALL	STRNG	
4338 31 00 42	2020 PRMPT	LXI	SP,STAK	PROGRAM RETURN
433B 21 38 43	2030	LXI	H,PRMPT	POINT
433E E5	2040	PUSH	H	
433F 21 71 44	2050	LXI	H,PR1	
4342 CD AB 42	2060	CALL	STRNG	
4345 CD 83 42	2070 CMND	CALL	KEYB	READ COMMAND
4348 FE 1D	2080	CPI	1DH	
434A CA 45 43	2090	JZ	CMND	
434D FE 0C	2100	CPI	0CH	
434F CA 7C 44	2110	JZ	CRT	
4352 FE 20	2120	CPI	20H	
4354 DA 45 43	2130	JC	CMND	
4357 CD 7C 44	2140	CALL	CRT	
435A CD B6 43	2150	CALL	COMM	
435D CA 73 43	2160	JZ	BS1	
4360 21 00 41	2170	LXI	H,IBUF	
4363 01 3E 00	2180	LXI	B,BUFL	
4366 77	2190	MOV	M,A	
4367 23	2200	INX	H	
4368 CD 86 43	2210	CALL	READ	
436B FE 0D	2220	CPI	13	

436D CA 17 44	2230	JZ	DECOD	
4370 C3 45 43	2240	JMP	CMND	
4373	2250 *			
4373 3E 1D	2260 BS1	MVI	A,1DH	BACKSPACE
4375 CD 7C 44	2270	CALL	CRT	
4378 C3 45 43	2280	JMP	CMND	
437B	2290 *			
437B 2B	2300 BLANK	DCX	H	
437C BE	2310	CMP	M	
437D 23	2320	INX	H	
437E C2 A8 43	2330	JNZ	FULL	
4381 3E 1D	2340 BS2	MVI	A,1DH	
4383 CD 7C 44	2350	CALL	CRT	
4386 CD 83 42	2360 READ	CALL	KEYB	LOAD BUFFER
4389 FE 0C	2370	CPI	0CH	
438B CA 86 43	2380	JZ	READ	
438E CD 7C 44	2390	CALL	CRT	
4391 77	2400	MOV	M,A	
4392 FE 0D	2410	CPI	13	
4394 C8	2420	RZ		
4395 FE 1D	2430	CPI	1DH	
4397 CA B1 43	2440	JZ	ERASE	
439A FE 20	2450	CPI	' '	
439C CA 7B 43	2460	JZ	BLANK	
439F DA 86 43	2470	JC	READ	
43A2 CD 8D 42	2480	CALL	HEXC	
43A5 DA 81 43	2490	JC	BS2	
43A8 7D	2500 FULL	MOV	A,L	
43A9 B9	2510	CMP	C	
43AA CA 81 43	2520	JZ	BS2	
43AD 23	2530	INX	H	
43AE C3 86 43	2540	JMP	READ	
43B1	2550 *			
43B1 2D	2560 ERASE	DCR	L	DELETE CHARACTER
43B2 C2 86 43	2570	JNZ	READ	
43B5 C9	2580	RET		
43B6	2590 *			
43B6 21 C8 43	2600 COMM	LXI	H,CTBLE-3	COMMAND SEARCH
43B9 11 03 00	2610	LXI	D,3	
43BC 47	2620	MOV	B,A	
43BD 19	2630 COM1	DAD	D	
43BE 7E	2640	MOV	A,M	
43BF B7	2650	ORA	A	
43C0 C8	2660	RZ		
43C1 B8	2670	CMP	B	
43C2 C2 BD 43	2680	JNZ	COM1	
43C5 23	2690	INX	H	
43C6 5E	2700	MOV	E,M	
43C7 23	2710	INX	H	
43C8 56	2720	MOV	D,M	
43C9 B7	2730	ORA	A	
43CA C9	2740	RET		
43CB	2750 *			
43CB 41	2760 CTBLE	DB	'A'	COMMAND TABLE
43CC 90 44	2770	DW	ASCI	
43CE 42	2780	DB	'B'	
43CF 0A 45	2790	DW	HEXAR	
43D1 43	2800	DB	'C'	

43D2	36	47	2810	DW	CHEK			
43D4	44		2820	DB	'D'			
43D5	AB	45	2830	DW	DUMP			
43D7	45		2840	DB	'E'			
43D8	C9	45	2850	DW	EDIT			
43DA	46		2860	DB	'F'			
43DB	1F	46	2870	DW	LOOK			
43DD	47		2880	DB	'G'			
43DE	63	46	2890	DW	EXCT			
43E0	48		2900	DB	'H'			
43E1	1F	46	2910	DW	LOOK			
43E3	49		2920	DB	'I'			
43E4	72	46	2930	DW	ICMD			
43E6	4A		2940	DB	'J'			
43E7	65	46	2950	DW	JUMP			
43E9	4B		2960	DB	'K'			
43EA	98	46	2970	DW	ECHO			
43EC	4C		2980	DB	'L'			
43ED	40	47	2990	DW	LDGO			
43EF	4D		3000	DB	'M'			
43F0	A3	46	3010	DW	MOVE			
43F2	4F		3020	DB	'O'			
43F3	8E	46	3030	DW	OUTCM			
43F5	51		3040	DB	'Q'			
43F6	C0	47	3050	DW	CKSUM			
43F8	52		3060	DB	'R'			
43F9	3B	47	3070	DW	INP			
43FB	54		3080	DB	'T'			
43FC	DB	47	3090	DW	TEST			
3FE	55		3100	DB	'U'			
43FF	D5	46	3110	DW	USER			
4401	56		3120	DB	'V'			
4402	D9	46	3130	DW	VRFY			
4404	57		3140	DB	'W'			
4405	FF	46	3150	DW	WRIT			
4407	58		3160	DB	'X'			
4408	52	48	3170	DW	XCHG			
440A	5A		3180	DB	'Z'			
440B	69	48	3190	DW	ZERO			
440D	00		3200	DB	0			
440E	00	00	3210	DW	0			
4410	00		3220	DB	0			
4411	00	00	3230	DW	0			
4413	00		3240	DB	0			
4414	00	00	3250	DW	0			
4416	00		3260	DB	0			
4417			3270 *		RESERVE FOR 3 COMMANDS			
4417	3A	00	41	3280	DECOD	LDA	IBUF	DECODE BUFFER
441A	CD	B6	43	3290		CALL	COMM	
441D	21	00	41	3300		LXI	H,IBUF	
4420	06	04		3310		MVI	B,4	
4422	EB			3320		XCHG		
4423	13			3330	NXT	INX	D	
4424	1A			3340		LDAX	D	
4425	FE	0D		3350		CPI	13	
4427	CA	49	44	3360		JZ	SETUP	
442A	FE	20		3370		CPI	" "	
442C	CA	3E	44	3380		JZ	COUNT	

442F 1B	3390	DCX	D	
4430 3E 04	3400	MVI	A,4	
4432 B8	3410	CMP	B	
4433 CA 3E 44	3420	JZ	COUNT	
4436 13	3430	INX	D	
4437 1A	3440	LDAX	D	
4438 CD 9B 42	3450	CALL	AHEX	
443B C3 23 44	3460	JMP	NXT	
443E	3470 *			
443E 05	3480 COUNT	DCR	B	
443F CA 49 44	3490	JZ	SETUP	
4442 E5	3500	PUSH	H	
4443 21 00 00	3510	LXI	H,0	
4446 C3 23 44	3520	JMP	NXT	
4449	3530 *			
4449 78	3540 SETUP	MOV	A,B	SETUP REGISTERS
444A 01 00 00	3550	LXI	B,0	
444D 11 00 00	3560	LXI	D,0	
4450 FE 04	3570	CPI	4	
4452 CA 65 44	3580	JZ	AD0	
4455 FE 03	3590	CPI	3	
4457 CA 69 44	3600	JZ	AD1	
445A FE 02	3610	CPI	2	
445C CA 62 44	3620	JZ	AD2	
445F E5	3630	PUSH	H	
4460 C1	3640	POP	B	
4461 E1	3650	POP	H	
4462 D1	3660 AD2	POP	D	
4463 23	3670	INX	H	
4464 C9	3680	RET		
4465	3690 *			
4465 E5	3700 AD0	PUSH	H	
4466 21 00 00	3710	LXI	H,0	
4469 E5	3720 AD1	PUSH	H	
446A 06 10	3730	MVI	B,10H	
446C 09	3740	DAD	B	
446D 06 00	3750	MVI	B,0	
446F D1	3760	POP	D	
4470 C9	3770	RET		
4471	3780 *			
4471 0A	3790 PR1	DB	10	
4472 0D	3800	DB	13	
4473 43 4F 4D 4D 41 4E 44 3F	3810	ASC	'COMMAND?'	
447B 0D	3820	DB	13.	
447C	3830 *			
447C FE 0D	3840 CRT	CPI	13	CRT OUTPUT ROUTINE
447E C2 8E 44	3850	JNZ	CRT1	
4481 C5	3860	PUSH	B	
4482 01 00 18	3870	LXI	B,1800H	
4485 0D	3880 WAIT	DCR	C	DELAY TO SLOW DOWN DUMPS
4486 C2 85 44	3890	JNZ	WAIT	
4489 05	3900	DCR	B	
448A C2 85 44	3910	JNZ	WAIT	
448D C1	3920	POP	B	
448E D7	3930 CRT1	RST	2	
448F C9	3940	RET		
4490	3950 *			

ASCII DUMP (A)

4490 2B	3960	ASCI	DCX	H
4491 F5	3970		PUSH	PSW
4492 7D	3980		MOV	A,L
4493 B4	3990		ORA	H
4494 4F	4000		MOV	C,A
4495 F1	4010		POP	PSW
4496 FE 03	4020		CPI	3
4498 DA 9C 44	4030		JC	\$+1
449B 4F	4040		MOV	C,A
449C 23	4050		INX	H
449D CD C0 42	4060		CALL	DLMT
44A0 CD D8 42	4070	ASCI	CALL	ADRO
44A3 06 30	4080		MVI	B,48
44A5 0C	4090		INR	C
44A6 0D	4100		DCR	C
44A7 C2 AF 44	4110		JNZ	ASC2
44AA 11 FF FF	4120		LXI	D,-1
44AD 06 10	4130		MVI	B,16
44AF 7A	4140	ASC2	MOV	A,D
44B0 B3	4150		ORA	E
44B1 C8	4160		RZ	
44B2 7E	4170		MOV	A,M
44B3 E6 7F	4180		ANI	7FH
44B5 1B	4190		DCX	D
44B6 0C	4200		INR	C
44B7 0D	4210		DCR	C
44B8 CA DC 44	4220		JZ	ASC5
44BB FE 1D	4230		CPI	1DH
44BD CA CA 44	4240		JZ	ASC3
44C0 FE 0D	4250		CPI	13
44C2 CA D5 44	4260		JZ	ASC4
44C5 FE 20	4270		CPI	20H
44C7 D2 CC 44	4280		JNC	\$+2
44CA 3E 2E	4290	ASC3	MVI	A,'.'
44CC CD 7C 44	4300		CALL	CRT
44CF 23	4310	ASC7	INX	H
44D0 05	4320		DCR	B
44D1 C2 AF 44	4330		JNZ	ASC2
44D4 2B	4340		DCX	H
44D5 23	4350	ASC4	INX	H
44D6 CD 74 42	4360		CALL	PAUSE
44D9 C3 A0 44	4370		JMP	ASC1
44DC	4380	*		
44DC FE 20	4390	ASC5	CPI	20H
44DE DA F9 44	4400		JC	ASC6
44E1 FE 1D	4410		CPI	1DH
44E3 CA F9 44	4420		JZ	ASC6
44E6 CD 7C 44	4430		CALL	CRT
44E9 7E	4440		MOV	A,M
44EA 07	4450		RLC	
44EB D2 FF 44	4460		JNC	ASC9
44EE 3E 2E	4470		MVI	A,'.'
44F0 CD 7C 44	4480		CALL	CRT
44F3 CD E6 42	4490	ASC8	CALL	SP1
44F6 C3 CF 44	4500		JMP	ASC7
44F9	4510	*		
44F9 CD F3 42	4520	ASC6	CALL	OUTM
44FC C3 F3 44	4530		JMP	ASC8

44FF	4540 *			
44FF CD E3 42	4550 ASC9	CALL	SP2	
4502 C3 CF 44	4560	JMP	ASC7	
4505	4570 *			
505 3E 2E	4580 DOT	MVI	A,'.'	
4507 C3 7C 44	4590	JMP	CRT	
450A	4600 *			
450A FE 03	4610 HEXAR	CPI	3	HEX ARITHMETIC (B)
450C DA 39 45	4620	JC	HEX2	
450F EB	4630	XCHG		
4510 11 F0 D8	4640 DECML	LXI	D,-10000	DECIMAL OUTPUT
4513 CD 2B 45	4650	CALL	DIVD	
4516 11 18 FC	4660	LXI	D,-1000	
4519 CD 2B 45	4670	CALL	DIVD	
451C 11 9C FF	4680	LXI	D,-100	
451F CD 2B 45	4690	CALL	DIVD	
4522 11 F6 FF	4700 DEC2	LXI	D,-10	
4525 CD 2B 45	4710	CALL	DIVD	
4528 11 FF FF	4720	LXI	D,-1	
452B 3E 2F	4730 DIVD	MVI	A,'0'-1	
452D E5	4740	PUSH	H	
452E C1	4750	POP	B	
452F 3C	4760	INR	A	
4530 E5	4770	PUSH	H	
4531 19	4780	DAD	D	
4532 DA 2E 45	4790	JC	DIVD+3	
4535 E1	4800	POP	H	
4536 C3 7C 44	4810	JMP	CRT	
4539	4820 *			
'539 2B	4830 HEX2	DCX	H	
+53A E5	4840	PUSH	H	
453B 21 8E 45	4850	LXI	H,YMSG	
453E CD AB 42	4860	CALL	STRNG	
4541 CD B6 42	4870	CALL	CRLF	
4544 E1	4880	POP	H	
4545 E5	4890	PUSH	H	
4546 CD C8 42	4900	CALL	LENG	
4549 CD E6 42	4910	CALL	SP1	
454C CD 88 45	4920	CALL	HLSP2	
454F EB	4930	XCHG		
4550 E3	4940	XTHL		
4551 CD 88 45	4950	CALL	HLSP2	
4554 EB	4960	XCHG		
4555 E5	4970	PUSH	H	
4556 CD C8 42	4980	CALL	LENG	
4559 C1	4990	POP	B	
455A E5	5000	PUSH	H	
455B 09	5010	DAD	B	
455C CD 88 45	5020	CALL	HLSP2	
455F EB	5030	XCHG		
4560 CD 88 45	5040	CALL	HLSP2	
4563 22 34 41	5050	SHLD	YTEMP	
4566 E1	5060	POP	H	
4567 E3	5070	XTHL		
1568 CD EB 42	5080	CALL	HLOUT	
456B E3	5090	XTHL		
456C E5	5100	PUSH	H	
456D 2A 34 41	5110	LHLD	YTEMP	

4570 E3	5120	XTHL						
4571 D5	5130	PUSH	D					
4572 E5	5140	PUSH	H					
4573 C5	5150	PUSH	B					
574 CD B6 42	5160	CALL	CRLF					
4577 06 06	5170	MVI	B,6					
4579 C5	5180	PUSH	B					
457A C1	5190	HEX1		POP	B			
457B 05	5200	DCR	B					
457C C8	5210	RZ						
457D E1	5220	POP	H					
457E C5	5230	PUSH	B					
457F CD 10 45	5240	CALL	DECML					
4582 CD E6 42	5250	CALL	SP1					
4585 C3 7A 45	5260	JMP	HEX1					
4588	5270 *							
4588 CD EB 42	5280	HLSP2	CALL	HLOUT				
458B C3 E3 42	5290	JMP	SP2					
458E	5300 *							
458E 1C	5310	YMSG	DB	28				
458F 20 20 41 20 20	5320	ASC	A		B	A+B	A-B	B-A
20 20 20 42 20								
20 20 20 41 2B								
42 20 20 20 41								
2D 42 20 20 20								
42 2D 41								
45AB	5330 *							
45AB CD C0 42	5340	DUMP	CALL	DLMT				DUMP HEX (D)
45AE CD D8 42	5350		CALL	ADRO				
5B1 06 10	5360		MVI	B,16				
45B3 CD F3 42	5370	DML	CALL	OUTM				
45B6 23	5380		INX	H				
45B7 1B	5390		DCX	D				
45B8 7A	5400		MOV	A,D				
45B9 B3	5410		ORA	E				
45BA C8	5420		RZ					
45BB CD E6 42	5430		CALL	SP1				
45BE 05	5440		DCR	B				
45BF C2 B3 45	5450		JNZ	DML				
45C2 CD 74 42	5460		CALL	PAUSE				
45C5 C3 AE 45	5470		JMP	DUMP+3				
45C8	5480 *							
45C8 1B	5490		DCX	D				
45C9 EB	5500	EDIT	XCHG					EDIT (E)
45CA CD D8 42	5510		CALL	ADRO				
45CD EB	5520		XCHG					
45CE EB	5530	EDIT2	XCHG					
45CF CD F3 42	5540		CALL	OUTM				
45D2 EB	5550		XCHG					
45D3 3E 2D	5560		MVI	A,'-'				
45D5 CD 7C 44	5570		CALL	CRT				
45D8 21 00 00	5580		LXI	H,0				
45DB 06 01	5590		MVI	B,1				
45DD CD 42 42	5600	EDIT3	CALL	KEYBG				
5E0 CA DD 45	5610		JZ	EDIT3				
45E3 4F	5620		MOV	C,A				
45E4 CD 8D 42	5630		CALL	HEXC				
45E7 79	5640		MOV	A,C				

45E8 D2 09 46	5650	JNC	EDIT4
45EB FE 20	5660	CPI	' '
45ED CA 13 46	5670	JZ	EDIT5
45F0 FE 0D	5680	CPI	13
5F2 CA 19 46	5690	JZ	EDIT6
45F5 FE 1B	5700	CPI	1BH
45F7 CA C8 45	5710	JZ	EDIT-1
45FA FE 03	5720	CPI	3
45FC C2 DD 45	5730	JNZ	EDIT3
45FF 05	5740	EDIT8	DCR B
4600 CA 05 46	5750	JZ	EDIT9
4603 7D	5760	MOV	A,L
4604 12	5770	STAX	D
4605 13	5780	EDIT9	INX D
4606 C3 E3 42	5790	JMP	SP2
4609	5800 *		
4609 CD 7C 44	5810	EDIT4	CALL CRT
460C 47	5820	MOV	B,A
460D CD 9B 42	5830	CALL	AHEX
4610 C3 DD 45	5840	JMP	EDIT3
4613	5850 *		
4613 CD FF 45	5860	EDIT5	CALL EDIT8
4616 C3 CE 45	5870	JMP	EDIT2
4619	5880 *		
4619 CD FF 45	5890	EDIT6	CALL EDIT8
461C C3 C9 45	5900	JMP	EDIT
461F	5910 *		
461F CD C8 42	5920	LOOK	CALL LENG
4622 7E	5930	MOV	A,M
623 B9	5940	CMP	C
4624 CC 2F 46	5950	CZ	LK2
4627 7A	5960	MOV	A,D
4628 B3	5970	ORA	E
4629 C8	5980	RZ	
462A 23	5990	INX	H
462B 1B	6000	DCX	D
462C C3 22 46	6010	JMP	LOOK+3
462F	6020 *		
462F 3A 00 41	6030	LK2	LDA IBUF
4632 FE 46	6040	CPI	'F'
4634 C2 48 46	6050	JNZ	LK3
4637 CD D8 42	6060	CALL	ADRO
463A CD F3 42	6070	CALL	OUTM
463D CD E3 42	6080	CALL	SP2
4640 23	6090	INX	H
4641 CD F3 42	6100	CALL	OUTM
4644 2B	6110	DCX	H
4645 C3 74 42	6120	JMP	PAUSE
4648	6130 *		
4648 23	6140	LK3	INX H
4649 7E	6150	MOV	A,M
464A B8	6160	CMP	B
464B 2B	6170	DCX	H
464C C0	6180	RNZ	
164D 2B	6190	DCX	H
464E CD D8 42	6200	CALL	ADRO
4651 CD F3 42	6210	CALL	OUTM
4654 CD E3 42	6220	CALL	SP2

1,2 BYTE SEARCH (F,H)

4657 23	6230	INX	H	
4658 23	6240	INX	H	
4659 CD F3 42	6250	CALL	OUTM	
465C 2B	6260	DCX	H	
65D CD F3 42	6270	CALL	OUTM	
4660 C3 74 42	6280	JMP	PAUSE	
4663	6290 *			
4663 D5	6300 EXCT	PUSH	D	EXECUTE (G)
4664 C9	6310	RET		
4665	6320 *			
4665 FE 04	6330 JUMP	CPI	4	GO (J)
4667 CA 6E 46	6340	JZ	\$+4	
466A EB	6350	XCHG		
466B 22 3A 41	6360	SHLD	GOLOC	
466E 2A 3A 41	6370 G1	LHLD	GOLOC	
4671 E9	6380	PCHL		
4672	6390 *			
4672 FE 04	6400 ICMD	CPI	4	"I" COMMAND (I)
4674 CA 0B 43	6410	JZ	INITC	INITIALIZE OR
4677 53	6420	MOV	D,E	INPUT FROM PORT
4678 1E DB	6430	MVI	E,0DBH	
467A 3E CD	6440	MVI	A,0CDH	
467C 01 F4 42	6450	LXI	B,OUTH	
467F 65	6460 ICMD1	MOV	H,L	
4680 68	6470	MOV	L,B	
4681 41	6480	MOV	B,C	
4682 4F	6490	MOV	C,A	
4683 7C	6500	MOV	A,H	
4684 26 C3	6510	MVI	H,0C3H	
1686 E5	6520	PUSH	H	
+687 C5	6530	PUSH	B	
4688 D5	6540	PUSH	D	
4689 21 00 00	6550	LXI	H,0	
468C 39	6560	DAD	SP	
468D E9	6570	PCHL		
468E	6580 *			
468E 53	6590 OUTCM	MOV	D,E	PORT OUTPUT (O)
468F 1E D3	6600	MVI	E,0D3H	
4691 2D	6610	DCR	L	
4692 AF	6620	XRA	A	
4693 47	6630	MOV	B,A	
4694 4F	6640	MOV	C,A	
4695 C3 7F 46	6650	JMP	ICMD1	
4698	6660 *			
4698 3E 04	6670 ECHO	MVI	A,4	KEYBOARD ECHO (K)
469A CD 7C 44	6680	CALL	CRT	
469D CD 83 42	6690	CALL	KEYB	
46A0 C3 9A 46	6700	JMP	ECHO+2	
46A3	6710 *			
46A3 FE 02	6720 MOVE	CPI	2	MOVE MEMORY (M)
46A5 D2 D0 42	6730	JNC	ERR	
46A8 E5	6740	PUSH	H	
46A9 CD C8 42	6750	CALL	LENG	
46AC D5	6760	PUSH	D	
16AD EB	6770	XCHG		
46AE C5	6780	PUSH	B	
46AF E1	6790	POP	H	
46B0 CD C8 42	6800	CALL	LENG	

46B3 D2 C3 46	6810	JNC	GTR	
46B6 D1	6820	POP	D	
46B7 F1	6830	POP	PSW	
46B8 7E	6840 MV1	MOV	A,M	
46B9 02	6850	STAX	B	
46BA 03	6860	INX	B	
46BB 23	6870	INX	H	
46BC 1B	6880	DCX	D	
46BD 7A	6890	MOV	A,D	
46BE B3	6900	ORA	E	
46BF C2 B8 46	6910	JNZ	MV1	
46C2 C9	6920	RET		
46C3	6930 *			
46C3 D1	6940 GTR	POP	D	
46C4 D5	6950	PUSH	D	
46C5 E1	6960	POP	H	
46C6 09	6970	DAD	B	
46C7 C1	6980	POP	B	
46C8 2B	6990	DCX	H	
46C9 0B	7000	DCX	B	
46CA 0A	7010 MV2	LDAX	B	
46CB 77	7020	MOV	M,A	
46CC 0B	7030	DCX	B	
46CD 2B	7040	DCX	H	
46CE 1B	7050	DCX	D	
46CF 7A	7060	MOV	A,D	
46D0 B3	7070	ORA	E	
46D1 C2 CA 46	7080	JNZ	MV2	
46D4 C9	7090	RET		
6D5	7100 *			
46D5 2B	7110 USER	DCX	H	USER (U)
46D6 C3 80 48	7120	JMP	RAM	
46D9	7130 *			
46D9 FE 02	7140 VRFY	CPI	2	VERIFY MEMORY (V)
46DB D2 D0 42	7150	JNC	ERR	
46DE CD C8 42	7160	CALL	LENG	
46E1 0A	7170 VR1	LDAX	B	
46E2 BE	7180	CMP	M	
46E3 C4 EF 46	7190	CNZ	VR2	
46E6 23	7200	INX	H	
46E7 03	7210	INX	B	
46E8 1B	7220	DCX	D	
46E9 7A	7230	MOV	A,D	
46EA B3	7240	ORA	E	
46EB C2 E1 46	7250	JNZ	VR1	
46EE C9	7260	RET		
46EF	7270 *			
46EF CD D8 42	7280 VR2	CALL	ADRO	
46F2 CD F3 42	7290	CALL	OUTM	
46F5 CD E3 42	7300	CALL	SP2	
46F8 0A	7310	LDAX	B	
46F9 CD F4 42	7320	CALL	OUTH	
46FC C3 74 42	7330	JMP	PAUSE	
46FF	7340 *			
46FF F5	7350 WRIT	PUSH	PSW	WRITE TAPE (W)
4700 CD C8 42	7360	CALL	LENG	
4703 F1	7370	POP	PSW	
4704 E5	7380	PUSH	H	

4705 FE 02	7390	CPI	2	
4707 D2 0C 47	7400	JNC	\$+2	
470A C5	7410	PUSH	B	
470B E1	7420	POP	H	
70C CD 65 42	7430	CALL	PREP	
470F 7C	7440	MOV	A,H	
4710 CD 71 42	7450	CALL	COUT	
4713 7D	7460	MOV	A,L	
4714 CD 71 42	7470	CALL	COUT	
4717 E1	7480	POP	H	
4718 7A	7490	MOV	A,D	
4719 CD 71 42	7500	CALL	COUT	
471C 7B	7510	MOV	A,E	
471D CD 71 42	7520	CALL	COUT	
4720 0E 00	7530 WR1	MVI	C,0	
4722 7E	7540 WR2	MOV	A,M	
4723 CD 71 42	7550	CALL	COUT	
4726 7E	7560	MOV	A,M	
4727 CD 85 47	7570	CALL	ENDCK+2	
472A C2 22 47	7580	JNZ	WR2	
472D 79	7590	MOV	A,C	
472E 41	7600	MOV	B,C	
472F CD 71 42	7610	CALL	COUT	
4732 48	7620 IN6	MOV	C,B	
4733 C3 CF 47	7630	JMP	CKSM2	
4736	7640 *			
4736 0E 00	7650 CHEK	MVI	C,0	CHECK TAPE (C)
4738 C3 42 47	7660	JMP	LDGO+2	
473B	7670 *			
73B 0E 01	7680 INP	MVI	C,1	READ TAPE (R)
473D C3 42 47	7690	JMP	LDGO+2	
4740	7700 *			
4740 0E 02	7710 LDGO	MVI	C,2	LOAD AND GO (L)
4742 2B	7720	DCX	H	
4743 F5	7730	PUSH	PSW	
4744 AF	7740	XRA	A	
4745 F5	7750 SYNC	PUSH	PSW	
4746 CD 74 42	7760	CALL	PAUSE	
4749 F1	7770	POP	PSW	
474A CD 81 0F	7780	CALL	CIN1	
474D FE A5	7790	CPI	0A5H	
474F C2 45 47	7800	JNZ	SYNC	
4752 F1	7810	POP	PSW	
4753 FE 04	7820	CPI	4	
4755 CC AD 47	7830	CZ	R4	
4758 FE 03	7840	CPI	3	
475A C2 62 47	7850	JNZ	IN2	
475D D5	7860	PUSH	D	
475E CD AD 47	7870	CALL	R4	
4761 E1	7880	POP	H	
4762 E5	7890 IN2	PUSH	H	
4763 06 00	7900	MVI	B,0	
4765 CD 5C 42	7910 IN3	CALL	CIN	
4768 0C	7920	INR	C	
769 0D	7930	DCR	C	
476A CA 6E 47	7940	JZ	\$+1	
476D 77	7950	MOV	M,A	
476E CD 83 47	7960	CALL	ENDCK	

4771 C2 65 47	7970	JNZ	IN3
4774 E1	7980	POP	H
4775 CD 5C 42	7990	CALL	CIN
4778 B8	8000	CMP	B
4779 C2 8A 47	8010	JNZ	IN5
477C 79	8020	MOV	A,C
477D FE 02	8030	CPI	2
477F C2 32 47	8040	JNZ	IN6
4782 E9	8050	PCHL	
4783	8060 *		
4783 80	8070 ENDCK	ADD	B
4784 47	8080	MOV	B,A
4785 23	8090	INX	H
4786 1B	8100	DCX	D
4787 7A	8110	MOV	A,D
4788 B3	8120	ORA	E
4789 C9	8130	RET	
478A	8140 *		
478A F5	8150 IN5	PUSH	PSW
478B 48	8160	MOV	C,B
478C 21 9C 47	8170	LXI	H,CERR
478F CD AB 42	8180	CALL	STRNG
4792 F1	8190	POP	PSW
4793 CD F4 42	8200	CALL	OUTH
4796 CD E3 42	8210	CALL	SP2
4799 C3 D7 47	8220	JMP	CKSM3
479C	8230 *		
479C 10	8240 CERR	DB	16
479D 43 48 45 43 4B	8250	ASC	'CHECKSUM ERROR
53 55 4D 20 45			
52 52 4F 52 20			
20	8260 *		
47AD	8270 R4	PUSH	PSW
47AD F5	8280	CALL	CIN
47AE CD 5C 42	8290	MOV	H,A
47B1 67	8300	CALL	CIN
47B2 CD 5C 42	8310	MOV	L,A
47B5 6F	8320	CALL	CIN
47B6 CD 5C 42	8330	MOV	D,A
47B9 57	8340	CALL	CIN
47BA CD 5C 42	8350	MOV	E,A
47BD 5F	8360	POP	PSW
47BE F1	8370	RET	
47BF C9	8380 *		
47C0	8390 CKSUM	CALL	LENG
47C0 CD C8 42			CHECKSUM (Q)
47C3 0E 00	8400	MVI	C,0
47C5 79	8410	MOV	A,C
47C6 86	8420	ADD	M
47C7 4F	8430	MOV	C,A
47C8 23	8440	INX	H
47C9 1B	8450	DCX	D
47CA 7A	8460	MOV	A,D
47CB B3	8470	ORA	E
47CC C2 C4 47	8480	JNZ	CKSUM+4
47CF 06 09	8490 CKSM2	MVI	B,9
47D1 21 9C 47	8500	LXI	H,CERR
47D4 CD AC 42	8510	CALL	STRNG+1

47D7 79	8520	CKSM3	MOV	A,C	
47D8 C3 F4 42	8530		JMP	OUTH	
47DB	8540	*			
47DB CD C8 42	8550	TEST	CALL	LENG	MEMORY TEST (T)
7DE 01 5A 5A	8560		LXI	B,5A5AH	
47E1 CD 27 48	8570	CYCL	CALL	RNDM	
47E4 C5	8580		PUSH	B	
47E5 E5	8590		PUSH	H	
47E6 D5	8600		PUSH	D	
47E7 CD 27 48	8610	TLOP	CALL	RNDM	
47EA 70	8620		MOV	M,B	
47EB 23	8630		INX	H	
47EC 1B	8640		DCX	D	
47ED 7A	8650		MOV	A,D	
47EE B3	8660		ORA	E	
47EF C2 E7 47	8670		JNZ	TLOP	
47F2 CD 74 42	8680		CALL	PAUSE	
47F5 D1	8690		POP	D	
47F6 E1	8700		POP	H	
47F7 C1	8710		POP	B	
47F8 E5	8720		PUSH	H	
47F9 D5	8730		PUSH	D	
47FA CD 27 48	8740	RLOP	CALL	RNDM	
47FD 7E	8750		MOV	A,M	
47FE B8	8760		CMP	B	
47FF C4 15 48	8770		CNZ	MERR	
4802 23	8780		INX	H	
4803 1B	8790		DCX	D	
4804 7A	8800		MOV	A,D	
4805 B3	8810		ORA	E	
4806 C2 FA 47	8820		JNZ	RLOP	
4809 21 32 41	8830		LXI	H,TCNTR	
480C 34	8840		INR	M	
480D CC 36 48	8850		CZ	TESTN	
4810 D1	8860		POP	D	
4811 E1	8870		POP	H	
4812 C3 E1 47	8880		JMP	CYCL	
4815	8890	*			
4815 F5	8900	MERR	PUSH	PSW	ERROR FOUND
4816 CD 74 42	8910		CALL	PAUSE	
4819 CD D8 42	8920		CALL	ADRO	
481C 78	8930		MOV	A,B	
481D CD F4 42	8940		CALL	OUTH	
4820 CD E3 42	8950		CALL	SP2	
4823 F1	8960		POP	PSW	
4824 C3 F4 42	8970		JMP	OUTH	
4827	8980	*			
4827 78	8990	RNDM	MOV	A,B	PSEUDO-RANDOM
4828 E6 B4	9000		ANI	0B4H	NUMBER GENERATOR
482A A7	9010		ANA	A	
482B EA 2F 48	9020		JPE	PEVE	
482E 37	9030		STC		
482F 79	9040	PEVE	MOV	A,C	
4830 17	9050		RAL		
4831 4F	9060		MOV	C,A	
4832 78	9070		MOV	A,B	
4833 17	9080		RAL		
4834 47	9090		MOV	B,A	

4835 C9	9100	RET		
4836	9110 *			
4836 3A 33 41	9120 TESTN	LDA	DECNB	TEST COUNTER
339 C6 01	9130	ADI	1	
483B 27	9140	DAA		
483C 32 33 41	9150	STA	DECNB	
483F CD F4 42	9160	CALL	OUTH	
4842 21 4B 48	9170	LXI	H, NMSG	
4845 CD AB 42	9180	CALL	STRNG	
4848 C3 B6 42	9190	JMP	CRLF	
484B	9200 *			
484B 06	9210 NMSG	DB	6	
484C 20 54 45 53 54 53	9220	ASC	' TESTS'	
4852	9230 *			
4852 FE 02	9240 XCHG	CPI	2	EXCHANGE MEMORY (X)
4854 D2 D0 42	9250	JNC	ERR	
4857 CD C8 42	9260	CALL	LENG	
485A 0A	9270 XCH1	LDAX	B	
485B F5	9280	PUSH	PSW	
485C 7E	9290	MOV	A, M	
485D 02	9300	STAX	B	
485E F1	9310	POP	PSW	
485F 77	9320	MOV	M, A	
4860 23	9330	INX	H	
4861 03	9340	INX	B	
4862 1B	9350	DCX	D	
4863 7A	9360	MOV	A, D	
4864 B3	9370	ORA	E	
4865 C2 5A 48	9380	JNZ	XCH1	
4868 C9	9390	RET		
4869	9400 *			
4869 CD C8 42	9410 ZERO	CALL	LENG	FILL MEMORY (Z)
486C 71	9420	MOV	M, C	
486D 23	9430	INX	H	
486E 1B	9440	DCX	D	
486F 7A	9450	MOV	A, D	
4870 B3	9460	ORA	E	
4871 C2 6C 48	9470	JNZ	ZERO+3	
4874 C9	9480	RET		
4875	9490 *			
4875	9500 ZZZ	EQU	\$	END OF FILE
4875	9510 *			
4875	9520	ORG	RAM	USER LOCATION
4880 C9	9530	DB	0C9H	
4881	9540 *			

SYMBOL TABLE

~~SYMBOL TABLE~~ ASE⁸